


LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION		DATE	OWN	APVD	
			2	REVISED		13DEC2010	WS	MH	
			3	REVISED		14MAY2012	REH	DT	

D

C

B


A



- △ MATERIAL:
BASE HOUSING, UPPER HOUSING, ORGANIZER,
AND SPACER: THERMOPLASTIC, FLAMMABILITY
RATING UL94 V-0
CONTACT: COPPER ALLOY
2. CONFORMS TO THE REQUIREMENTS OF TE PRODUCT
SPECIFICATION, 108-2375; BASED ON TELCORDIA
GR-1217-CORE FOR SYSTEM QUALITY LEVEL III,
APPLICATIONS IN CONTROLLED ENVIRONMENTS
(CENTRAL OFFICE).
SEE TE PRODUCT SPECIFICATION 108-2375 FOR
TEST SEQUENCES.
- △ 3 SPECIFIED POSITIONAL TOLERANCE DEFINES HOLE TO
HOLE LOCATION WITHIN HOLE PATTERN. POSITIONAL
TOLERANCE OF HOLE PATTERN TO FIDUCIAL MARKS
OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER.
- △ 4 AREA RESERVED FOR TE CONNECTIVITY LOGO.
- △ 5 AREA RESERVED FOR PART NUMBER (X-XXXXXXX-X) AND
DATE CODE (YYWW).
- △ 6 USE CENTER LINES INDICATED ON PCB HOLE PATTERN
TO ESTABLISH ALIGNMENT BETWEEN HEADER AND
RECEPTACLE BOARDS.
- △ 7 PLATED THROUGH HOLE REQUIREMENTS:
HOLE SIZE PRIOR TO PLATING = $\varnothing 0.700 \pm 0.025$
COPPER PLATING THICKNESS = 0.038 ± 0.013
CALCULATED FINISHED HOLE SIZE = $\varnothing 0.624 \pm 0.051$
THESE DIMENSIONS APPLY TO THE TOP 1.50mm OF
THE PCB THICKNESS FROM THE CONNECTOR MOUNTING
SIDE.
- △ 8 CONTACT SALES FOR AVAILABILITY OF THIS STACK
HEIGHT.

SIZE 2 HALF-WIDE *
12 POWER CONTACTS


* SIZE 1 AND SIZE 3 ARE ALSO AVAILABLE




THIS PRODUCT HAS NOT
COMPLETED VALIDATION AND
QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN HAMNER	26OCT2010	 TE Connectivity	
DIMENSIONS:		CHK D. TROUT	27OCT2010		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD FEDDER	27OCT2010	NAME	
		PRODUCT SPEC		HEADER ASSEMBLY, HALF-WIDE, 12P, STRADA MESA MEZZANINE CONNECTOR	
	9 PLC ± 3 PLC ±0.13 5 PLC ±0.013 4 PLC ± ANGLES ±1 FINISH -	108-2375		SIZE	
		APPLICATION SPEC		CAGE CODE	
114-13249		DRAWING NO			
MATERIAL		RESTRICTED TO			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			

LOC		DIST		REVISIONS				
GP	00	P	LYR	DESCRIPTION	DATE	OWN	APVD	
		-	-	SEE SHEET 1	-	-	-	



ISOMETRIC VIEW
TYPICAL CONFIGURATION FOR 14mm THRU 42mm
28mm SHOWN
SCALE 2:1



ISOMETRIC VIEWS
TYPICAL CONFIGURATION FOR 8mm THRU 13mm
8mm SHOWN
SCALE 2:1

	41.8	42mm	MATTE Sn	9-2149530-2
	40.8	41mm	MATTE Sn	9-2149530-1
	39.8	40mm	MATTE Sn	9-2149530-0
	38.8	39mm	MATTE Sn	8-2149530-9
	37.8	38mm	MATTE Sn	8-2149530-8
YES	36.8	37mm	MATTE Sn	8-2149530-7
	35.8	36mm	MATTE Sn	8-2149530-6
	34.8	35mm	MATTE Sn	8-2149530-5
	33.8	34mm	MATTE Sn	8-2149530-4
	32.8	33mm	MATTE Sn	8-2149530-3
	31.8	32mm	MATTE Sn	8-2149530-2
	30.8	31mm	MATTE Sn	8-2149530-1
	29.8	30mm	MATTE Sn	8-2149530-0
	28.8	29mm	MATTE Sn	7-2149530-9
	27.8	28mm	MATTE Sn	7-2149530-8
	26.8	27mm	MATTE Sn	7-2149530-7
	25.8	26mm	MATTE Sn	7-2149530-6
	24.8	25mm	MATTE Sn	7-2149530-5
	23.8	24mm	MATTE Sn	7-2149530-4
	22.8	23mm	MATTE Sn	7-2149530-3
YES	21.8	22mm	MATTE Sn	7-2149530-2
	20.8	21mm	MATTE Sn	7-2149530-1
	19.8	20mm	MATTE Sn	7-2149530-0
	18.8	19mm	MATTE Sn	6-2149530-9
	17.8	18mm	MATTE Sn	6-2149530-8
	16.8	17mm	MATTE Sn	6-2149530-7
	15.8	16mm	MATTE Sn	6-2149530-6
	14.8	15mm	MATTE Sn	6-2149530-5
	13.8	14mm	MATTE Sn	6-2149530-4
	12.8	13mm	MATTE Sn	6-2149530-3
	11.8	12mm	MATTE Sn	6-2149530-2
	10.8	11mm	MATTE Sn	6-2149530-1
	9.8	10mm	MATTE Sn	6-2149530-0
	8.8	9mm	MATTE Sn	5-2149530-9
	7.8	8mm	MATTE Sn	5-2149530-8
TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

	41.8	42mm	Sn/Pb	4-2149530-2
	40.8	41mm	Sn/Pb	4-2149530-1
	39.8	40mm	Sn/Pb	4-2149530-0
	38.8	39mm	Sn/Pb	3-2149530-9
	37.8	38mm	Sn/Pb	3-2149530-8
YES	36.8	37mm	Sn/Pb	3-2149530-7
	35.8	36mm	Sn/Pb	3-2149530-6
	34.8	35mm	Sn/Pb	3-2149530-5
	33.8	34mm	Sn/Pb	3-2149530-4
	32.8	33mm	Sn/Pb	3-2149530-3
	31.8	32mm	Sn/Pb	3-2149530-2
	30.8	31mm	Sn/Pb	3-2149530-1
	29.8	30mm	Sn/Pb	3-2149530-0
	28.8	29mm	Sn/Pb	2-2149530-9
	27.8	28mm	Sn/Pb	2-2149530-8
	26.8	27mm	Sn/Pb	2-2149530-7
	25.8	26mm	Sn/Pb	2-2149530-6
	24.8	25mm	Sn/Pb	2-2149530-5
	23.8	24mm	Sn/Pb	2-2149530-4
	22.8	23mm	Sn/Pb	2-2149530-3
YES	21.8	22mm	Sn/Pb	2-2149530-2
	20.8	21mm	Sn/Pb	2-2149530-1
	19.8	20mm	Sn/Pb	2-2149530-0
	18.8	19mm	Sn/Pb	1-2149530-9
	17.8	18mm	Sn/Pb	1-2149530-8
	16.8	17mm	Sn/Pb	1-2149530-7
	15.8	16mm	Sn/Pb	1-2149530-6
	14.8	15mm	Sn/Pb	1-2149530-5
	13.8	14mm	Sn/Pb	1-2149530-4
	12.8	13mm	Sn/Pb	1-2149530-3
	11.8	12mm	Sn/Pb	1-2149530-2
	10.8	11mm	Sn/Pb	1-2149530-1
	9.8	10mm	Sn/Pb	1-2149530-0
	8.8	9mm	Sn/Pb	2149530-9
	7.8	8mm	Sn/Pb	2149530-8
TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

9 PLC
1 PLC
3 PLC
5 PLC
4 PLC
ANGLES
FINISH

±
±0.13
±0.013
±
±#1

mm

26OCT2010
27OCT2010
27OCT2010

CHK
D. TROUT
APVD
A. FEDDER

26OCT2010
27OCT2010

PRODUCT SPEC
108-2375
APPLICATION SPEC
114-13249

WEIGHT
-

CUSTOMER DRAWING

SCALE 6:1

SHEET 2 OF 4

REV 3

OWN
HAMNER
26OCT2010

NAME
HEADER ASSEMBLY,
HALF-WIDE, 12P,
STRADA MESA MEZZANINE CONNECTOR

SIZE
A100779

CAGE CODE
C=2149530


DRAWING NO
-

RESTRICTED TO
-

4805 (3/11)

LOC		DIST		REVISIONS					
GP		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-

A1 CORNER INDICATORS.




MATED CONNECTOR OUTLINE
SEE SHEET 4 FOR LOCATION TO HOLES

PCB LAYOUT AND PIN IDENTIFICATION
SHOWN FROM CONNECTOR SIDE
SCALE 7:1

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	HAMNER	26OCT2010	 TE Connectivity											
				CHK	D. TROUT	27OCT2010												
				APVD	J. FEDDER	27OCT2010	NAME											
DIMENSIONS:		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC			HEADER ASSEMBLY, HALF-WIDE, 12P, STRADA MESA MEZZANINE CONNECTOR											
mm				APPLICATION SPEC														
		0 PLOC	±.01	114-13249			SIZE											
		1 PLOC	±.01								CAGE CODE							
		2 PLOC	±0.13												DRAWING NO			
		3 PLOC	±0.013															
4 PLOC	±.01	A100779C=2149530																
5 PLOC	±.01					SCALE												
6 PLOC	±.01									SHEET								
7 PLOC	±.01													3				
8 PLOC	±.01	OF																
9 PLOC	±.01					4												
10 PLOC	±.01									REV								
11 PLOC	±.01													3				
12 PLOC	±.01																	
13 PLOC	±.01																	
14 PLOC	±.01																	
15 PLOC	±.01																	
16 PLOC	±.01																	
17 PLOC	±.01																	
18 PLOC	±.01																	
19 PLOC	±.01																	
20 PLOC	±.01																	
21 PLOC	±.01																	
22 PLOC	±.01																	
23 PLOC	±.01																	
24 PLOC	±.01																	
25 PLOC	±.01																	
26 PLOC	±.01																	
27 PLOC	±.01																	
28 PLOC	±.01																	
29 PLOC	±.01																	
30 PLOC	±.01																	
31 PLOC	±.01																	
32 PLOC	±.01																	
33 PLOC	±.01																	
34 PLOC	±.01																	
35 PLOC	±.01																	
36 PLOC	±.01																	
37 PLOC	±.01																	
38 PLOC	±.01																	
39 PLOC	±.01																	
40 PLOC	±.01																	
41 PLOC	±.01																	
42 PLOC	±.01																	
43 PLOC	±.01																	
44 PLOC	±.01																	
45 PLOC	±.01																	
46 PLOC	±.01																	
47 PLOC	±.01																	
48 PLOC	±.01																	
49 PLOC	±.01																	
50 PLOC	±.01																	
51 PLOC	±.01																	
52 PLOC	±.01																	
53 PLOC	±.01																	
54 PLOC	±.01																	
55 PLOC	±.01																	
56 PLOC	±.01																	
57 PLOC	±.01																	
58 PLOC	±.01																	
59 PLOC	±.01																	
60 PLOC	±.01																	
61 PLOC	±.01																	
62 PLOC	±.01																	
63 PLOC	±.01																	
64 PLOC	±.01																	
65 PLOC	±.01																	
66 PLOC	±.01																	
67 PLOC	±.01																	
68 PLOC	±.01																	
69 PLOC	±.01																	
70 PLOC	±.01																	
71 PLOC	±.01																	
72 PLOC	±.01																	
73 PLOC	±.01																	
74 PLOC	±.01																	
75 PLOC	±.01																	
76 PLOC	±.01																	
77 PLOC	±.01																	
78 PLOC	±.01																	
79 PLOC	±.01																	
80 PLOC	±.01																	
81 PLOC	±.01																	
82 PLOC	±.01																	
83 PLOC	±.01																	
84 PLOC	±.01																	
85 PLOC	±.01																	
86 PLOC	±.01																	
87 PLOC	±.01																	
88 PLOC	±.01																	
89 PLOC	±.01																	
90 PLOC	±.01																	
91 PLOC	±.01																	
92 PLOC	±.01																	
93 PLOC	±.01																	
94 PLOC	±.01																	
95 PLOC	±.01																	
96 PLOC	±.01																	
97 PLOC	±.01																	
98 PLOC	±.01																	
99 PLOC	±.01																	
100 PLOC	±.01																	
101 PLOC	±.01																	
102 PLOC	±.01																	
103 PLOC	±.01																	
104 PLOC	±.01																	
105 PLOC	±.01																	
106 PLOC	±.01																	
107 PLOC	±.01																	
108 PLOC	±.01																	
109 PLOC	±.01																	
110 PLOC	±.01																	
111 PLOC	±.01																	
112 PLOC	±.01																	
113 PLOC	±.01																	
114 PLOC	±.01																	
115 PLOC	±.01																	
116 PLOC	±.01																	
117 PLOC	±.01																	
118 PLOC	±.01																	
119 PLOC	±.01																	
120 PLOC	±.01																	
121 PLOC	±.01																	
122 PLOC	±.01																	
123 PLOC	±.01																	
124 PLOC	±.01																	
125 PLOC	±.01																	
126 PLOC	±.01																	
127 PLOC	±.01																	
128 PLOC	±.01																	
129 PLOC	±.01																	
130 PLOC	±.01																	
131 PLOC	±.01																	
132 PLOC	±.01																	
133 PLOC	±.01																	
134 PLOC	±.01																	
135 PLOC	±.01																	
136 PLOC	±.01																	
137 PLOC	±.01																	
138 PLOC	±.01																	
139 PLOC	±.01																	
140 PLOC	±.01																	
141 PLOC	±.01																	
142 PLOC	±.01																	
143 PLOC	±.01																	
144 PLOC	±.01																	
145 PLOC	±.01																	
146 PLOC	±.01																	
147 PLOC	±.01																	
148 PLOC	±.01																	
149 PLOC	±.01																	
150 PLOC	±.01																	
151 PLOC	±.01																	
152 PLOC	±.01																	
153 PLOC	±.01																	
154 PLOC	±.01																	
155 PLOC	±.01																	
156 PLOC	±.01																	
157 PLOC	±.01																	
158 PLOC	±.01																	
159 PLOC	±.01																	
160 PLOC	±.01																	
161 PLOC	±.01																	
162 PLOC	±.01																	
163 PLOC	±.01																	
164 PLOC	±.01																	
165 PLOC	±.01																	
166 PLOC	±.01																	
167 PLOC	±.01																	
168 PLOC	±.01																	
169 PLOC	±.01																	
170 PLOC	±.01																	
171 PLOC	±.01																	
172 PLOC	±.01																	
173 PLOC	±.01																	
174 PLOC	±.01																	
175 PLOC	±.01																	
176 PLOC	±.01																	
177 PLOC	±.01																	
178 PLOC	±.01																	
179 PLOC	±.01																	
180 PLOC	±.01																	
181 PLOC	±.01																	
182 PLOC	±.01																	
183 PLOC	±.01																	
184 PLOC	±.01																	
185 PLOC	±.01																	
186 PLOC	±.01																	
187 PLOC	±.01																	
188 PLOC	±.01																	
189 PLOC	±.01																	
190 PLOC	±.01																	
191 PLOC	±.01																	
192 PLOC	±.01																	
193 PLOC	±.01																	
194 PLOC	±.01																	
195 PLOC	±.01																	
196 PLOC	±.01																	
197 PLOC	±.01																	
198 PLOC	±.01																	
199 PLOC	±.01																	
200 PLOC	±.01																	
201 PLOC	±.01																	
202 PLOC	±.01																	
203 PLOC	±.01																	
204 PLOC	±.01																	
205 PLOC	±.01																	
206 PLOC	±.01																	
207 PLOC	±.01																	
208 PLOC	±.01																	
209 PLOC	±.01																	
210 PLOC	±.01																	
211 PLOC	±.01																	
212 PLOC	±.01																	
213 PLOC	±.01																	
214 PLOC	±.01																	
215 PLOC	±.01																	
216 PLOC	±.01																	
217 PLOC	±.01																	
218 PLOC	±.01																	
219 PLOC	±.01																	
220 PLOC	±.01																	
221 PLOC	±.01																	
222 PLOC	±.01																	
223 PLOC	±.01																	
224 PLOC	±.01																	
225 PLOC	±.01																	
226 PLOC	±.01																	
227 PLOC	±.01																	
228 PLOC	±.01																	
229 PLOC	±.01																	
230 PLOC	±.01																	
231 PLOC	±.01																	
232 PLOC	±.01																	
233 PLOC	±.01																	
234 PLOC	±.01																	
235 PLOC	±.01																	
236 PLOC	±.01																	
237 PLOC	±.01																	
238 PLOC	±.01																	
239 PLOC	±.01																	
240 PLOC	±.01																	
241 PLOC	±.01																	
242 PLOC	±.01																	
243 PLOC	±.01																	
244 PLOC	±.01																	
245 PLOC	±.01																	
246 PLOC	±.01																	
247 PLOC	±.01																	
248 PLOC	±.01																	
249 PLOC	±.01																	
250 PLOC	±.01																	
251 PLOC	±.01																	
252 PLOC	±.01																	
253 PLOC	±.01																	
254 PLOC	±.01																	
255 PLOC	±.01																	
256 PLOC	±.01																	
257 PLOC	±.01																	
258 PLOC	±.01																	
259 PLOC	±.01																	
260 PLOC	±.01																	
261 PLOC	±.01																	
262 PLOC	±.01																	
263 PLOC	±.01																	
264 PLOC	±.01																	
265 PLOC	±.01																	
266 PLOC	±.01																	
267 PLOC	±.01																	
268 PLOC	±.01																	
269 PLOC	±.01																	
270 PLOC	±.01																	
271 PLOC	±.01																	
272 PLOC	±.01																	
273 PLOC	±.01																	
274 PLOC	±.01																	
275 PLOC	±.01																	
276 PLOC	±.01																	
277 PLOC	±.01																	
278 PLOC	±.01																	
279 PLOC	±.01																	
280 PLOC	±.01																	
281 PLOC	±.01																	
282 PLOC	±.01																	
283 PLOC	±.01																	
284 PLOC	±.01																	
285 PLOC	±.01																	
286 PLOC	±.01																	
287 PLOC	±.01																	
288 PLOC	±.01																	
289 PLOC	±.01																	
290 PLOC	±.01																	
291 PLOC	±.01																	
292 PLOC	±.01																	
293 PLOC	±.01																	
294 PLOC	±.01																	
295 PLOC	±.01																	
296 PLOC	±.01																	
297 PLOC	±.01																	
298 PLOC	±.01																	
299 PLOC	±.01																	
300 PLOC	±.01																	
301 PLOC	±.01																	
302 PLOC	±.01																	
303 PLOC	±.01																	
304 PLOC	±.01																	
305 PLOC	±.01																	
306 PLOC	±.01																	
307 PLOC	±.01																	
308 PLOC	±.01																	
309 PLOC	±.01																	
310 PLOC	±.01																	
311 PLOC	±.01																	
312 PLOC	±.01																	
313 PLOC	±.01																	
314 PLOC	±.01																	
315 PLOC	±.01																	
316 PLOC	±.01																	
317 PLOC	±.01																	
318 PLOC	±.01																	
319 PLOC	±.01																	
320 PLOC	±.01																	
321 PLOC	±.01																	
322 PLOC	±.01																	
323 PLOC	±.01																	
324 PLOC	±.01																	
325 PLOC	±.01																	
326 PLOC	±.01																	
327 PLOC	±.01																	
328 PLOC	±.01																	
329 PLOC	±.01																	
330 PLOC	±.01																	
331 PLOC	±.01																	
332 PLOC	±.01																	
333 PLOC	±.01																	
334 PLOC	±.01																	
335 PLOC	±.01																	
336 PLOC	±.01																	
337 PLOC	±.01																	
338 PLOC	±.01																	
339 PLOC	±.01																	
340 PLOC	±.01																	
341 PLOC	±.01																	
342 PLOC	±.01																	
343 PLOC	±.01																	
344 PLOC	±.01																	
345 PLOC	±.01																	
346 PLOC	±.01																	
347 PLOC	±.01																	
348 PLOC	±.01																	
349 PLOC	±.01																	
350 PLOC	±.01																	
351 PLOC	±.01																	
352 PLOC	±.01																	
353 PLOC	±.01																	
354 PLOC	±.01																	
355 PLOC	±.01																	

LOC		DIST		REVISIONS					
GP		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



PCB HOLE PATTERN
SHOWN FROM CONNECTOR SIDE
SCALE 7:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN HAMNER	26OCT2010	TE Connectivity	
		CHK D. TROUT	27OCT2010		
DIMENSIONS:		APVD J. FEEDER	27OCT2010	NAME	
mm		PRODUCT SPEC		HEADER ASSEMBLY, HALF-WIDE, 12P,	
		108-2375		STRADA MESA MEZZANINE CONNECTOR	
		APPLICATION SPEC		SIZE	
		114-13249		CAGE CODE	
		FINISH		DRAWING NO	
MATERIAL		WEIGHT		RESTRICTED TO	
-		-		A100779C=2149530	
		CUSTOMER DRAWING		SCALE 6:1 SHEET 4 OF 4 REV 3	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331