

ITEM	DESCRIPTION	L	QTY.
A	CRIMP HOUSING 887809086		1
B	FRONT SHELL 887809083		1
C	REAR SHELL 887809084		1
D	USB2.0 #28/#24 , CABLE(SEE TABLE)		
E	TERMINAL (AWG28) (SEE TABLE)		2
F	TERMINAL (AWG24) (SEE TABLE)		2
G	MINI-B PLG HSG&TERMINAL SUB-ASS'Y 675420008		1
H	USB SERIES MINI-B PLG SHIELD CASE 675450000		1
J	USB SERIES MINI-B PLG COVER SHIELD 675460000		1
K	COPPER FOIL 887801114		1
L	COPPER FOIL 887801083		1

WIRE DIAGRAM

P 1	P 2	SIGNAL NAME	WIRE COLOR
1	1	VCC	RED
2	2	-DATA	WHITE
3	3	+DATA	GREEN
4	5	GROUND	BLACK

SHELL	SHELL	SHIELDING	BRAID WIRE

ENTER DESCRIPTION
EC NO: DG2006-0150 2006/01/09
DRWN: JFZHENG 2006/01/09
CH'KD: 2006/01/16
APPR: DQLUO
DESCRIPTION
A
REV

QUALITY SYMBOLS
▼=0
Ⓒ=2

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: ---
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: JFZHENG DATE: 2006/01/07
CHECKED BY: JFZHENG DATE: 2006/01/07
APPROVED BY: DQLUO DATE: 2006/01/07
MATERIAL NO.: 887-328x-0x

TITLE: USB2.0, A TO MINIB CABLE ASS'Y

MOLEX INCORPORATED

DOCUMENT NO.: SD-887328500
SHEET NO.: 1 OF 2

SIZE A4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

NOTE:

1. MOLDED PVC RESIN.CABLE.P/N & COLOR AS TABLE

WHITE	887800043	887808233	WHITE
BEIGE	887800059	887808244	BEIGE
BLACK	887800019	887808563	BLACK
BLACK	887800019	887808236	BLACK
BLACK	887800019	887808248	BLACK
FROST WITHE	887800043	887808243	FROST WITHE
RESIN COLOR	RESIN P/N	CABLE P/N	CABLE COLOR

2. STICK UL LABEL ON EACH CARTON.

▽ELECTRICAL PERFORMANCE:
ALL TEST DUABILITY:0.01 SEC.
1. DIELECTRONIC STRENGTH:500V DC
2. INSULATION RESISTANCE:100M OHMS MIN.
3. CONDUCTIVE RESISTANCE: 3 OHMS MAX.

3. PUT COC AND INSPECTION REPORT IN EVERY CARTON (ONLY APPLY FOR 887328705)

4.ALL COMPONENTS MUST MEET RoHS COMPLIANCE

TABLE

88732-8902	2000±30	USB_A TO MINI_B 2.0 VER	88780-8248	88780-9091	88780-9090
88732-8802	1800±30	USB_A TO MINI_B 2.0 VER	88780-8248	88780-9091	88780-9090
88732-8702	1500±30	USB_A TO MINI_B 2.0 VER	88780-8248	88780-9091	88780-9090
88732-8602	1000±30	USB_A TO MINI_B 2.0 VER	88780-8248	88794-1218	88794-1217
88732-8502	800±30	USB_A TO MINI_B 2.0 VER	88780-8235	88794-1218	88794-1217
88732-8900	2000±30	USB_A TO MINI_B 2.0 VER	88780-8243	88780-9091	88780-9090
88732-8800	1800±30	USB_A TO MINI_B 2.0 VER	88780-8243	88780-9091	88780-9090
88732-8700	1500±30	USB_A TO MINI_B 2.0 VER	88780-8243	88780-9091	88780-9090
88732-8600	1000±30	USB_A TO MINI_B 2.0 VER	88780-8243	88794-1218	88794-1217
88732-8500	800±30	USB_A TO MINI_B 2.0 VER	88780-8233	88794-1218	88794-1217
88732-8401	1200±30	USB_A TO MINI_B 2.0 VER	88780-8244	88780-9091	88780-9090
MX P/N	CABLE LENGTH	DESCRIPTION	CABLE P/N	TERM. E P/N	TERM. F P/N

ENTER DESCRIPTION
EC NO: DG2006-0150 2006/01/09
DRWN: JFZHENG 2006/01/09
CH'KD: 2006/01/16
APPR: DQLUO
DESCRIPTION
A
REV

QUALITY SYMBOLS
▼=0
▽C=2

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: ---
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: JFZHENG DATE: 2006/01/07
CHECKED BY: JFZHENG DATE: 2006/01/07
APPROVED BY: DQLUO DATE: 2006/01/07

TITLE: USB2.0, A TO MINIB CABLE ASS'Y

MOLEX INCORPORATED

MATERIAL NO.: 887-328x-0x
DOCUMENT NO.: SD-887328500
SHEET NO.: 2 OF 2

SIZE A4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331