

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0357302900

Status:

Active

Description:

3.56mm (.140") Diameter Pin Receptacle Terminal, Brass, 0.35mm (.138") Thickness, Wire Range 14-20 AWG (2.00-0.52mm²), Unplated


Documents:

Drawing (PDF)

Product Specification PS-35730-001 (PDF)

RoHS Certificate of Compliance (PDF)

General	
Product Family	Crimp Terminals
Series	35730
Crimp Quality Equipment	Yes
Product Name	N/A
Physical	
Gender	Female
Material - Metal	Brass
Material - Plating Mating	Unplated
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	3.50mm (.138") max.
Wire Size AWG	14, 16, 18, 20
Wire Size mm²	N/A
Material Info	
Reference - Drawing Numbers	
Product Specification	PS-35730-001
Sales Drawing	SD-35730-29*0



EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

35730Series

Mates With

35730-28x0

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION


DO NOT SCALE DRAWING
DIMENSION IN METRIC

PROJECT NO.
Ø 3.56 PIN REC'


SIMILAR ITEM

EDP NO.


ENG. NO
SD 35730-29*0




- NOTES
- 1. MAT'L : BRASS , 0.35mm THICKNESS
 - 2. FINISH : 35730-2900(UNPLATED)
35730-2910(POST-TIN PLATED)
35730-2940(TIN-LEAD PLATING)
 - 3. RECOMMENDED LENGTH OF WIRE STRIP IS 4.7-5.3



SEC' : A-A''



SEC' : B-B''



SEC' : C-C''

					ASS'Y PART		QTY/REEL OR PACK	SURFACE AREA		MATERIAL		WIRE RANGE	GENERAL TOLERANCES		 MOLEX-KOREA CO.,LTD.	
					DESCRIPTION	ENG.NO.	7,000 Q'TY /REEL	MM ²		SEE NOTES		AWG: #20-#14	DIM. : 0.30			
										DIMENSION CLASSIFICATION		MM ² : 0.5-2.0	ANGLE : 0.20			
							DIE NO. / / /	LAYOUT NO. / / /		☒ : CRITICAL ☒ : MAJOR ☐ : MINOR () : REFERENCE				REVISE ONLY ON CAD SYSTEM		
B	REVISED		93-025	93-11-1			WIRE CRIMP WIDTH / / /	INS. CRIMP WIDTH / / /		DRAWN BY J.S.KANG	CHK'D BY B.K.CHOI	INSULATION RANGE	TITLE: Ø 3.56 PIN RECEPTACLE 1 of 1			
A	CAD REDRAWING			93.6.15								ø 3.5 MAX.	ENG.NO.			
LTR	REVISION RECORD		ECN	DR./CHK	DATE	DIE FEED / / /	APPL FEED / / /	WBDW / / /	IBDW / / /	APP'D BY	SCALE 6/1		SD 35730-29*0		REV B	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331