


T H E R M O M E T R I C S
A COMMITMENT TO EXCELLENCE

Type YP Series

Thermometrics PTC Thermistors



Description

Thermometrics YP series consists of a range of radially-wired PTC disc thermistors with silicone coating intended for use as a current limiting device.

Features

- Wide range of operating current & voltage levels
- Excellent stability
- Fail-safe operation
- Solid state
- High performance barium titanate ceramic
- Suitable for automatic PCB insertion

Applications

- Designed for general purpose over-current, overvoltage and direct over-temperature protection

Packaging

All types in the YP range are available loose-packed, as shown in the drawing. Devices are also available on bandolier (tape & reel).


To identify the packaging required, add suffix as follows:

Bandoliered T
Loose-packed N*

*only required for YPBL0055 and YPEL6250

Amphenol

Advanced Sensors



Electrical Specifications

Tolerance on R25

±25%

Ambient Temperature Range

at maximum voltage 0 to +60°C

at zero voltage..... -25 to +125°C

Body Coating

Silicone resin: black YP, green YQS

Lead Wire Material

Copper with exception for YPEL6250, copper clad steel

Operating Voltage, V_{max}	Switch Temperature, T_b °C	Part Number	Replacement for	R @ 25°C (±25%) Ω	Maximum Current without Tripping, I_{nt} $T_{amb} = 55^\circ\text{C}$ mA	Minimum Trip Current, I_t $T_{amb} = 25^\circ\text{C}$ mA	Maximum Overload Current, I_{mo} mA	Maximum Residual Current, I_{res} mA	D (max) mm	T (max) mm	H (max) mm	d (nom) mm	L (min) mm
30Vdc	120	YQS8122	YPAL1.20N	1.2	600	1200	4.3	140	11.0	3.5	14.5	0.6	25
30Vdc	120	YQS8123	YPAL4.60N	4.6	250	500	1.0	90	6.5	3.5	12.0	0.6	25
30Vdc	120	YQS8103	YPAL0013N	13	120	240	0.7	50	4.5	3.5	10.0	0.5	25
80Vdc	120	YPBL0055		55	50	100	0.7	24	4	3.5	7.5	0.5	35
265Vrms	80	YQS8119	YPCJ0150N	150	15	45	0.2	6.0	4.5	5.0	9.0	0.5	25
265Vrms	110	YQS8121	YPCL0120N	120	35	80	0.4	10	6.5	5.0	12.0	0.6	25
420Vrms	110	YQS8120	YPDL0600N	600	21	39	0.2	6	6.5	5.0	12.0	0.6	25
550Vrms	120	YPEL6250		6250	6	14	0.15	3	4	5	7.5	0.5	35

Amphenol
Advanced Sensors

© 2014 Amphenol Corporation. All Rights Reserved. Specifications are subject to change without notice. Other company names and product names used in this document are the registered trademarks or trademarks of their respective owners.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

[YPCJ0006T](#) [YDDL0600N](#) [YDDL0600T](#) [YPBJ0055N](#) [YPCJ0015N](#) [YPEK6250N](#) [YPEK6250T](#) [YPCJ0010T](#)
[YPAL1.80T](#) [YPAL1.80N](#) [YPBL0055N](#) [YPCL0055T](#) [YPAL045T](#) [YPBL0055T](#) [YPCL0055N](#) [YPAL4.60N](#) [YPAL4.60T](#)
[YPCL0015N](#) [YPCL0015T](#) [YPCJ0025T](#) [YPCL0035T](#) [YPCL0035N](#) [YPCL0025T](#) [YPCL0025N](#) [YPBJ2.30N](#)
[YPBL3.70T](#) [YPBJ5.60T](#) [YPCL0010N](#) [YPAL0013T](#) [YPCL0010T](#) [YPAL0013N](#) [RL6010-20-110-120-PTF](#) [YPCL0006T](#)
[YPCL0006N](#) [YPEK3500N](#) [YPEK3500T](#) [YPEK1200T](#) [YPCL0150N](#) [YPBL2.30N](#) [YPBL2.30T](#) [YPCL0150T](#)
[YPBL9.40T](#) [YPCL0070T](#) [YPCL0070N](#) [YPCL0065N](#) [YPBJ9.40N](#) [YPEK1500T](#) [YPEK1500N](#) [YPCJ0070T](#)
[YPCL0045N](#) [YPBL5.60N](#) [YPCL0120T](#) [YPCL0120N](#) [YQS8121](#) [YQS8119](#) [YPEL6250T](#) [YQS8123](#) [YQS8122](#)
[YQS8120](#) [YQS8103](#) [YPAL1.20N](#) [YPCL0025](#) [YPCL0055](#) [YPAL1.80](#) [YPBL0025](#) [YPB0055](#) [YPCL0015](#) [YPCL0045](#)



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331