


REV.	4 OF 4	DOCUMENT NO. 10-597865-8-78-1)	
REVISIONS			
LTR	DESCRIPTION		DATE
A	INITIAL RELEASE		1/25/10
B	(CL 11) SEE CHG NOTICE ECN: B1963-0000		12/12/11
C	(CL 11) SEE CHG NOTICE ECN: B5923-0000		6/14/13
D	(CL 11) SEE CHG NOTICE ECN: B6621-0000		1/22/14
E	(CL 11) ADDED -93 & -094 ECN: B7821-0000		2/26/14
F	(CL 11) SEE CHG NOTICE ECN: B8395-0000		4/30/14
G	(CL 11) SEE CHG NOTICE ECN: C0271-0000		4/18/16



8 CRIMP SLEEVE AND SPRING TIGHTLY TO BODY PER 9-9383. A 15 POUND AXIAL LOAD SHALL NOT DISLodge SPRING. SLEEVE SHALL WITHSTAND A .4 IN-OZ TORQUE WITHOUT SPINNING.

7. SPECIFIED GENERAL TOLERANCES:

	$\varnothing .005(S)$
---	-----------------------

6 INDICATED AREA MEETS THE SOLDERABILITY REQUIREMENTS OF MIL-STD-202, METHOD 208.

5. MEETS THE APPLICABLE REQUIREMENTS OF M39029/56.

4. ALL DIMENSIONS ARE AFTER PLATING.

3. PROCESS SPEC:
ASSY 9-9383
TEST 9-5272-16

2 INDICATED DIMENSION TO BE FROM SHOULDER TO POINT OF
ENGAGEMENT OF SPRING AND $A.0300 \pm .0002$ DIAMETER SQUARE
ENDED PIN.

I. A.0305+.0002-.0000 DIA HARDENED STEEL PIN SHALL ENGAGE SOCKET WITH A FORCE NOT GREATER THAN 9.5 OZ. A .0295+.0000-.0002 DIAMETER HARDENED STEEL PIN SHALL DISENGAGE SOCKET WITH A FORCE NOT LESS THAN 1.25 OZ. DEPTH OF ENGAGEMENT OF PINS SHALL BE .116 MIN. FROM FRONT OF CONTACT. PINS SHALL HAVE A SPHERICAL TIP AND A 3/ FINISH.

NOTES:

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

	N/A
--	-----

NEXT ASSEMBLY

PRO/ENGINEER INFORMATION

Pro/e Model Used:

10-597878.ASSEM

Drawing Name:
10-597878

SUFFIX DIGIT

1

5


1

FINISH

GOLD 20-30 MICROINCHES

GOLD 9-7362-5

GOLD 9-7362-D

UNLESS OTHERWISE SPECIFIED		SPECIFICATIONS		POS	QTY	PART NUMBER	DESCRIPTION	NOTE
LINEAR DIMENSIONS ARE IN INCHES TOLERANCES: .XXXX = $\pm .0005$ ANGLES = $\pm 2^\circ$.XXX = $\pm .010$.XX = $\pm .03$.X = $\pm .1$ ----- DIM. & TOL. PER ASME Y14.5M; DRW PER MIL-DTL-31000; OTHER Amphenol Stds. PER 9-3800 LEGENDS:  = FLAG NOTE CALL OUT REFERENCE ONLY		MATERIAL SPEC.		PARTS LIST				
		N/A		APPROVALS		DATE		
				PREPARED BY HTANG		20-Feb-09 AMPHENOL CORPORATION 40-60 DELAWARE AVENUE SICKNEY, N.Y. 13859		
				ENGINEER IN CHARGE LRATCHFORD				
				DESIGN MANAGER HJOHNSON				
PROCESS SPEC.		DESIGN ACTIVITY GROUP MIL-AER DEVELOP		CONTACT, SOCKET, ELECTRICAL CONNECTOR SIZE 22D, TYPE LJT-R, HYBRID, PCB				
SEE NOTE 3		THIRD ANGLE PROJECTION						
				SIZE C	CAGE CODE 77820	DOCUMENT NO. 10-597878-()		REV. G
				SCALE: 10.0		REF. 10-597872-451		SHEET 1 OF 4

SCALE: 10.0

REF.
10-597872-45

SHEET 1 OF 4

10-497623

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-01()	10-597879-01()	.460 ^{+.000} _{-.015}	.816±.005	1.439	I
10-597878-02()	10-597879-02()	1.123 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-03()	10-597879-03()	.460 ^{+.000} _{-.015}	.873±.005	1.496	
10-597878-04()	10-597879-04()	.460 ^{+.000} _{-.015}	.733±.005	1.356	
10-597878-05()	10-597879-05()	.460 ^{+.000} _{-.015}	1.031±.005	1.654	
10-597878-06()	10-597879-06()	1.000 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-07()	10-597879-07()	.460 ^{+.000} _{-.015}	.671±.005	1.294	
10-597878-08()	10-597879-08()	.460 ^{+.000} _{-.015}	.768±.005	1.391	
10-597878-09()	10-597879-09()	.525 ^{+.000} _{-.015}	.700±.005	1.323	
10-597878-10()	10-597879-10()	.460 ^{+.000} _{-.015}	.553±.005	1.176	
10-597878-11()	10-597879-11()	.460 ^{+.000} _{-.015}	1.091±.005	1.714	
10-597878-12()	10-597879-12()	.525 ^{+.000} _{-.015}	.665±.005	1.288	
10-597878-13()	10-597879-13()	.840±.005	1.090±.005	1.713	
10-597878-14()	10-597879-14()	.900 ^{+.000} _{-.015}	1.139 ^{+.000} _{-.015}	1.762	
10-597878-15()	10-597879-15()	.460±.005	.948±.005	1.571	

9

NOTES: SEE SHEET I

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()SHEET 2 OF 4REV. G

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-16()	10-597879-16()	.340±.005	.453±.005	1.076	I
10-597878-17()	10-597879-17()	1.200 ^{+.000} _{-.015}	2.392±.005	3.015	
10-597878-18()	10-597879-18()	.280 ^{+.000} _{-.015}	.585±.005	1.208	
10-597878-19()	10-597879-19()	.303±.005	.454±.003	1.077	
10-597878-20()	10-597879-20()	1.123 ^{+.000} _{-.015}	1.427±.005	2.050	
10-597878-21()	10-597879-21()	.275±.003	.477±.005	1.100	I
10-597878-22()	10-597879-22()	.439±.010	.590±.005	1.213	
10-597878-23()	10-597879-23()	.485±.005	.739±.003	1.362	
10-597878-24()	10-597879-24()	.415±.007	.790±.003	1.413	
10-597878-25()	10-597879-25()	.729±.003	.953±.005	1.576	
10-597878-26()	10-597879-26()	.486 ^{+.000} _{-.015}	1.048±.010	1.671	I
10-597878-27()	10-597879-27()	.525 ^{+.000} _{-.015}	1.102±.003	1.725	
10-597878-28()	10-597879-28()	.621±.005	.801±.005	1.424	
10-597878-29()	10-597879-29()	.876±.005	1.073±.005	1.696	
10-597878-30()	10-597879-30()	.590±.003	.690±.002	1.313	

9

NOTES: SEE SHEET I

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()SHEET 2 OF 4REV. G

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-01()	10-597879-01()	.460 ^{+.000} _{-.015}	.816±.005	1.439	I
10-597878-02()	10-597879-02()	1.123 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-03()	10-597879-03()	.460 ^{+.000} _{-.015}	.873±.005	1.496	
10-597878-04()	10-597879-04()	.460 ^{+.000} _{-.015}	.733±.005	1.356	
10-597878-05()	10-597879-05()	.460 ^{+.000} _{-.015}	1.031±.005	1.654	
10-597878-06()	10-597879-06()	1.000 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-07()	10-597879-07()	.460 ^{+.000} _{-.015}	.671±.005	1.294	
10-597878-08()	10-597879-08()	.460 ^{+.000} _{-.015}	.768±.005	1.391	
10-597878-09()	10-597879-09()	.525 ^{+.000} _{-.015}	.700±.005	1.323	
10-597878-10()	10-597879-10()	.460 ^{+.000} _{-.015}	.553±.005	1.176	
10-597878-11()	10-597879-11()	.460 ^{+.000} _{-.015}	1.091±.005	1.714	
10-597878-12()	10-597879-12()	.525 ^{+.000} _{-.015}	.665±.005	1.288	
10-597878-13()	10-597879-13()	.840±.005	1.090±.005	1.713	
10-597878-14()	10-597879-14()	.900 ^{+.000} _{-.015}	1.139 ^{+.000} _{-.015}	1.762	
10-597878-15()	10-597879-15()	.460±.005	.948±.005	1.571	

9

NOTES: SEE SHEET I

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()SHEET 2 OF 4REV. G

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-16()	10-597879-16()	.340±.005	.453±.005	1.076	I
10-597878-17()	10-597879-17()	1.200 ^{+.000} _{-.015}	2.392±.005	3.015	
10-597878-18()	10-597879-18()	.280 ^{+.000} _{-.015}	.585±.005	1.208	
10-597878-19()	10-597879-19()	.303±.005	.454±.003	1.077	
10-597878-20()	10-597879-20()	1.123 ^{+.000} _{-.015}	1.427±.005	2.050	
10-597878-21()	10-597879-21()	.275±.003	.477±.005	1.100	I
10-597878-22()	10-597879-22()	.439±.010	.590±.005	1.213	
10-597878-23()	10-597879-23()	.485±.005	.739±.003	1.362	
10-597878-24()	10-597879-24()	.415±.007	.790±.003	1.413	
10-597878-25()	10-597879-25()	.729±.003	.953±.005	1.576	
10-597878-26()	10-597879-26()	.486 ^{+.000} _{-.015}	1.048±.010	1.671	I
10-597878-27()	10-597879-27()	.525 ^{+.000} _{-.015}	1.102±.003	1.725	
10-597878-28()	10-597879-28()	.621±.005	.801±.005	1.424	
10-597878-29()	10-597879-29()	.876±.005	1.073±.005	1.696	
10-597878-30()	10-597879-30()	.590±.003	.690±.002	1.313	

9

NOTES: SEE SHEET I

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()SHEET 2 OF 4REV. G

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-01()	10-597879-01()	.460 ^{+.000} _{-.015}	.816±.005	1.439	I
10-597878-02()	10-597879-02()	1.123 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-03()	10-597879-03()	.460 ^{+.000} _{-.015}	.873±.005	1.496	
10-597878-04()	10-597879-04()	.460 ^{+.000} _{-.015}	.733±.005	1.356	
10-597878-05()	10-597879-05()	.460 ^{+.000} _{-.015}	1.031±.005	1.654	
10-597878-06()	10-597879-06()	1.000 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-07()	10-597879-07()	.460 ^{+.000} _{-.015}	.671±.005	1.294	
10-597878-08()	10-597879-08()	.460 ^{+.000} _{-.015}	.768±.005	1.391	
10-597878-09()	10-597879-09()	.525 ^{+.000} _{-.015}	.700±.005	1.323	
10-597878-10()	10-597879-10()	.460 ^{+.000} _{-.015}	.553±.005	1.176	
10-597878-11()	10-597879-11()	.460 ^{+.000} _{-.015}	1.091±.005	1.714	
10-597878-12()	10-597879-12()	.525 ^{+.000} _{-.015}	.665±.005	1.288	
10-597878-13()	10-597879-13()	.840±.005	1.090±.005	1.713	
10-597878-14()	10-597879-14()	.900 ^{+.000} _{-.015}	1.139 ^{+.000} _{-.015}	1.762	
10-597878-15()	10-597879-15()	.460±.005	.948±.005	1.571	

9

NOTES: SEE SHEET I

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()SHEET 2 OF 4REV. G

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-16()	10-597879-16()	.340±.005	.453±.005	1.076	I
10-597878-17()	10-597879-17()	1.200 ^{+.000} _{-.015}	2.392±.005	3.015	
10-597878-18()	10-597879-18()	.280 ^{+.000} _{-.015}	.585±.005	1.208	
10-597878-19()	10-597879-19()	.303±.005	.454±.003	1.077	
10-597878-20()	10-597879-20()	1.123 ^{+.000} _{-.015}	1.427±.005	2.050	
10-597878-21()	10-597879-21()	.275±.003	.477±.005	1.100	I
10-597878-22()	10-597879-22()	.439±.010	.590±.005	1.213	
10-597878-23()	10-597879-23()	.485±.005	.739±.003	1.362	
10-597878-24()	10-597879-24()	.415±.007	.790±.003	1.413	
10-597878-25()	10-597879-25()	.729±.003	.953±.005	1.576	
10-597878-26()	10-597879-26()	.486 ^{+.000} _{-.015}	1.048±.010	1.671	I
10-597878-27()	10-597879-27()	.525 ^{+.000} _{-.015}	1.102±.003	1.725	
10-597878-28()	10-597879-28()	.621±.005	.801±.005	1.424	
10-597878-29()	10-597879-29()	.876±.005	1.073±.005	1.696	
10-597878-30()	10-597879-30()	.590±.003	.690±.002	1.313	

9

NOTES: SEE SHEET I

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()SHEET 2 OF 4REV. G

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-01()	10-597879-01()	.460 ^{+.000} _{-.015}	.816±.005	1.439	I
10-597878-02()	10-597879-02()	1.123 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-03()	10-597879-03()	.460 ^{+.000} _{-.015}	.873±.005	1.496	
10-597878-04()	10-597879-04()	.460 ^{+.000} _{-.015}	.733±.005	1.356	
10-597878-05()	10-597879-05()	.460 ^{+.000} _{-.015}	1.031±.005	1.654	
10-597878-06()	10-597879-06()	1.000 ^{+.000} _{-.015}	1.393±.005	2.016	
10-597878-07()	10-597879-07()	.460 ^{+.000} _{-.015}	.671±.005	1.294	
10-597878-08()	10-597879-08()	.460 ^{+.000} _{-.015}	.768±.005	1.391	
10-597878-09()	10-597879-09()	.525 ^{+.000} _{-.015}	.700±.005	1.323	
10-597878-10()	10-597879-10()	.460 ^{+.000} _{-.015}	.553±.005	1.176	
10-597878-11()	10-597879-11()	.460 ^{+.000} _{-.015}	1.091±.005	1.714	
10-597878-12()	10-597879-12()	.525 ^{+.000} _{-.015}	.665±.005	1.288	
10-597878-13()	10-597879-13()	.840±.005	1.090±.005	1.713	
10-597878-14()	10-597879-14()	.900 ^{+.000} _{-.015}	1.139 ^{+.000} _{-.015}	1.762	
10-597878-15()	10-597879-15()	.460±.005	.948±.005	1.571	

9

NOTES: SEE SHEET I

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()SHEET 2 OF 4REV. G

10-597878-()

SHEET 2 OF 4

REV. G

C

B

A

1-37-U-E-1

4

3

2

10-597878-()

SHEET 2 OF 4

REV. G

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-16()	10-597879-16()	.340±.005	.453±.005	1.076	I
10-597878-17()	10-597879-17()	1.200 ^{+.000} _{-.015}	2.392±.005	3.015	
10-597878-18()	10-597879-18()	.280 ^{+.000} _{-.015}	.585±.005	1.208	
10-597878-19()	10-597879-19()	.303±.005	.454±.003	1.077	
10-597878-20()	10-597879-20()	1.123 ^{+.000} _{-.015}	1.427±.005	2.050	
10-597878-21()	10-597879-21()	.275±.003	.477±.005	1.100	I
10-597878-22()	10-597879-22()	.439±.010	.590±.005	1.213	
10-597878-23()	10-597879-23()	.485±.005	.739±.003	1.362	
10-597878-24()	10-597879-24()	.415±.007	.790±.003	1.413	
10-597878-25()	10-597879-25()	.729±.003	.953±.005	1.576	
10-597878-26()	10-597879-26()	.486 ^{+.000} _{-.015}	1.048±.010	1.671	I

10-597878-()

SHEET 3 OF 4

REV. G

DOCUMENT NO. 10-597878-()

REV. G

4

3

2

10-597878-()

ASSEMBLY NUMBER	BODY	F	L	(M)	TYPE	ASEEMBLY NUMBER	BODY	F	L	(M)	TYPE
10-597878-31()	10-597879-31()	.460 ^{+.000} _{-.015}	.783±.005	1.406	I	10-597878-51()	10-597879-51()	.280 ^{+.000} _{-.015}	.715±.005	1.338	I
10-597878-32()	10-597879-32()	.804±.005	1.129±.003	1.752		10-597878-52()	10-597879-52()	.580±.003	.830±.005	1.453	
10-597878-33()	10-597879-33()	.479±.005	.754±.003	1.377		10-597878-53()	10-597879-53()	.460 ^{+.000} _{-.015}	.965±.003	1.588	
10-597878-34()	10-597879-34()	.460±.005	1.203±.003	1.826		10-597878-54()	10-597879-54()	.479±.005	1.054±.005	1.677	II
10-597878-35()	10-597879-35()	.450±.005	.880±.005	1.503	10-597878-55()	10-597879-55()	.750±.005	1.060±.005	1.683		
10-597878-36()	10-597879-36()	.520±.003	.747±.005	1.370	10-597878-56()	10-597879-56()	.800±.005	.986±.005	1.609		
10-597878-37()	10-597879-37()	.730±.003	.830±.002	1.453	I	10-597878-57()	10-597879-57()	.280 ^{+.000} _{-.015}	.420±.003	1.043	I
10-597878-38()	10-597879-38()	.460 ^{+.000} _{-.015}	1.017±.003	1.640		10-597878-58()	10-597879-58()	.637±.003	1.075±.004	1.698	II
10-597878-39()	10-597879-39()	1.577±.005	1.687±.005	2.310		10-597878-59()	10-597879-59()	.460 ^{+.000} _{-.015}	.850±.005	1.473	I
10-597878-40()	10-597879-40()	.280 ^{+.000} _{-.015}	.782±.005	1.405		10-597878-60()	10-597879-60()	.600±.005	.938±.005	1.561	
10-597878-41()	10-597879-41()	.588 ^{+.003} _{-.000}	.730±.003	1.353	II	10-597878-61()	10-597879-61()	.410±.003	.690±.003	1.313	II
10-597878-42()	10-597879-42()	.623±.005	.748±.005	1.371		10-597878-62()	10-597879-62()	.438±.005	.754±.003	1.377	
10-597878-43()	10-597879-43()	.340±.005	.460±.005	1.083		10-597878-63()	10-597879-63()	.280 ^{+.000} _{-.015}	.825±.005	1.448	
10-597878-44()	10-597879-44()	.280 ^{+.000} _{-.015}	.782±.005	1.405		10-597878-64()	10-597879-64()	.590±.005	.901±.005	1.524	
10-597878-45()	10-597879-45()	1.450 ^{+.000} _{-.015}	2.167±.003	2.790	10-597878-65()	10-597879-65()	.460±.005	.915±.005	1.538		
10-597878-46()	10-597879-46()	.520±.005	.833±.002	1.456	II	10-597878-66()	10-597879-66()	.460±.005	.645±.003	1.268	I
10-597878-47()	10-597879-47()	.600±.003	.700±.003	1.323		10-597878-67()	10-597879-67()	.280±.005	1.015±.005	1.638	
10-597878-48()	10-597879-48()	.280 ^{+.000} _{-.015}	.550±.005	1.173		10-597878-68()	10-597879-68()	.735±.005	1.169±.005	1.792	
10-597878-49()	10-597879-49()	.280±.005	.805±.005	1.428		I	10-597878-69()	10-597879-69()	.376±.005	.995±.005	1.618
10-597878-50()	10-597879-50()	.257±.005	.503±.005	1.126							

9

9

NOTES: SEE SHEET 1

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

DOCUMENT NO. 10-597878-()

SHEET 3 OF 4

REV. G

SIZE C

CAGE CODE 77820

DOCUMENT NO. 10-597878-()

REV. G

SCALE: 6.0

REF: 10-597872-451

SHEET 3 OF 4

4

3

2

1

IMAGED / Apr . 19 2016, 11:54:03 AM

3

2

1

4				3			2			10-597878-()									
										9									
										SHEET 4 OF 4									
										REV. 9									
ASSEMBLY NUMBER				BODY		F	L	(M)	TYPE	ASSEMBLY NUMBER				BODY		F	L	(M)	TYPE
10-597878-70()				10-597879-70()		.665±.002	.921±.002	1.544	11	10-597878-90()				10-597879-90()		.280 ^{+.000} _{-.015}	.530±.003	1.153	1
10-597878-71()				10-597879-71()		.460±.005	.655±.003	1.278	1	10-597878-91()				10-597879-91()		.608±.005	.978±.005	1.601	1
10-597878-72()				10-597879-72()		.515±.003	.830±.005	1.453	11	10-597878-92()				10-597879-92()		.280 ^{+.000} _{-.015}	.612±.003	1.235	1
10-597878-73()				10-597879-73()		.455±.005	.603±.003	1.226		10-597878-93()				10-597879-93()		.460 ^{+.000} _{-.015}	.845±.005	1.468	1
10-597878-74()				10-597879-74()		.984±.005	1.215±.005	1.838		10-597878-94()				10-597879-94()		.280±.005	.627±.003	1.250	1
10-597878-75()				10-597879-75()		.279±.005	.754±.003	1.377	1	10-597878-95()				10-597879-95()		.460 ^{+.000} _{-.015}	.895±.005	1.518	1
10-597878-76()				10-597879-76()		.381±.005	.645±.003	1.268		10-597878-96()				10-597879-96()		.410±.003	.698±.003	1.319	1
10-597878-77()				10-597879-77()		.555±.005	.840±.005	1.463	11	10-597878-97()				10-597879-97()		.415±.007	.795±.003	1.416	1
10-597878-78()				10-597879-78()		.690±.005	1.260±.005	1.883	1	10-597878-98()				10-597879-98()		.275±.003	.568±.005	1.189	1
10-597878-79()				10-597879-79()		.607±.005	.895±.005	1.518		10-597878-99()				10-597879-99()		.735±.005	1.067±.005	1.688	1
10-597878-80()				10-597879-80()		.685 ^{+.000} _{-.015}	.915±.003	1.538	11	10-597878-100()				10-597879-100()		.415±.007	.900±.003	1.521	1
10-597878-81()				10-597879-81()		.270±.005	.645±.005	1.268	1	10-597878-101()				10-597879-101()		.486 ^{+.000} _{-.015}	1.142±.005	1.763	1
10-597878-82()				10-597879-82()		.722±.005	.952±.003	1.575	11	10-597878-102()				10-597879-102()		.280 ^{+.000} _{-.015}	.660±.002	1.281	1
10-597878-83()				10-597879-83()		.900±.005	1.365±.005	1.988	11	10-597878-103()				10-597879-103()		.460 ^{+.000} _{-.015}	1.000±.005	1.621	1
10-597878-84()				10-597879-84()		.447±.003	.868±.003	1.491	11										
10-597878-85()				10-597879-85()		.325 ^{+.000} _{-.015}	.692±.005	1.315	1										
10-597878-86()				10-597879-86()		.280 ^{+.000} _{-.015}	.675±.005	1.298	1										
10-597878-87()				10-597879-87()		.710±.003	.910±.005	1.533	11										
10-597878-88()				10-597879-88()		.280 ^{+.000} _{-.015}	.465±.003	1.088	1										
10-597878-89()				10-597879-89()		.732±.005	.950±.005	1.573	1										
NOTES: SEE SHEET 1																			
THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.																			
10-597878-() SHEET 4 OF 4 REV. G																			

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()

10-597878-()



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331