

Application:

- Intel Nehalem Socket 1366 2U
- Xeon (45nm) W5500/X5500/E5500/L5500 CPU sequence

Pictures



Thermal & Mechanical Spec.:

- Thermal performance for 130W CPU
- HSK Assembly Weight: 590 g (ref.)
- Clipping Force: 16 Kg (ref.)

Component Specification:

1. Heat Sink

Type: Cu/Al Fins + Cu Base + 4x Heatpipes
Material: A1100/ADC12/C1100 or Equivalent.
Dimension: 90*90*64 mm

2. Thermal interface material

Material: Dow Corning TC-1996 or Equivalent.

3. Fan

(60x60x25 mm with PWM Control)

Rated Voltage: 12 V

Life Time:

Two ball bearing 80000 hrs

Connector:

a. Lead wire: UL 1061 AWG#26

pin 1: black wire-----(-)


pin 2: yellow wire-----(+)

pin 3: green wire----- (F00)

pin 4: blue wire----- (PWM)

b. Housing: Molex 47054-1000 or equivalent

c. Terminal: Molex 2759T 08-50-0113 or equivalent



* All readings are typical values at rated voltage.



* Specifications are subject to change without notice

Application:

- Intel Nehalem Socket 1366 2U
- Xeon (45nm) E5500/L5500 CPU sequence

Pictures



Thermal & Mechanical Spec.:

- Thermal performance for 80W CPU
- HSK Assembly Weight: 500 g (ref.)
- Clipping Force: 16 Kg (ref.)

Component Specification:

1. Heat Sink
Type: Extrude HSK
Material: Aluminum A6063 or Equivalent.
Dimension: 90*90*64 mm
2. Thermal interface material
Material: Dow Corning TC-1996 or Equivalent.
3. Fan

(60x60x25 mm with PWM Control)

Rated Voltage: 12 V

Life Time:

Two ball bearing 80000 hrs

Connector:

- a. Lead wire: UL 1061 AWG#26

pin 1: black wire-----(-)


pin 2: yellow wire-----(+)

pin 3: green wire----- (F00)

pin 4: blue wire----- (PWM)

- b. Housing: Molex 47054-1000 or equivalent

- c. Terminal: Molex 2759T 08-50-0113 or equivalent



* All readings are typical values at rated voltage.



* Specifications are subject to change without notice



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331