

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0359600100](#)
Status: **Planned for Obsolescence**
Description: 6.35mm (250") Tab Wire-to-Board Header, 1 Circuit

Documents:
[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Drawing \(PDF\)](#)


Agency Certification
UL E29179

General
Product Family PCB Headers
Series [35960](#)
Application Wire-to-Board
Product Name N/A

Physical
Breakaway No
Circuits (Loaded) 1
Circuits (maximum) 1
Durability (mating cycles max) 30
First Mate / Last Break No
Flammability 94V-2
Glow-Wire Compliant No
Guide to Mating Part No
Keying to Mating Part None
Lock to Mating Part None
Material - Plating Mating Tin
Number of Rows 1
Orientation Vertical
PC Tail Length (in) 0.157 In
PC Tail Length (mm) 4.00 mm
PCB Locator No
PCB Retention None
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.60 mm
Packaging Type Bag
Pitch - Mating Interface (in) 0.000 In
Pitch - Mating Interface (mm) 0.00 mm
Pitch - Term. Interface (in) 0.000 In
Pitch - Term. Interface (mm) 0.00 mm
Polarized to Mating Part No
Polarized to PCB No
Shrouded No
Stackable No
Surface Mount Compatible (SMC) No
Temperature Range - Operating -40°C to +105°C
Termination Interface: Style Through Hole

Electrical
Current - Maximum per Contact 25A
Voltage - Maximum 300V

Material Info
Reference - Drawing Numbers



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Halogen-Free

China RoHS



Need more information on product environmental compliance?
Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)
Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[35960Series](#)

Mates With
[35196](#) MP-Lock™ Housing

Use With
[35072](#) MP-Lock™ Quick Disconnect

This document was generated on 06/03/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION






DWG. NO.

SIMILAR ITEM


PROJECT NO.

C

B

DO NOT SCALE DRAWING
DIMENSION IN METRIC

SECTION A-A"



ASS'Y PART

NOTES

1. MATERIAL : HEADER HOUSING: NYLON(PA), UL94V-2
COLOR: NATURAL
TAB TERMINAL : TIN PLATED BRASS
2. MATES WITH : 35196-011*

ENGINEERING NO.	MATERIAL NO.
35960-0100	359600100

REVISED	EC NO. KOR2003-0188 DRWN: W.Y.YANG 03/01/16 CHK: APPR:	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 4:1	DESIGN UNITS ☒ mm ☐ INCH	 THIRD ANGLE PROJECTION	☐ mm INCH ☐ INCH ☒ mm ONLY	REVISE ON CAD ONLY		
				MAJOR  = 0	mm	INCH	DRAWN BY & DATE W.Y.YANG 98/04/10	TITLE: .250 W/B HEADER-IP				
					4 PLACES	±0.	±.		CHECKED BY & DATE B.K.CHOI 98/04/10			
					3 PLACES	±0.	±.	APPROVED BY & DATE C.W.LEE 98/04/10	 MOLEX INCORPORATED KOREA			
					2 PLACES	±0.3	±.	CAD FILENAME S35960AA.DGN		MATERIAL NO. SEE CHART	DRAWING NO. SD-35960-010	SHEET NO. 1 OF 1
1 PLACE	±0.3	±.	ANGULAR: ± °									
A1	REV			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				SIZE B

MX-A3



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331