

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

Tyco Electronics AMP GmbH




ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	L	IMPROVED LOCKING RETENTION TEETH	20MAY2011	AV	GT
	M	REMOVED H05VVH2-F CABLE	22AUG2012	MZ	JC
	N	ECR-16-004670	26APR2016	RS	JL





CABLE CONFIGURATION

CABLE H03VVH2-F
2x0.75 mm²



P/N 0-293300-1;-2 AS SHOWN
POLARIZATION KEY HV-1



P/N 0-293300-3;-4 AS SHOWN
POLARIZATION KEY HV-1

MISSING DIMENSION SEE P/N 0-...-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 23APR2007

CHK A. Vecchia

APVD G. Turco

PRODUCT SPEC

108-94018


APPLICATION SPEC

114-20131

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:
mm



MATERIAL

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.3
2 PLC ±0.05
3 PLC ±
4 PLC ±
ANGLES ±1°

FINISH

-



TE Connectivity

NAME

BUS BAR 2 POSITION
GENERAL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-293300


SCALE 2:1

SHEET 1 OF 2


REV N

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
A1	-	-	-	SEE SHEET 1	-	-


P/N 0-293300-5;-6 AS SHOWN
POLARIZATION KEY HV-4




P/N 0-293300-7;-8 AS SHOWN
POLARIZATION KEY HV-4




P/N 0-293300-9 AS SHOWN
POLARIZATION KEY LV-1




P/N 1-293300-0 AS SHOWN
POLARIZATION KEY LV-1



P/N 1-293300-1 AS SHOWN
POLARIZATION KEY LV-2




P/N 1-293300-2 AS SHOWN
POLARIZATION KEY LV-2



1	1												COVER YELLOW	12
1													BODY HOUSING W/O FLANGE YELLOW LV-2	11
	1												BODY HOUSING YELLOW LV-2	10
		1	1										COVER LIGHT GREY	9
		1											BODY HOUSING W/O FLANGE LIGHT GREY LV-1	8
			1										BODY HOUSING LIGHT GREY LV-1	7
				1									BODY HOUSING W/O FLANGE BLACK HV-4	6
					1								BODY HOUSING W/O FLANGE WHITE HV-4	6
						1							BODY HOUSING BLACK HV-4	5
							1						BODY HOUSING WHITE HV-4	5
				1		1		1		1			COVER BLACK	4
					1		1		1		1		COVER WHITE	4
2	2	2	2	2	2	2	2	2	2	2	2		CONTACT	3
								1					BODY HOUSING W/O FLANGE BLACK HV-1	2
										1			BODY HOUSING W/O FLANGE WHITE HV-1	2
											1		BODY HOUSING BLACK HV-1	1
												1	BODY HOUSING WHITE HV-1	1
1-2	1-1	1-0	-9	-8	-7	-6	-5	-4	-3	-2	-1		DESCRIPTION	ITEM
L	L	L	L	L	L	L	L	L	L	L	L		REVISIONE DELL'ASSEMBLATO (REV. OF EACH ASSY NO)	
LV-2	LV-2	LV-1	LV-1	HV-4	HV-4	HV-4	HV-4	HV-1	HV-1	HV-1	HV-1		KEYING ELENCO DEI COMPONENTI (PART LIST)	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.3

1 PLC ±0.05

2 PLC ±0.05

3 PLC ±0.05

4 PLC ±0.05

ANGLES ±1°

MATERIAL -

FINISH -

DWN 23APR2007
A. Vecchia

CHK 23APR2007
G. Turco

APVD 23APR2007
G. Turco

PRODUCT SPEC
108-94018

APPLICATION SPEC
114-20131

WEIGHT -

CUSTOMER DRAWING

 TE Connectivity

NAME
BUS BAR 2 POSITION
GENERAL

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-293300

RESTRICTED TO
-

SCALE
2:1

SHEET
2

OF
2

REV
N

1470-19 (3/11)



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331