







P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	REVISED PER ECR-12-003555	19APR2012	RS	DD
	A2	REVISED PER ECR-12-016877	20OCT2012	RS	DD
	B	REVISED PER ECR-15-004054	28JUL2015	RS	DD
	C	REVISED PER ECR-15-017995	18DEC2015	RS	DD



- △ MATERIALS AND FINISH: TYP
 - HOUSING: LCP, COLOR: NATURAL
 - CONTACTS: COPPER ALLOY, FINISH: Sn OVER Ni

2. COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)

3. 18-24AWG SOLID OR STRANDED WIRE.
PLEASE REFER TO APPLICATION SPEC 114-13266
FOR RECOMMENDED STRAND COUNT.
- | | | | | |
|--------|-----|------------|-----|------|
| 18 AWG | MAX | INSULATION | OD: | 2.20 |
| 20 AWG | MAX | INSULATION | OD: | 1.90 |
| 22 AWG | MAX | INSULATION | OD: | 1.70 |
| 24 AWG | MAX | INSULATION | OD: | 1.45 |


- #### 4. PACKAGE IN TAPE AND REEL PER EIA-481 SPECIFICATION

- WIRE SIZE MARKING IN APPROXIMATE LOCATION SHOWN.



- COLOR CODE MARKING, STRAIGHT LINE.

- 7 ONE POSITION ASSEMBLY DOES NOT COMPLY WITH EIA 481 SPECIFICATION.

RED	17.70	24 AWG	4	3-2106489-4
	13.70	24 AWG	3	3-2106489-3
	9.70	24 AWG	2	3-2106489-2
	5.70	24 AWG	1	 3-2106489-1
GREEN	17.70	22 AWG	4	2-2106489-4
	13.70	22 AWG	3	2-2106489-3
	9.70	22 AWG	2	2-2106489-2
	5.70	22 AWG	1	 2-2106489-1
BLUE	17.70	20 AWG	4	1-2106489-4
	13.70	20 AWG	3	1-2106489-3
	9.70	20 AWG	2	1-2106489-2
	5.70	20 AWG	1	 1-2106489-1
YELLOW	17.70	18 AWG	4	2106489-4
	13.70	18 AWG	3	2106489-3
	9.70	18 AWG	2	2106489-2
	5.70	18 AWG	1	 2106489-1
COLOR CODE	DIM D	WIRE SIZE	POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C DAILY 11JUN2009		 TE Connectivity									
		CHK O.OSAGIE 11JUN2009											
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		ASSEMBLY, IDC SSL CONNECTOR, THROUGH HOLE, CLOSED END									
		APVD -						NAME					
		PRODUCT SPEC 108-2404											
		APPLICATION SPEC 114-13266											
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO						
 -		 -		A2	00779	C-2106489	-						
Customer Drawing						SCALE	8.1	SHEET	1	OF	3	REV	C

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-



THIS DRAWING IS A CONTROL DOCUMENT.		DWN C DAILY 11JUN2009		 TE Connectivity	
		CHR O OSAGIE 11JUN2009			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		APVD -		ASSEMBLY, IDC SSL CONNECTOR, THROUGH HOLE, CLOSED END	
		0 PLC ±. 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±.		PRODUCT SPEC 108-2404 APPLICATION SPEC 114-13266	
MATERIAL		FINISH		SIZE	CAGE CODE
-		-		A2	00779
material-2		finish_spec-2		DRAWING NO	
		WEIGHT		C-2106489	
		-		RESTRICTED TO	
		Customer Drawing		-	
				SCALE	SHEET
				8:1	OF 3
				REV C	



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

D

C

B

A




D

C

B

A



SECTION Y-Y

2106489-2 SHOWN IN POCKET TAPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C DAILY CHK O.OSAGIE APVD - PRODUCT SPEC 108-2404 APPLICATION SPEC 114-13266 WEIGHT - Customer Drawing		11JUN2009 11JUN2009		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH -		NAME ASSEMBLY, IDC SSL CONNECTOR, THROUGH HOLE, CLOSED END			
				SIZE A2		CAGE CODE 00779	
MATERIAL - material_2		finish_spec_2		DRAWING NO C=2106489		RESTRICTED TO - REV C	
				SCALE 8:1		SHEET 1 OF 3	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331