

10	9	8	7	6	5	4	3	2	1
PART NUMBER	DESCRIPTION		SEE SHEET	STATUS					
180180-0000	HOLDER WITHOUT LENS		3	TOOLED					
180180-0001	HOLDER WITH LENS		3	NOT TOOLED					
180182-0000	COVER LENS ONLY		3	NOT TOOLED					
N/A	REFLECTOR OPTION (LEDIL)		4	AVAILABLE THRU LEDIL					

F

E

D

C

B

A

tb_frame_B_P_AM_T
Rev. F 2009/06/18

98

9

8

7

6

5

4

3

2

1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317


318

319

320

321


WIRE TRAP CAPS ARE REMOVED FROM FRONT VIEW FOR CLARITY



SEE DETAIL 3

SEE DETAIL 2


SEE DETAIL 1




VIEW OF TWO-WAY WIRE TRAP

WIRE TRAPS WILL ACCOMODATE
EITHER 18 OR 20 GAUGE WIRE


DETAIL 1 SCALE 2:1



SECTION A-A
SCALE 1:1




DETAIL 2 SCALE 6:1



DETAIL 3 SCALE 6:1

ENTER DESCRIPTION EC NO: SSL2016-0054 CHKD: ZABJANOVSKI 2016/03/29 APPR: GMEYER 2016/04/11	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY CCARRANZA	DATE 2010/10/26	TITLE BRIDGELUX RS LED HOLDER	
			4 PLACES	± ---	± ---	CHECKED BY CCARRANZA	DATE 2012/11/06		
			3 PLACES	± ---	± ---			MOLEX INCORPORATED	
			2 PLACES	± 0.13	± ---				
			1 PLACE	± 0.25	± ---				
			ANGULAR ±1/2°						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
					SEE CHART		SD-180180-000	2 OF 4	
					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				






LED HOLDER PART NUMBER 180180-0000

LED HOLDER SHOWN WITH OPTIONAL CLEAR COVER LENS
MOLEX INDIVIDUAL COVER LENS PART NUMBER 180182-0000
HOLDER AND LENS ASSEMBLY PART NUMBER 180180-0001






ENTER DESCRIPTION EC NO: SSL2016-0054 DRAWN: ZABJANOVSKI 2016/03/29 CHKD: APPR: GMEYER 2016/04/11		DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION				
						MM ONLY		1:1	METRIC					
C2	REV		F=0 F=0 F=0		mm	INCH	DRAWN BY	DATE	BRIDGELUX RS LED HOLDER					
				4 PLACES	± ---	± ---	CCARRANZA	2010/10/26						
				3 PLACES	± ---	± ---	CHECKED BY	DATE	MOLEX INCORPORATED					
				2 PLACES	± 0.13	± ---	CCARRANZA	2012/11/06						
				1 PLACE	± 0.25	± ---	APPROVED BY	DATE				MOLEX INCORPORATED		
				ANGULAR ±1/2°		DMCGOWAN	2010/12/23							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO.										
		SEE CHART		SD-180180-000		3 OF 4								
		SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
		B												

10 9 8 7 6 5 4 3 2 1

SHOWN WITH OPTIONAL REFLECTOR
SOLD SEPARATELY BY LEDIL @ www.ledil.com



ENTER DESCRIPTION EC NO: SSL2016-0054 DRAWN: ZABJANOVSKI 2016/03/29 CHKD: APPR: GMEYER 2016/04/11 C2	DESCRIPTION REV	QUALITY SYMBOLS ▽F=0 ▽F=0 ▽F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY CCARRANZA	DATE 2010/10/26	TITLE BRIDGELUX RS LED HOLDER			
			4 PLACES	± ---	± ---	CHECKED BY CCARRANZA	DATE 2012/11/06				
			3 PLACES	± ---	± ---						
			2 PLACES	± 0.13	± ---						
			1 PLACE	± 0.25	± ---	APPROVED BY DMCGOWAN	DATE 2010/12/23	MOLEX INCORPORATED			
			ANGULAR ±1/2°		MATERIAL NO.	DOCUMENT NO.	SHEET NO. 4 OF 4				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART					SD-180180-000	
			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



- NOTES:
1. MATERIAL: CLEAR POLYCARBONATE UL94HB.
 2. THIS PRODUCT IS ELV AND ROHS COMPLIANT.

INITIAL RELEASE EC NO: SSL2013-0009 DRAWN:MDEVITO 2012/07/24 CHKD:CCARRANZA 2012/07/24 APPR:DMCGOWAN 2012/07/25 1	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION			
				mm		INCH		DRAWN BY	DATE	TITLE BRIDGELUX RS LED HOLDER LENS (SALES)					
				INCH		mm		CHECKED BY	DATE						
				4 PLACES	± ---	± ---	MDEVITO	2012/07/24	molex						
				3 PLACES	± ---	± ---	CCARRANZA	2012/07/24							
				2 PLACES	± 0.13	± ---	DMCGOWAN	2012/07/25							
				1 PLACE	± 0.25	± ---									
				0 PLACE				± ---	± ---	MATERIAL NO.			DOCUMENT NO.		SHEET NO.
				ANGULAR ±1/2°				1801820000		SD-180182-0000			1 OF 1		
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331