

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.


LOC
J

DIST
-


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
C		REVISED PER ECO-13-011400	15JUL2013	KH	PO
D		REVISED(ECR-14-000923)	22JAN2014	T.N	N.Y

2134318-1:AS SHOWN



WIRE INSERTION
DIRECTION



- 1.APPLICABLE WIRES : AWG24 SOLID (Sn COATING)
INSULATION DIAMETER : $\varnothing 1.35\text{MAX}$
- 2.APPLICABLE SCREW : M2.6
- 3.SCREW TIGHTENING TORQUE : 18cN-m MAX
- 4.ABOUT HOUSING VISUAL STANDARD : TO CONFORM TYCO
ELECTRONICS CORPORATION INTERNAL RULE.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	± 0.15
	0-PLC $\pm$
	1-PLC ± 0.5
	2-PLC ± 0.13
	3-PLC ± 0.013
	4-PLC ± 0.0001
	ANGLES ± 2
MATERIAL	FINISH
SEE TABLE	-

DWN 11JUL2013

KIRAN HOLAL

CHK 11JUL2013

OTT PETER

APVD 11JUL2013

OTT PETER

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

NAME			
LUMAWISE LED HOLDER TYPE LUMIPACK N1			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2134318	-
Customer Drawing			
SCALE 5:1			
SHEET 1 OF 2			
REV D			



TE Connectivity

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -



ALL RIGHTS RESERVED.

LOC
J

DIST
-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



4 PLATING SPEC
ELECTROLESS Au PLATING 0.5µmMIN
ELECTROLESS Ni PLATING 5µm (UNDER PLATING)
W 10µm (UNDER PLATING)


LED MODULE & HEATSINK RECOMMEND DIMENSION

22.1	13.3	19	16	1619 TYPE
18.1	9.3	15	12	1215 TYPE
D	C	B	A	LED MODULE TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:
±0.15

0 PLC	±
1 PLC	±0.5
2 PLC	±0.13
3 PLC	±0.013
4 PLC	±0.0001
ANGLES	±2°

MATERIAL SEE TABLE

FINISH -

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

-

Customer Drawing



TE Connectivity

NAME

LUMAWISE LED HOLDER
TYPE LUMIPACK N1

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779C-2134318

-

SCALE 5:1

SHEET 2

OF 2

REV D



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331