



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	POWER											E2
	E1	P1	P2	P3	P4	P5	P6	P7	P8	P9		
51939-395-- NOTE 3		 PA	 PA	 PA	 PA	 PA	 PA	 PA	 PA	 PA		
		⏏	⏏	⏏	⏏	⏏	⏏	⏏	⏏	⏏		



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	[N/A]	POWER

mat'l code				SEE NOTE				tolerances unless otherwise specified				CUSTOMER				FCI www.fciconnect.com							
ltr		ecn no.		dr		date		linear	0.X ±0.5				COPY				projection  title 9P RIGHT ANGLE SOLDER HEADER						
A		DG09-0058		WD		03/04/09			0.XX ±0.25														
									0.XXX ±0.1														
								angles	0° ±2°				MM ← — → scale 1:1										
				dr		Warren Du		11/11/08						product family				PwrBlade				code	
				enrg		Warren Du		11/11/08						size		dwg no		213					
				chr		Gary Hsieh		11/11/08						A		51939-395		sheet					
				appd		JOSEPH HSIA		11/11/08										1 of 4					
sheet index		revision sheet		A		A		A		A													
				1		2		3		4													

cage code 22526




Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51939-395--
NOTE: 3



mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
litr	ecm no.	dr	date	linear	0.X ± 0.5		projection		title		9P		
A					0.XX ± 0.25				RIGHT ANGLE SOLDER HEADER				
					0.XXX ± 0.1								
				angles	0° $\pm 2^\circ$		MM		product family		PwrBlade		code
				dr	Warren Du	11/11/08			scale	size	dwg no	51939-395	213
				enrg	Warren Du	11/11/08							
				chr	Gary Hsieh	11/11/08							
				appd	JOSEPH HSIA	11/11/08	1:1	A			sheet 2 of 4		
sheet index		revision sheet											

Pro/E


cage code 22526

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51939-395--
NOTE: 3



RECOMMENDED PCB LAYOUT

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.5		projection	COPY	title				
A					0.XX ±0.25				9p				
					0.XXX ±0.1				RIGHT ANGLE SOLDER HEADER				
				angles	0° ±2°			MM	product family		code		
				dr	Warren Du	11/11/08			PwrBlade		213		
				enrg	Warren Du	11/11/08							
							scale	1:1	size		dwg no		
				chr	Gary Hsieh	11/11/08			A		51939-395		
				appd	JOSEPH HSIA	11/11/08							
sheet index		revision sheet											

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51939-395_- NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
3. SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51939-395 AND 51939-395LF RESPECTIVELY.
4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm .07$ HOLE.
10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
11. CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI			
ltr	ecr no.	dr	date					COPY		www.fciconnect.com			
A				linear		$0.X \pm 0.5$		projection		title 9P			
						$0.XX \pm 0.25$				RIGHT ANGLE SOLDER HEADER			
				angles		$0.XXX \pm 0.1$							
				dr	Warren Du	11/11/08		MIM		product family PwrBlade		code 213	
				enrg	Warren Du	11/11/08				size		sheet 4 of 4	
				chr	Gary Hsieh	11/11/08		scale		dwg no 51939-395			
				appd	JOSEPH HSIA	11/11/08		1:1		A			
sheet index	revision sheet												

cage code 22526



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331