



LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION		DATE	DWN	APVD
GP	00		A2	REVISED PER ECO-11-004835		11MAR2011	RK	HMR
			B	REVISED PER ECO-12-014113		02AUG2012	JY	AC
			C	REVISED PER ECO-12-019905		04DEC2012	CJV	DLG




1888321-1
SCALE 5:1



PORT #1

PORT #2

2-1888321-2
NO GASKET
SCALE 5:1




PORT #1

PORT #2

PORT #3


1888321-3
SCALE 5:1



PORT #1

PORT #2

1888321-2
SCALE 5:1




PORT #1

PORT #2



PORT #3

PORT #4



1888321-4
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN J. POLIGNONE	01AUG07	 TE Connectivity	
		CHK D. GORENC	01AUG07		
DIMENSIONS: mm		APVD D. GORENC	01AUG07	NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE A1	
		0 PLC ±.015 1 PLC ±.010 2 PLC ±.008 3 PLC ±.005 4 PLC ±.003 ANGLES ±.010 FINISH SEE NOTES		CAGE CODE 100779	
MATERIAL SEE NOTES		PRODUCT SPEC APPLICATION SPEC		DRAWING NO 1888321	
		WEIGHT -		RESTRICTED TO -	
		Customer Drawing		SCALE 5:1 SHEET 1 OF 4 REV C	


LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	



RECOMMENDED SINGLE PORT LAYOUT
SAME AS 1888321-1 EXCEPT AS SHOWN
SCALE 5:1



RECOMMENDED MULTI-PORT LAYOUT,
SAME AS 1888321-1, EXCEPT AS SHOWN
SCALE 5:1



SECTION A-A
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009			DWN J. POLIGNONE	DTAUG07	 TE Connectivity		
DIMENSIONS:			CHK D. GORENC	DTAUG07			
mm			APVD D. GORENC	DTAUG07	NAME	EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
			TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
			-		APPLICATION SPEC		
			-		SIZE		
			-		CAGE CODE		
MATERIAL	FINISH	WEIGHT			DRAWING NO	RESTRICTED TO	
SEE NOTES	SEE NOTES	A			00779	C=1888321	
Customer Drawing					SCALE	5:1	
					SHEET	2 of 4	
					REV	C	




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-

D

C

B

A



D


C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER: ASME Y14.5M-2009		DWN J. POLIGNONE CHK D. GORENC APVD D. GORENC	01AUG07 01AUG07 01AUG07	NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE A1	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		± ± ± ± ± ± ±		CAGE CODE 00779	
MATERIAL SEE NOTES		WEIGHT -		DRAWING NO. 1888321	
		Customer Drawing		RESTRICTED TO -	
		SCALE 3:1		SHEET 3 OF 4	
				REV C	

LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	



POSSIBLE KEYING POSITION LOCATIONS
SCALE 10:1

- 1. LOCATIONS OF DATUMS TO BE DETERMINED BY THE CUSTOMER.
- 2. ZINC DIE CAST PER ASTM B 86.
- 3. PASSIVATE PER ASTM B 102 OVER 2.54µm MINIMUM NICKEL PLATE PER QQ-N-290 OVER 5.08µm MINIMUM COPPER PLATE PER AMS 2418
- 4. OMNI DIRECTIONAL CONDUCTIVE FOAM
- 5. SHELLS AFFIXED TO PCB VIA CUSTOMER SUPPLIED M2 x 0.4mm THREADED SCREWS.
- 6. PRODUCT USED IN CONJUNCTION WITH SURFACE MOUNT CONNECTOR 1761987-1.
- 7. RAISED SOLDER MASK KEEP OUT AREA, APPLIES TO AREA INSIDE BOX.
- 8. PRELIMINARY NOT RELEASED FOR PRODUCTION.
- 9. DATE CODE APPLIED IN GENERAL AREA AS INDICATED.

	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	2-1888321-2
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2-4	2-4	-	-	2	1-1888321-3
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	35.25	4-6	2-4	-	-	2	1-1888321-2
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	6	-	-	2	1-1888321-1
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	2	-	-	2	1-1888321-0
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4-6	-	-	-	1	1888321-9
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2-4	-	-	-	1	1888321-8
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	6	-	-	-	1	1888321-7
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2	-	-	-	1	1888321-6
OBSOLETE	3	76.75	8	3	3	73.125	72.625	80	77.25	76.25	76.25	4	4	4	4	4	8 1888321-4
OBSOLETE	2	57.75	6	2	2	54.125	53.625	61	58.25	57.25	57.25	4	4	4		3	8 1888321-3
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	1888321-2
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4	-	-	-	1	1888321-1
	L	K	J	H	G	F	E	D	C	B	A	PORT 1 (SINGLE PORT)	PORT 2	PORT 3	PORT 4	# OF PORTS	PART NUMBER
												KEYING POSITION					

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER: ASME Y14.5M-2009

DIMENSIONS: mm

MATERIAL SEE NOTES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±. 1 PLC ±. 2 PLC ±. 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH SEE NOTES

DWN J. POLIGNONE 01AUG07 CKM D. GORENC 01AUG07 APVD D. GORENC 01AUG07

PRODUCT SPEC APPLICATION SPEC WEIGHT -

Customer Drawing

NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY

SIZE A1 CAGE CODE 00779 DRAWING NO 1888321

RESTRICTED TO -

TE Connectivity

SCALE 3:1 SHEET 4 OF 4 REV C



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331