

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:


0357307210

Status:

Active

Description:

3.56mm (.140") Diameter Pin Terminal, Brass, 0.50mm (.020") Thickness, Wire Range 14-20 AWG (2.00-0.52mm²), 15.50mm (.610") Pitch, Post-Tin Plated



Documents:

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

General	
Product Family	Crimp Terminals
Series	35730
Crimp Quality Equipment	Yes
Product Name	N/A
Physical	
Gender	Male
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	2.60-3.80mm (.102-.150")
Wire Size AWG	14, 16, 18, 20
Wire Size mm²	N/A
Material Info	
Reference - Drawing Numbers	
Sales Drawing	SD-35730-72*0

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

35730Series

Mates With

35730-29*0

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



DO NOT SCALE DRAWING
DIMENSION IN METRIC

PROJECT NO.
Ø3.56 PIN TM'L-S


SIMILAR ITEM

EDP NO.


ENG. NO
SD 35730-72*0



- NOTES
1. MATERIAL : BRASS , 0.5 mm THICKNESS
 2. FINISH : 35730-7200(UNPLATED)
35730-7210(POST PLATED TIN)
35730-7240(TIN-LEAD PLATED)
 3. RECOMMENDED LENGTH OF WIRE STRIP IS 3.0-3.6mm



SEC' : A-A"



SEC' : B-B"

					ASS'Y PART		QTY/REEL OR PACK	SURFACE AREA		MATERIAL		WIRE RANGE AWG: #20-#14 MM ² : 0.5-2.2	GENERAL TOLERANCES DIM. : ±0.30 ANGLE : ±0.15	 MOLEX-KOREA CO.,LTD.			
					DESCRIPTION	ENG.NO.	7,000 Q'TY /REEL	MM ²		SEE NOTES							
										DIMENSION CLASSIFICATION		INSULATION RANGE Ø 2.6-3.8	REVISE ONLY ON CAD SYSTEM				
							DIE NO.	LAYOUT NO.		■▼: CRITICAL ☒ : MAJOR □ : MINOR () : REFERENCE							
B	REVISED		93-025	93.11.12	///	///	WIRE CRIMP WIDTH	INS. CRIMP WIDTH		DRAWN BY J.S.KANG		CHK'D BY B.K.CHOI		TITLE: Ø 3.56 PIN TM'L-S 1 of 1			
A	CAD REDRAWING		93-019	93.8.17			///	///		J.S.KANG		B.K.CHOI					
LTR	REVISION RECORD		ECN	DR_CHK	DATE	DIE FEED	APPL FEED	WBDW	IBDW		APP'D BY		SCALE	7/1	ENG.NO.	SD 35730-72*0	REV B



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331