


SPECIFICATIONS:


- 1. MATERIAL:
 - (1). SCREW: STEEL.
 - (2). BODY: NYLON 66 (PA 66).
 - (3). TERMINAL: PHOSPHOR BRONZE (C)
 - (4). CAGE (*): BRASS
 - (5). COVER: NYLON 66 (PA 66).
 - 2. PRODUCT SPECIFICATION: PS-39500-001.
 - 3. WIRE RANGE: 30 - 16AWG.
 - 4. TORQUE: 2 in-lbs.
 - 5. WIRE STRIP LENGTH: 6.50/.256.
 - 6. NUMBER OF CIRCUIT POSITIONS AVAILABLE = 2 THROUGH 20.
 - 7. ASSEMBLY IS ROHS COMPLIANT BY EXEMPTION.
- COMPONENTS MARKED WITH AN ASTERISK (*) ARE ROHS COMPLIANT BY EXEMPTION, ALL OTHERS ARE ROHS COMPLIANT.

| | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------|
| FIX TYPO-TERM MATERIAL EC NO: WNA2010-0708 DRW:CLYORK 2010/06/28 CHKD:DTITUS 01/06/06 APPR:DTITUS 2010/07/09 | DESCRIPTION REV | QUALITY SYMBOLS ▽=0 ▽7=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.3 ± --- ANGULAR ± 2 ° | DIMENSION STYLE MM/IN DRAWN BY DATE LROTHAUS 12/06/05 CHECKED BY DATE C. YORK 01/06/06 APPROVED BY DATE J. PAWLICKI 01/10/06 | SCALE 4:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION | TITLE 3.50MM, EURO TERM BLOCK RIGHT ANGLE, PLUG |
| | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | MATERIAL NO. SEE SHEET 2 | MOLEX INCORPORATED DOCUMENT NO. SD-39500-001 | SHEET NO. 1 OF 2 | |
| | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |
| | | SIZE B | | | | |

| Circuit size | Material Numbers | | | | | | | | | | | | Dimensional Information | | | |
|--------------|------------------|----------|----------|------------------|----------|----------|------------------|-----------|-----------|------------------|-----------|-----------|-------------------------|-------|-------|-------|
| | Black | | | | | | Green | | | | | | | | | |
| | 100% Tin | | | 30 u" Gold | | | 100% Tin | | | 30 u" Gold | | | Dim. A | | Dim B | |
| | Printing Options | | | Printing Options | | | Printing Options | | | Printing Options | | | | | | |
| None | 10A | 11A | None | 10A | 11A | None | 10A | 11A | None | 10A | 11A | mm | inch | mm | inch | |
| 2 | 39500002 | 39500102 | 39500202 | 39500502 | 39500602 | 39500702 | 39500502 | 395005102 | 395005202 | 395005502 | 395005602 | 395005702 | 7.80 | 0.307 | 3.50 | 0.138 |
| 3 | 39500003 | 39500103 | 39500203 | 39500503 | 39500603 | 39500703 | 39500503 | 395005103 | 395005203 | 395005503 | 395005603 | 395005703 | 11.30 | 0.445 | 7.00 | 0.276 |
| 4 | 39500004 | 39500104 | 39500204 | 39500504 | 39500604 | 39500704 | 39500504 | 395005104 | 395005204 | 395005504 | 395005604 | 395005704 | 14.80 | 0.583 | 10.50 | 0.413 |
| 5 | 39500005 | 39500105 | 39500205 | 39500505 | 39500605 | 39500705 | 39500505 | 395005105 | 395005205 | 395005505 | 395005605 | 395005705 | 18.30 | 0.720 | 14.00 | 0.551 |
| 6 | 39500006 | 39500106 | 39500206 | 39500506 | 39500606 | 39500706 | 39500506 | 395005106 | 395005206 | 395005506 | 395005606 | 395005706 | 21.80 | 0.858 | 17.50 | 0.689 |
| 7 | 39500007 | 39500107 | 39500207 | 39500507 | 39500607 | 39500707 | 39500507 | 395005107 | 395005207 | 395005507 | 395005607 | 395005707 | 25.30 | 0.996 | 21.00 | 0.827 |
| 8 | 39500008 | 39500108 | 39500208 | 39500508 | 39500608 | 39500708 | 39500508 | 395005108 | 395005208 | 395005508 | 395005608 | 395005708 | 28.80 | 1.134 | 24.50 | 0.965 |
| 9 | 39500009 | 39500109 | 39500209 | 39500509 | 39500609 | 39500709 | 39500509 | 395005109 | 395005209 | 395005509 | 395005609 | 395005709 | 32.30 | 1.272 | 28.00 | 1.102 |
| 10 | 39500010 | 39500110 | 39500210 | 39500510 | 39500610 | 39500710 | 39500510 | 395005110 | 395005210 | 395005510 | 395005610 | 395005710 | 35.80 | 1.409 | 31.50 | 1.240 |
| 11 | 39500011 | 39500111 | 39500211 | 39500511 | 39500611 | 39500711 | 39500511 | 395005111 | 395005211 | 395005511 | 395005611 | 395005711 | 39.30 | 1.547 | 35.00 | 1.378 |
| 12 | 39500012 | 39500112 | 39500212 | 39500512 | 39500612 | 39500712 | 39500512 | 395005112 | 395005212 | 395005512 | 395005612 | 395005712 | 42.80 | 1.685 | 38.50 | 1.516 |
| 13 | 39500013 | 39500113 | 39500213 | 39500513 | 39500613 | 39500713 | 39500513 | 395005113 | 395005213 | 395005513 | 395005613 | 395005713 | 46.30 | 1.823 | 42.00 | 1.654 |
| 14 | 39500014 | 39500114 | 39500214 | 39500514 | 39500614 | 39500714 | 39500514 | 395005114 | 395005214 | 395005514 | 395005614 | 395005714 | 49.80 | 1.961 | 45.50 | 1.791 |
| 15 | 39500015 | 39500115 | 39500215 | 39500515 | 39500615 | 39500715 | 39500515 | 395005115 | 395005215 | 395005515 | 395005615 | 395005715 | 53.30 | 2.098 | 49.00 | 1.929 |
| 16 | 39500016 | 39500116 | 39500216 | 39500516 | 39500616 | 39500716 | 39500516 | 395005116 | 395005216 | 395005516 | 395005616 | 395005716 | 56.80 | 2.236 | 52.50 | 2.067 |
| 17 | 39500017 | 39500117 | 39500217 | 39500517 | 39500617 | 39500717 | 39500517 | 395005117 | 395005217 | 395005517 | 395005617 | 395005717 | 60.30 | 2.374 | 56.00 | 2.205 |
| 18 | 39500018 | 39500118 | 39500218 | 39500518 | 39500618 | 39500718 | 39500518 | 395005118 | 395005218 | 395005518 | 395005618 | 395005718 | 63.80 | 2.512 | 59.50 | 2.343 |
| 19 | 39500019 | 39500119 | 39500219 | 39500519 | 39500619 | 39500719 | 39500519 | 395005119 | 395005219 | 395005519 | 395005619 | 395005719 | 67.30 | 2.650 | 63.00 | 2.480 |
| 20 | 39500020 | 39500120 | 39500220 | 39500520 | 39500620 | 39500720 | 39500520 | 395005120 | 395005220 | 395005520 | 395005620 | 395005720 | 70.80 | 2.787 | 66.50 | 2.618 |



10A IMPRINTING



11A IMPRINTING

| | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|
| SEE SHEET 1 EC NO: WNA2010-0708 DRW:ACL YORK 2010/06/28 CHKD:DTITUS 01/06/06 APPR:DTITUS 2010/07/09 REV DESCRIPTION | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | DIMENSION STYLE | SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION |
| | $\nabla=0$ $\nabla E=0$ | mm INCH | MM/IN | 4:1 | INCH | |
| | | 4 PLACES ± --- ± --- | DRAWN BY DATE | TITLE | | |
| | | 3 PLACES ± --- ± .005 | LROTHAUS 12/6/05 | 3.50MM, EURO TERM. BLOCK RIGHT ANGLE, PLUG | | |
| | 2 PLACES ± 0.13 ± .01 | C. YORK 01/06/06 | MATERIAL NO. DOCUMENT NO. | | | |
| | 1 PLACE ± 0.3 ± --- | APPROVED BY DATE | SHEET NO. | | | |
| | ANGULAR ± 2 ° | J. PAWLICKI 01/10/06 | SD-39500-001 2 OF 2 | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | SEE CHART | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | |



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331