




CODE 41 - LOW PROFILE HEAT SHRINK BOOT BACKSHELL

202M112-19B-

SERIES

ORDER NUMBER (TABLE 1)

MATERIAL

REFER TO CH00-0250-004

FINISH


REFER TO CH00-0250-004



MODIFICATION CODE

REFER TO CH00-0250-004 2

NOTES:

1. THIS PRODUCT IS DESIGNED TO TERMINATE A HEAT SHRINKABLE LIPPED BOOT TO A CONNECTOR.
2. FOR ADDITIONAL DIMENSIONS, ORDERING INFORMATION AND MODIFICATIONS, SEE CH00-0250-004.
3. ADAPTOR TO BE PERMANENTLY MARKED/BAGGED AND LABELLED WITH CODE IDENTIFICATION NUMBER AND PART NUMBER. (e.g. 06090-202M112-19B).
4. KNURL INSIDE BOOT GROOVE MAY BE SUPPLIED AT MANUFACTURER'S OPTION.
5. BACKSHELL MATES TO MIL-C-38999 SERIES I & II, CLASS E & T, MS27466, MS27467, MS27468, MS27472, MS27473, MS27474, MS27479, MS27480, MS27481, MS27484, MS27497, MS27652, MS27653, MS27656 CONNECTORS.

|                                                    |                           |                    |                                                                                                                                   |                                                                                                                                                                                                                          |                                                  |                        |                   |                                                                                                                                                                                           |
|----------------------------------------------------|---------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DRAWN                                              | W.RUST                    | DATE<br>15/09/2015 | <br>3RD ANGLE<br>PROJECTION<br>NOT TO<br>SCALE | TITLE:<br><br>LOW PROFILE, HEAT SHRINK BOOT BACKSHELL                                                                                                                                                                    |                                                  |                        |                   | <br>Polamco<br> |
| CHECKED                                            |                           | 15/09/2015         |                                                                                                                                   |                                                                                                                                                                                                                          |                                                  |                        |                   |                                                                                                                                                                                           |
| APPROVED                                           | K.SHEPPARD                | 09/10/2015         |                                                                                                                                   | UNLESS OTHERWISE SPECIFIED<br>ALL DIMENSIONS IN MILLIMETRES<br>GENERAL TOL<br>LINEAR +/-0.25MM<br>ANGULAR +/- 1°                                                                                                         | ASSY USED ON:<br><br>MIL-DTL-38999 SERIES I & II |                        |                   |                                                                                                                                                                                           |
| APPROVED                                           | H.SMITH                   | 14/10/2015         |                                                                                                                                   |                                                                                                                                                                                                                          |                                                  |                        |                   |                                                                                                                                                                                           |
| REVISIONS                                          |                           |                    |                                                                                                                                   |                                                                                                                                                                                                                          |                                                  |                        |                   |                                                                                                                                                                                           |
| LTR                                                | DESCRIPTION               | DATE               | APPROVED                                                                                                                          |                                                                                                                                                                                                                          |                                                  |                        |                   |                                                                                                                                                                                           |
| K                                                  | REVISED PER ECO-15-003650 | 03/06/15           | I.MYONG                                                                                                                           |                                                                                                                                                                                                                          |                                                  |                        |                   |                                                                                                                                                                                           |
| L                                                  | REVISED PER ECO-15-013980 | 14/10/2015         | H.SMITH                                                                                                                           |                                                                                                                                                                                                                          |                                                  |                        |                   |                                                                                                                                                                                           |
| TE CAGE CODE: 06090<br>POLAMCO/TE CAGE CODE: U5792 |                           |                    |                                                                                                                                   | TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING<br>AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD<br>INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION. |                                                  | DRAWING NO:<br>202M1XX | DRAWING REV:<br>L |                                                                                                                                                                                           |



| TABLE 1          |            |       |               |          |       |        |          |
|------------------|------------|-------|---------------|----------|-------|--------|----------|
| BASE PART NUMBER | SHELL SIZE |       | A THREAD      | ØB ± 0,2 | X MIN | ØY MAX | ØZ ±0,15 |
|                  | SER 1      | SER 2 |               |          |       |        |          |
| 202M108          | 9          | 8     | 7/16-28UNEF   | 17,5     | 1,2   | 18,0   | 6,8      |
| 202M110          | 11         | 10    | 9/16-24UNEF   | 20,5     | 1,2   | 21,5   | 10,3     |
| 202M112          | 13         | 12    | 11/16-24UNEF  | 23,5     | 1,2   | 24,5   | 13,1     |
| 202M114          | 15         | 14    | 13/16-20UNEF  | 25,5     | 1,2   | 27,5   | 16,3     |
| 202M116          | 17         | 16    | 15/16-20UNEF  | 30,5     | 1,2   | 32,5   | 19,5     |
| 202M118          | 19         | 18    | 1 1/16-18UNEF | 33,5     | 1,2   | 35,5   | 21,9     |
| 202M120          | 21         | 20    | 1 3/16-18UNEF | 36,5     | 1,8   | 38,5   | 25,1     |
| 202M122          | 23         | 22    | 1 5/16-18UNEF | 40,0     | 1,8   | 42,0   | 28,3     |
| 202M124          | 25         | 24    | 1 7/16-18UNEF | 43,0     | 1,8   | 45,0   | 31,5     |

|                                                    |                           |      |            |                                          |                                                                                                                                                                                                                          |  |                        |                   |                                    |
|----------------------------------------------------|---------------------------|------|------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------|-------------------|------------------------------------|
| DRAWN                                              | W.RUST                    | DATE | 15/09/2015 | <br>3RD ANGLE PROJECTION<br>NOT TO SCALE | TITLE:<br><br>LOW PROFILE, HEAT SHRINK BOOT BACKSHELL                                                                                                                                                                    |  |                        |                   | <br>Polamco<br><br>TE connectivity |
| CHECKED                                            |                           | DATE | 15/09/2015 |                                          |                                                                                                                                                                                                                          |  |                        |                   |                                    |
| APPROVED                                           | K.SHEPPARD                | DATE | 09/10/2015 |                                          | UNLESS OTHERWISE SPECIFIED<br>ALL DIMENSIONS IN MILLIMETRES<br>GENERAL TOL<br>LINEAR +/-0,25MM<br>ANGULAR +/- 1°                                                                                                         |  |                        |                   |                                    |
| APPROVED                                           | H.SMITH                   | DATE | 14/10/2015 |                                          |                                                                                                                                                                                                                          |  |                        |                   |                                    |
| REVISIONS                                          |                           |      |            |                                          | ASSY USED ON:                                                                                                                                                                                                            |  |                        |                   |                                    |
| LTR                                                | DESCRIPTION               |      | DATE       | APPROVED                                 | MIL-DTL-38999 SERIES I & II                                                                                                                                                                                              |  |                        |                   |                                    |
| K                                                  | REVISED PER ECO-15-003650 |      | 03/06/15   | I.MYONG                                  |                                                                                                                                                                                                                          |  |                        |                   |                                    |
| L                                                  | REVISED PER ECO-15-013980 |      | 14/10/2015 | H.SMITH                                  |                                                                                                                                                                                                                          |  |                        |                   |                                    |
| TE CAGE CODE: 06090<br>POLAMCO/TE CAGE CODE: U5792 |                           |      |            |                                          | TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING<br>AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD<br>INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION. |  | DRAWING NO:<br>202M1XX | DRAWING REV:<br>L | SHT<br>2                           |



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331