


| REVISIONS |                           |         |          |
|-----------|---------------------------|---------|----------|
| LTR       | DESCRIPTION               | DATE    | APPROVED |
| N1        | REVISED PER ECO-11-005139 | 20APR11 | HMR      |

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.  
CHECK FOR THE LATEST REVISION.





## CODE 40, SHIELDED STRAIGHT ADAPTER

### NOTES:


- THIS PRODUCT IS DESIGNED TO TERMINATE A HEAT SHRINKABLE LIPPED BOOT TO A CONNECTOR.
- FOR ADDITIONAL DIMENSIONS, ORDERING INFORMATION AND MODIFICATIONS, SEE CH00-0250-004.
- ADAPTER TO BE PERMANENTLY MARKED WITH CODE IDENT. NO. AND PART NO. (E.G.: 06090-208M712-19B08).
- FOR LARGER ENTRY SIZES, A 2 PIECE ADAPTER (TYPE II) IS SUPPLIED.
- BRAID TERMINATION RING MAY BE SUPPLIED AS TINEL-LOCK SHAPE MEMORY RING AT MANUFACTURER'S OPTION.
- ADAPTER MATES TO MIL-C-38999 SERIES III & IV, CLASS C, F, K, AND W, D38999/20, /24, /26, /40, /46, /47 CONNECTORS, AND WHEN SO MATED SHALL PROVIDE A WATER-TIGHT SEAL MEETING THE REQUIREMENTS OF MIL-C-85049, PAR. 3.5.7.

## SPECIFICATION CONTROL DRAWING


|                                                                                                                                                                                             |                                                                                                               |                  |                                                                                                     |                                                                           |                                                                                       |           |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------|--|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES.<br>METRIC DIMENSIONS ARE<br>IN BRACKETS.<br><br>DECIMALS<br>.XXX ± — [ mm]<br>.XX ± — [ mm]<br>.X ± — [ mm]<br><br>ANGLES<br>.X ± — | DRAWN<br>R. RAMIREZ                                                                                           | DATE<br>03-19-93 |  TE Connectivity | TE CONNECTIVITY<br>300 Constitution Drive<br>Menlo Park, CA. 94025 U.S.A. |  |           |  |
|                                                                                                                                                                                             | CHECKED                                                                                                       | DATE             |                                                                                                     |                                                                           |                                                                                       |           |  |
|                                                                                                                                                                                             | APPROVED<br>W. C. GAY                                                                                         | DATE<br>05-19-93 | TITLE<br>ADAPTER, SHIELD, STRAIGHT<br>CODE 40                                                       |                                                                           |                                                                                       |           |  |
|                                                                                                                                                                                             | APPROVED                                                                                                      | DATE             |                                                                                                     |                                                                           |                                                                                       |           |  |
|                                                                                                                                                                                             | CAD NAME \ACAD12\208M7XX                                                                                      |                  | SIZE<br>A                                                                                           | CODE IDENT. NO.<br>06090                                                  | DWG. NO.<br>208M7XX                                                                   | REV<br>N1 |  |
|                                                                                                                                                                                             | THIRD ANGLE<br>PROJECTION  |                  | DO NOT SCALE THIS DWG                                                                               |                                                                           |                                                                                       |           |  |
|                                                                                                                                                                                             |                                                                                                               |                  | SHEET 1 OF 3                                                                                        |                                                                           |                                                                                       |           |  |



STRAIGHT ADAPTER-TYPE I



STRAIGHT ADAPTER-TYPE II



TINEL-LOCK TERMINATION

FIG 1 5

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.  
CHECK FOR THE LATEST REVISION.

| SIZE                  | CODE IDENT. NO. | DWG. NO.                  | REV          |
|-----------------------|-----------------|---------------------------|--------------|
| A                     | 06090           | 208M7XX                   | N1           |
| DO NOT SCALE THIS DWG |                 | CAD NAME \ACAD12\208M7X-2 | SHEET 2 OF 3 |

TABLE I

| BASE<br>PART<br>NO. | SHELL SIZE  |     | MAX<br>ENTRY<br>SIZE<br>TYPE I  | A<br>METRIC THD<br>CLASS 6H | B<br>DIA<br>MAX |
|---------------------|----------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------|
|                     | COML                                                                                         | MIL |                                                                                                                  |                             |                 |
| 208M708             | 9                                                                                            | A   | 04                                                                                                               | M12 X 1.0                   | .750<br>[19.1]  |
| 208M710             | 11                                                                                           | B   | 07                                                                                                               | M15 X 1.0                   | .850<br>[21.6]  |
| 208M712             | 13                                                                                           | C   | 09                                                                                                               | M18 X 1.0                   | 1.000<br>[25.4] |
| 208M714             | 15                                                                                           | D   | 10                                                                                                               | M22 X 1.0                   | 1.150<br>[29.2] |
| 208M716             | 17                                                                                           | E   | 12                                                                                                               | M25 X 1.0                   | 1.250<br>[31.8] |
| 208M718             | 19                                                                                           | F   | 14                                                                                                               | M28 X 1.0                   | 1.400<br>[35.6] |
| 208M720             | 21                                                                                           | G   | 16                                                                                                               | M31 X 1.0                   | 1.500<br>[38.1] |
| 208M722             | 23                                                                                           | H   | 18                                                                                                               | M34 X 1.0                   | 1.650<br>[41.9] |
| 208M724             | 25                                                                                           | J   | 20                                                                                                               | M37 X 10                    | 1.750<br>[44.5] |

TABLE II

| ENTRY<br>SIZE | K<br>MAX       | Z<br>±.020<br>[±0.51] | Y<br>DIA<br>MIN  |
|---------------|----------------|-----------------------|------------------|
| 03            | NA             | .187<br>[4.75]        | .393<br>[9.98]   |
| 04            | NA             | .250<br>[6.35]        | .456<br>[11.58]  |
| 05            | .80<br>[20.3]  | .312<br>[7.92]        | .515<br>[13.08]  |
| 06            | .80<br>[20.3]  | .375<br>[9.53]        | .581<br>[14.76]  |
| 07            | .92<br>[23.4]  | .438<br>[11.13]       | .643<br>[16.33]  |
| 08            | .92<br>[23.4]  | .500<br>[12.70]       | .705<br>[17.91]  |
| 09            | 1.18<br>[30.0] | .562<br>[14.27]       | .705<br>[17.91]  |
| 10            | 1.18<br>[30.0] | .625<br>[15.88]       | .831<br>[21.11]  |
| 11            | 1.18<br>[30.0] | .688<br>[17.48]       | .893<br>[22.68]  |
| 12            | 1.35<br>[34.3] | .750<br>[19.05]       | .953<br>[24.21]  |
| 13            | 1.41<br>[35.8] | .812<br>[20.62]       | .953<br>[24.21]  |
| 14            | 1.41<br>[35.8] | .875<br>[22.23]       | 1.081<br>[27.46] |
| 15            | 1.60<br>[40.6] | .938<br>[23.83]       | 1.143<br>[29.03] |
| 16            | 1.60<br>[40.6] | 1.000<br>[25.40]      | 1.205<br>[30.61] |
| 18            | 1.66<br>[42.2] | 1.125<br>[28.58]      | 1.381<br>[35.08] |
| 20            | 2.04<br>[51.8] | 1.250<br>[31.75]      | 1.506<br>[38.25] |
| 22            | 2.23<br>[56.6] | 1.375<br>[34.93]      | 1.631<br>[41.43] |
| 24            | 2.23<br>[56.6] | 1.500<br>[38.10]      | 1.756<br>[44.60] |
| 28            | 2.48<br>[63.0] | 1.750<br>[44.45]      | 2.004<br>[50.90] |

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.  
CHECK FOR THE LATEST REVISION.

| SIZE                  | CODE IDENT. NO. | DWG. NO.                  | REV          |
|-----------------------|-----------------|---------------------------|--------------|
| A                     | 06090           | 208M7XX                   | N1           |
| DO NOT SCALE THIS DWG |                 | CAD NAME \ACAD12\208M7X-3 | SHEET 3 OF 3 |



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331