
ROHS COMPLIANT

PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	DCN 37963	01/11	STW
Α	DCN 39328	08/12	STW



BODY & SLEEVE:

MATERIAL:

STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1

BERYLLIUM COPPER PER ASTM B196, ALLOY No. UNS C17300, TD04 CONTACT:

PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B **INSULATOR:**

BEAD: ULTEM

FINISH:

BODY & SLEEVE:

PASSIVATED PER AMS-2700.

GOLD PER ASTM B488, TYPE II, CODE C, CLASS 1.27, OVER NICKEL CONTACT:

PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

PERFORMANCE:

IMPEDANCE: 50 OHMS FREQ. RANGE: DC TO 40.0 GHz DWV: 500 VRMS

INSULATOR RES.: 5.000 MEGOHMS MIN.

MATERIAL:	SEE NOTES		
FINISH:	SEE NOTES		
SURFACE AR	SURFACE AREA: N/A		
	PROPRIETARY		
IS THE SOLE F ANY REPRODI WITHOUT THE	TION CONTAINED IN THIS DRAW PROPERTY OF SV MICROWAVE, UCTION IN PART OR AS A WHOL WRITTEN PERMISSION OF VE INC IS PROHIBITED		

DIMENSIONS ARE IN INCHES TOLERANCES:		
FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' +15'		
DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005		
INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994		

±.010 ±.005 ENSIONS AND TOLERANCES M - 1994	3) BREAK CORNERS & EDC 4) CHAM. 1ST & LAST THRI 5) SURFACE ROUGHNESS 6) DIA.'S ON COMMON CEN WITHIN T.I.R. 7) REMOVE ALL BURRS	ADS.
GLE PROJECTION	DRAWN:	FFD 01/19

UNLESS OTHERWISE SPECIFIED

1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING.

THIRD ANGLE PROJECTION	DRAWN:	FED 01/19/11
	CHECKED:	STW 01/19/11
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	APPROVED:	STW 01/19/11

SV Microwave, Inc.

2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409

SMP MALE SB TO 2.92mm FEMALE ADAPTER

	95077	DWG. NO.	SF1112	2-6031
SCALE: 10:1				SHEET 1 OF 1



Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию.

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России, а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научноисследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,

Промышленная ул, дом № 19, литера Н,

помещение 100-Н Офис 331