

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			B3	REVISED PER ECO-11-005027	12MAR2011	RK	HMR

- 1

MATERIAL:
RECEPTACLE HOUSING, UL 94V-0 RATED THERMOPLASTIC, COLOR:SEE TABLE
CONTACT, PHOSPHOR BRONZE
FRONT NUT, UL 94V-0 RATED THERMOPLASTIC, COLOR:SEE TABLE
HEX NUT, BRASS
- 2

FINISH:
CONTACT, 0.75µm MIN. GOLD OVER NICKEL
HEX NUT,NICKEL
- 3






SOLDER TERMINATION CONTACT, 28 AWG WIRE MAX.
- 4

10.0 MAXIMUM PANEL THICKNESS
- 5

INSTALLS FROM FRONT OR REAR OF PANEL
- 6

INGRESS PROTECTION: IP50 (MATED)
- 7

PRELIMINARY PART NUMBER.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.L.KOLLER 22JUN2005	TE Connectivity			
		CHK L.BREKOSKY 28JUN2005				
DIMENSIONS:		APVD -	NAME RECEPTACLE ASSEMBLY PANEL MOUNT 10 POSITION			
mm		PRODUCT SPEC 108-2249				
		APPLICATION SPEC 114-13184	SIZE A2	CAGE CODE 00779	DRAWING NO C-1877069	RESTRICTED TO -
MATERIAL		WEIGHT -	SCALE 5:1 SHEET 1 OF 2 REV B3			
		CUSTOMER DRAWING				

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

AD

00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

C	40°	BLUE	BLACK	4-1877069-2
		BLUE	GRAY	4-1877069-1
	40°	GREEN	BLACK	4-1877069-0
		GREEN	GRAY	3-1877069-9
	40°	YELLOW	BLACK	3-1877069-8
		YELLOW	GRAY	3-1877069-7
	40°	WHITE	BLACK	3-1877069-6
		WHITE	GRAY	3-1877069-5
	40°	RED	BLACK	3-1877069-4
		RED	GRAY	3-1877069-3
	40°	BLACK	BLACK	3-1877069-2
		BLACK	GRAY	3-1877069-1
B	40°	GRAY	BLACK	3-1877069-0
		GRAY	GRAY	2-1877069-9
	80°	BLACK	GRAY	2-1877069-8
		GRAY	BLACK	2-1877069-7
	0°	BLACK	GRAY	2-1877069-6
		GRAY	BLACK	2-1877069-5
	80°	BLUE	BLACK	2-1877069-4
		BLUE	GRAY	2-1877069-3
	0°	BLUE	BLACK	2-1877069-2
		BLUE	GRAY	2-1877069-1
	80°	GREEN	BLACK	2-1877069-0
		GREEN	GRAY	1-1877069-9
A	0°	GREEN	BLACK	1-1877069-8
		GREEN	GRAY	1-1877069-7
	80°	YELLOW	BLACK	1-1877069-6
		YELLOW	GRAY	1-1877069-5
	0°	YELLOW	BLACK	1-1877069-4
		YELLOW	GRAY	1-1877069-3
	80°	WHITE	BLACK	1-1877069-2
		WHITE	GRAY	1-1877069-1
	0°	WHITE	BLACK	1-1877069-0
		WHITE	GRAY	1877069-9
	80°	RED	BLACK	1877069-8
		RED	GRAY	1877069-7
0°	RED	BLACK	1877069-6	
	RED	GRAY	1877069-5	
80°	BLACK	BLACK	1877069-4	
	GRAY	GRAY	1877069-3	
0°	BLACK	BLACK	1877069-2	
	GRAY	GRAY	1877069-1	
KEYING	FRONT NUT COLOR	HOUSING COLOR	PART NUMBER	


C	60°	BLUE	BLACK	5-1877069-6
		BLUE	GRAY	5-1877069-5
	60°	GREEN	BLACK	5-1877069-4
		GREEN	GRAY	5-1877069-3
	60°	YELLOW	BLACK	5-1877069-2
		YELLOW	GRAY	5-1877069-1
	60°	WHITE	BLACK	5-1877069-0
		WHITE	GRAY	4-1877069-9
	60°	RED	BLACK	4-1877069-8
		RED	GRAY	4-1877069-7
	60°	BLACK	BLACK	4-1877069-6
		BLACK	GRAY	4-1877069-5
60°	GRAY	BLACK	4-1877069-4	
	GRAY	GRAY	4-1877069-3	

80°




80° KEYING
RECEPTACLE FRONT VIEW
SCALE 4:1

0°




0° KEYING
RECEPTACLE FRONT VIEW
SCALE 4:1

40°



40° KEYING
RECEPTACLE FRONT VIEW
SCALE 4:1

60°



60° KEYING
RECEPTACLE FRONT VIEW
SCALE 4:1


THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R.L.KOLLER
CHK
L.BREKOSKY
APVD
-

22JUN2005
28JUN2005

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.2
2 PLC ±0.08
3 PLC ±
4 PLC ±
ANGLES ±1°
FINISH

PRODUCT SPEC
108-2249
APPLICATION SPEC
114-13184
WEIGHT
-

CUSTOMER DRAWING

NAME
RECEPTACLE ASSEMBLY
PANEL MOUNT
10 POSITION

SIZE
A2

CAGE CODE
00779

DRAWING NO
1877069

RESTRICTED TO
-

SCALE
5:1

SHEET
2

OF
2

REV
B3

1471-9 (3/11)



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331