

DO NOT
SCALE FROM
THIS PRINT

ALL DIMENSIONS ARE REFERENCES
(SEE XC-179-XX-X-XX FOR CONTROLLING PRINT)

CC79X-XXXX-XX-X

SUPPLIED
-L: LOOSE
-R: REEL

LEAD STYLE
-2630 (26-30 AWG)
-2024 (20-24 AWG)
**-2830 (28-30 AWG) (PTFE)

PLATING
-F: FLASH SELECTIVE
-L: LIGHT SELECTIVE
-S: SELECTIVE

OPTION
(INSULATION THICKNESS)
-01

** NOT RELEASED FOR PRODUCTION




FIG 1
(CC79L-XXXX-0T-X SHOWN)





TABLE 1								
STYLE	"A"	"B"	"C"	"D"	"E"	"F"	"J"	"K"
-2630	.055	.045	.015	.080	.073	.025	.010	.020
-2024	.080	.073	.018	.110	.103	.030	.010	.030
*-2830	.055	.045	.015	.054	.057	.016	.010	.020

* NOT TOOLED

- NOTES:
1. REPRESENTS A CRITICAL DIMENSION.
 2. MAXIMUM PARTS PER REEL: 14,000 +300/-0 PCS.
 3. LABEL SHOULD INCLUDE PLATE CALLOUT AND PLACED ON REEL AS SHOWN.
 4. MAXIMUM No OF SPLICES PER REEL: 2. SPLICES ARE NOT TO BE CONNECTED. No OF SPLICES TO BE MARKED ON EACH REEL.
 5. REELED PARTS TO BE INTERLEAVED WITH THE PAPER BETWEEN EACH LAYER OF PARTS.
 6. MAXIMUM No OF INTERLEAVE PAPER SPLICES PER REEL: 3. SECURELY CONNECT INTERLEAF SPlice.
 7. OUTER WRAP SHALL RECEIVE RB-24-0.75-P PROTECTIVE REEL BAND.
 8. GOLD PLATING IS NOT REQUIRED ON THE OUTSIDE OF THE CONTACT BOX OR ON THE SIDE WITH THE RETENTION LANCE.

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES.
TOLERANCES ARE:

DECIMALS	ANGLES
.XX:	2 °
.XXX:	
.XXXX:	

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322

MATERIAL: DO NOT SCALE DRAWING SHEET SCALE: 5:1
PHOS BRONZE, 510 SPRING TEMPER
THICKNESS: .0080

DESCRIPTION:
.100 IPD1 CONTACT

DWG. NO.
CC79X-XXXX-XX-X

BY: DEAN P 8/12/2004 SHEET 1 OF 2

FIG 2
(CC79R-XXXX-0T-X SHOWN)
(SAME AS FIG 1, UNLESS OTHERWISE SHOWN)
(SEE FIG 3 FOR REEL SPECIFICATIONS)






FIG 3
REEL SPECIFICATIONS
(SEE NOTES 2-7)



UNWINDING DIRECTION



c:\enterprisevault\DWG\MISC\MKTG\CC79X-XXXX-XX-X-MKT.SLDDRW

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 5:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:

.100 IPD1 CONTACT

DWG. NO.

CC79X-XXXX-XX-X

BY: DEAN P

8/12/2004

SHEET 2 OF 2



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331