


PRODUCT NO

88914-0XY

NOTE 5

| PRODUCT NUMBER | BACKPLANE THICKNESS |
|----------------|------------------------|
| | MM/IN. |
| 88914-011 | 2.31-3.10/0.091-0.122 |
| 88914-012 | 3.10-3.89/0.122-0.153 |
| 88914-013 | 3.89-4.67/0.153/0.184 |
| 88914-014 | 4.67-5.46/0.184-0.215 |
| 88914-015 | 5.46-6.25/0.215-0.246 |
| 88914-016 | 6.25-7.06/0.246-0.278 |
| 88914-017 | 7.06-8.00/0.278-0.315 |
| 88914-018 | 8.00-11.00/0.315-0.433 |



NOTES:

- ①. PIN MATERIAL:
P/N 88918-002, STAINLESS STEEL
SCREW INFORMATION:
#1-72 PHILLIPS PAN HEAD STAINLESS STEEL
2. EACH KIT INCLUDES ONE PIN AND ONE SCREW
3. SEE PAGE 2 FOR AN APPLICATION EXAMPLE
- ④. ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION
5. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.




Copyright FCI



| | | | | | | | | | | |
|-------------|----------|-----------------------|----------|----------------------------------|------------|---------------------------------------|-------------------|-------------------------------|--------|--------------------------|
| mat'l. code | | surface ISO 1302 ✓ | | tolerance ISO 406 ISO 1101 | | projection ⊕ | | product family METRAL (tm) | | |
| ltr | | ecn no dr | | date | | tolerances unless otherwise specified | | title | | |
| B | v51387 | SAR | 1/10/96 | angles | linear | .0±.3 | | KEYING PIN KIT | | |
| C | v71522 | MDF | 10/27/97 | | | .00±.13 | | | | |
| D | v81338 | MDF | 7/22/98 | 0'±2' | | .000±.0051 | | | | |
| E | v91495 | MDF | 7/14/99 | dr | STU STONER | 02/04/93 | scale 1:1 | | dwg no | |
| F | v02390 | JRW | 10/4/00 | enr | R.DOUTRICH | 02/04/93 | sheet 1 of 2 size | | 88914 | |
| G | M06-0191 | MHT | 5/22/06 | chr | STU STONER | 02/04/93 | A3 | | type | |
| sheet index | | revision | | G | G | appd | | STU STONER 02/04/93 | | Product Customer Drawing |
| sheet | | sheet | | 1 | 2 | | | | | |

form: A3

APPLICATION EXAMPLE



RECOMMENDED HOLE PATTERN
COMPONENT SIDE SHOWN
(2MM SIGNAL HOLE PATTERN)
(SHOWN FOR REFERENCE ONLY)



NOTES:

1. HEADER HOUSING (P.N. 88913-101) SHOWN FOR CLARITY AND DOES NOT COME WITH KEYING PIN KITS.
2. KEYING COMBINATION SHOWN WILL MATE TO RECEPTACLE 88916-X06. LOADED PIN POSITIONS ARE SHOWN SHADED.
- ③. INDICATED HOLES ARE UNPLATED



FCJconnect.com

Copyright FCJ

| | | | | | | | | | |
|-------------|--|-----------------------|--|----------------------------------|--|---------------------------------------|--|-------------------------------|--|
| mat'l. code | | surface ISO 1302 ✓ | | tolerance ISO 406 ISO 1101 | | projection MM | | product family METRAL (tm) | |
| ltr | | ecn no dr | | date | | tolerances unless otherwise specified | | title | |
| G | | | | | | .0±.3 .00±.13 .000±.0051 | | KEYING PIN KIT | |
| | | | | 0'±2' | | scale 1:1 | | dwg no | |
| | | | | dr | | STU STONER 02/04/93 | | sheet 2 of 2 size | |
| | | | | enr | | R.DOUTRICH 02/04/93 | | 88914 A3 | |
| | | | | chr | | STU STONER 02/04/93 | | type | |
| | | | | appd | | STU STONER 02/04/93 | | Product Customer Drawing | |
| sheet index | | revision sheet | | | | | | | |



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331