

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0988171031

Status:

Active

Overview:

NSCC - New Standard Casing Contact

Description:

NSCC single part, Unsealed, 1.50mm, Female Housing, 3.33mm Pitch NSCC, Wire to Wire, 3 Circuits, Black

Documents:

3D Model

Application Specification AS-98821-001 (PDF)

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Product Specification PS-98821-001 (PDF)

General

Product Family

Crimp Housings

Series

98817

Application

Power, Wire-to-Wire

Application Tooling Part Link

63813-3800

Overview

NSCC - New Standard Casing Contact

Product Name

NSCC

UPC

822348816392

Physical

Breakaway

No

Circuits (maximum)

3

Circuits Detail

3x1.5mm female terminals

Color - Resin

Black

Gender

Female

Glow-Wire Compliant

No

Keying to Mating Part

Yes

Lock to Mating Part

Yes

Material - Resin

Polyester

Net Weight

2.150/g

Number of Rows

1

Packaging Type

Carton

Panel Mount

No

Pitch - Mating Interface

3.33mm

Pitch - Termination Interface

3.33mm

Polarized to Mating Part

Yes

Ports

1

Temperature Range - Operating

-40°C to +100°C

Electrical

Current - Maximum per Contact

10.0A

Solder Process Data

Lead-freeProcess Capability

N/A

Material Info

Old Part Number

010101321

Reference - Drawing Numbers

Application Specification

AS-98821-001

Product Specification

PS-98821-001

Sales Drawing

SD-98815-003, SD-98817-002



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

China RoHS

Compliant

REACH SVHC

Contains SVHC(2014 December 17): No

Halogen-Free

Status

Not Relevant

Need more information on product environmental compliance?

Email productcompliance@molex.com

Please visit the Contact Us section for any non-product compliance questions.

China ROHS

Not Relevant

ELV

Compliant

Search Parts in this Series

98817 Series

Mates With

98822-1031 (Male Receptacle Housing)

Use With

Female Terminal NSCC 98897-1109 , 98897-1119 , 98897-1129 or FCI Female Terminal 1.5 Sicma 3

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Extractor Tool for

0638133800

Unsealed Receptacle Connectors

This document was generated on 08/19/2015

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331