


# CY4541 EZ-PD™ CCG4 EVK

**STEP 1** Unpack the kit contents

1




Note: Color of the solder mask used on CCG EVK base boards and CY4541 CCG4 daughter card may vary from the image shown in step 1.

**STEP 2**

2

Verify that the user LED jumper (J11) is populated on CCG EVK base board 1 (connected to Port 1 of CCG4 daughter card) and that the voltage selection jumper (J5) on the CCG4 daughter card is set to 3.3 V (position 1-2). Ensure that the wires are connected with correct polarity between the power provider header (J12) of both the CCG EVK base boards as shown in the figure in step 2. Connect the DC power adapter (provided with the kit) to the DC power jack (J1) of either of the CCG EVK base boards. Verify that the setup is as shown in the figure in step 2. Plug the other end of the DC power adapter to the AC power socket. LED1 (Green) on the CCG4 daughter card and on both the CCG EVK base boards glow to indicate that the kit is powered. In addition, the LED2 (Orange) on the CCG EVK base board 1 blinks continuously to indicate that CCG4 is powered and active.




# CY4541 EZ-PD™ CCG4 EVK

**STEP**

3

Connect each USB 3.0 Type-A to Type-B cable from the PC to the USB Type-B port (J2) of each of the CCG EVK base boards. Connect each USB Type-C to Type-A adapter to the USB Type-C port (J3) of each of the CCG EVK base boards. Plug USB pendrives (not provided with the kit) into both the USB Type-C to Type-A adapters. Verify that the setup is as shown in the figure in step3. Observe the enumeration of both the USB pendrives on the PC. Initiate data transfer between the two USB pendrives, and observe the data transfer speed\*. This step demonstrates the capability of CCG4 to control two USB Type-C interfaces simultaneously.



Note that any USB device can be used instead of a pendrive with the setup shown in step3.

\* Data transfer speed depends on the type of the USB port (SuperSpeed or High Speed) of the PC, the pendrive (SuperSpeed or High Speed) and the system configuration.

**STEP**

4

Refer to the CY4541 Kit guide\*\* for a detailed explanation of the Dual Role Port (DRP) and Type-C to Display Port demo using CCG4.

\*\* Download and install the CY4541 CCG4 EVK complete setup from [www.cypress.com/CY4541](http://www.cypress.com/CY4541) to access the kit design files and documentation. After the installation, CY4541 Kit Guide.pdf will be available at C:\Program Files (x86)\Cypress\CY4541 CCG4 EVK\1.0\Documentation\CY4541 Kit Guide.pdf (on 64-bit Windows operating systems)

or

C:\Program Files\Cypress\CY4541 CCG4 EVK\1.0\Documentation\CY4541 Kit Guide.pdf (on 32-bit Windows operating systems)



## Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

### Наши контакты:

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331