










PLUG



NOTES:
 Δ DIMENSION FROM THE BACK OF HOUSING TO THE END OF THE BRUSH ON THE WIRE INSERTED INTO THE HOUSING
 DIM "A" = .256/6.50 FOR 42477 & 42478 TERMINALS
 .216/5.49 FOR ALL OTHER .093 TERMINALS
 DIM "B" = .377/9.58 FOR 42477 & 42478 TERMINALS
 .337/8.56 FOR ALL OTHER .093 TERMINALS

RECEPTACLE



Y3	REVISED PER UCR2000-0683 3/1/00 DDS
Y2	REMOVE -R3, -R5 VER. PER ECR #U6 1479 6-10-96 RW
Y1	X-REMOVE 1396-R4 ECR U3 1583 10/26/93 RW
Y	ADD CKT. I.D. #'S PER ECR #U8 1381 5/4/93 RW
X	REV MAT'L SPECS. ECR U2-1491 10-08-92 A.GUZIK
W1	ADD -D VERSIONS. ECR U1 1106 7/25/91 RW
W	REVISE ON CAD ECR #U8 1381 JJS 4-24-88 RW



2	Y2	REVISE ONLY ON CAD SYSTEM
1	Y3	

DIMENSIONS SHOWN (METRIC) INCH		UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°		TITLE	
INCH		METRIC		.093/(2.36) HOUSING, PLUG & RECEPTACLE 3 CIRCUIT, .198/(5.03) Δ	
3 PLACE	± .010	2 PLACE	± .014	1 PLACE	± .036
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
DRAWN: JJS		CHKD: RW		FILE NAME: S1396.3X1	
APP'D: RAS		SCALE: 2 : 1		SHEET NO. 1 OF 2	
MFG. SH. REV. LTR.		REV. ONLY ON CAD SYSTEM		DATE: 4/3/88	
MOLEX INCORPORATED		LITSEJLL		SD-1396-•	


EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	RELEASED EC NO. JC2001-0078 DRWN: K.KOHAMA '00/08/28 CHK: T.YAMAGUCHI APPR: M.FUKUSHIMA
REV	DESCRIPTION	MATERIAL 材料	FINISH 仕上り	WIRE RANGE 適用電線範囲
		NYLON66 94V-2		INS. RANGE 被覆外径

GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE 2 : 1	DESIGN UNITS ☒ mm ☐ INCH	TITLE: 3 CIRCUITS RCPT HSG (0.093 DIA TERMINAL)
10 UNDER 未満	+0.25 +0.2	DRAWN BY & DATE K.KOHAMA '00/08/28	MATERIAL NO. SEE NOTES DRAWING NO. SD-1396-001 SHEET NO. 1 OF 1	
10 OVER 30 UNDER 以上 未満	+0.3 +0.25	CHECKED BY & DATE T.YAMAGUCHI '00/08/28		
30 OVER 以上	+0.35 +0.3	APPROVED BY & DATE M.FUKUSHIMA '00/08/28		
ANGLE 角度	+3°	CAD FILENAME I396001.S01	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	

MODEL NO.	03-09-1***	DIMENSIONS:	SHT	REV
		☐ mm ☐ INCH ☒ mm ONLY		REVISE ON CAD ONLY
THIRD ANGLE PROJECTION				
MOLEX INCORPORATED				





OPTIONAL END CONFIGURATION







RECEPTACLE



DETAIL A
(SCALE 4:1)



DETAIL B
(SCALE 4:1)



パネル取付穴寸法
(パネル厚 2.29 最大)



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331