





10	9	8	7	6	5	4	3	2	1
PART NUMBER	DESCRIPTION	SEE SHEET							
180190-0000	HOLDER WITHOUT LENS	3							
180190-0001	HOLDER WITH LENS	3							
180192-0000	COVER LENS ONLY	3							



M3 OR 4-40 TAPPED HOLES (2)
TORQUE SCREWS 0.8 NEWTON METERS MAX





- NOTES:
- MATERIALS:
 - CAPS: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - HOUSING: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - COVER LENS: CLEAR POLYCARBONATE UL94HB
 - WIRE TRAP TERMINALS: COPPER ALLOY
 - FINISH: GOLD OVER NICKEL
 - THIS PRODUCT IS ELV AND ROHS COMPLIANT
 - APPLICABLE WIRE GAUGE - 18 OR 20 AWG
 - SOLID WIRE IS RECOMMENDED
 - IF STRANDED WIRE IS USED, PRE-TINNED IS RECOMMENDED
 - 1 cm STRIP LENGTH IS RECOMMENDED
 - MOUNT HOLDER USING M3 OR 4-40 SCREWS (2), 0.8 NEWTON METERS MAX TORQUE
 - UL RECOGNIZED TO UL496
 - c-UL RECOGNIZED TO CSA-C22.2 NO. 43 (2008)
 - RATED 600V
 - UL FILE NUMBER: E345583, UL-OLFB2

ENTER DESCRIPTION EC NO: SSL2012-0008 DRWN: JAKLIC 2011/08/02 CHKD: JAKLIC 2011/08/02 APPR: DMCGOWAN 2011/08/05 C1		DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 			
			 =0	mm	INCH	DRAWN BY	DATE	CITIZEN L-340 LED HOLDER					
			 =0	4 PLACES ± ---	± ---	FJAKLIC	2011/01/28						
			 =0	3 PLACES ± ---	± ---	CHECKED BY	DATE	MOLEX INCORPORATED					
			 =0	2 PLACES ± 0.13	± ---	APPROVED BY	DATE						
1 PLACE ± 0.25		± ---	DMCGOWAN	2011/02/18	MATERIAL NO.		DOCUMENT NO.	SHEET NO.					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE B	SEE CHART THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								
								SD-180190-001		1 OF 3			

RECOMMENDED MOUNTING DIMENSIONS (NTS)

10 9 8 7 6 5 4 3 2 1


WIRE TRAP CAPS ARE REMOVED FROM FRONT VIEW FOR CLARITY




VIEW OF TWO-WAY WIRE TRAP

WIRE TRAPS WILL ACCOMODATE
EITHER 18 OR 20 GAUGE WIRE


DETAIL 1 SCALE 3:1



SECTION A-A





DETAIL 2 SCALE 6:1



LENS TO HOLDER SNAP FIT DETAIL

DETAIL 3 SCALE 6:1

ENTER DESCRIPTION EC NO: SSL2012-0008 DRAWN BY JAKL I C CHKD: APPR:DMCGOWAN 2011/08/02	DESCRIPTION	QUALITY SYMBOLS F =0 F =0 F =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION					
				mm	INCH	DRAWN BY	DATE	TITLE CITIZEN L-340 LED HOLDER						
			4 PLACES	± ---	± ---	F JAKL I C	2011/01/28							
			3 PLACES	± ---	± ---	CHECKED BY		DATE		MOLEX INCORPORATED				
			2 PLACES	± 0.13	± ---	APPROVED BY		DATE						
			1 PLACE	± 0.25	± ---									
			ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-180190-001		2 OF 3								
SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												



tb_frame_B_P_AM_T
Rev. F 2009/06/18



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331