






- | | |
|---|--|
| 1 | MATERIALS:
HOUSING: UL 94V-0, BLACK
CONTACT SPRING: STAINLESS STEEL
CONTACT BODY AND POST: BRASS
4-40 THREADED INSERT: BRASS |
| 2 | CONTACT BODY: .000030 MIN GOLD FOR A LENGTH OF
.200 MIN FROM MATING END. GOLD FLASH ON CONTACT |
| 3 | CONTACT POST: .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL. |
| 4 | CONTACT POST: .000100 MIN TIN OVER .000050 MIN NICKEL. |
| 5 | RECOMMENDED PC BOARD HOLE SIZE FOR CONTACT
POST = .050±.003 DIA. |

OBSOLETE	.267	YES		213780-5
	.130	YES		213780-4
	.220	YES		213780-3
	.220	NO		213780-2
	.220	NO		213780-1
	DIM A	THREADED INSERTS	POST FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN W.LENKER		08/20/93		 TE Connectivity						
			CHK R.STONE		08/24/93								
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —		NAME		RECEPTACLE ASSEMBLY, POSTED, STD SEX, SERIES 1, 23–24, CPC					
		0 PLC ± — 1 PLC ± — 2 PLC ± .005 3 PLC ± — 4 PLC ± — ANGLES ± ± —		PRODUCT SPEC 108–10024									
		MATERIAL		FINISH		APPLICATION SPEC 114–10038		SIZE A2		CAGE CODE 00779		DRAWING NO C=213780	
		—		WEIGHT —		CUSTOMER DRAWING		SCALE 2:1		SHEET 1 of 2		REV G	

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT - By -	ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED P.C. BOARD LAYOUT
BOTTOM SIDE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W.LENKER 08/20/93	TE Connectivity			
DIMENSIONS: INCHES		CHK R.STONE 08/24/93				
		APVD -	NAME			
		PRODUCT SPEC 108-10024	RECEPTACLE ASSEMBLY, POSTED, STD SEX, SERIES 1, 23-24, CPC			
MATERIAL 		APPLICATION SPEC 114-10038				
FINISH -		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C-213780	RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 2:1	SHEET 2 of 2	REV G	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331