

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0358179290](#)
Status: **Active**
Description: 14.50mm (.570") Pitch MP-Lock™ Housing, 2 Circuits, for 4.75mm (.817") Tab, PP Polypropylene, White


Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-35817-001 \(PDF\)](#)

General	
Product Family	Crimp Housings
Series	35817
Product Name	MP-Lock™
Physical	
Circuits (maximum)	2
Gender	Female
Glow-Wire Compliant	No
Lock to Mating Part	None
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.484 In
Pitch - Mating Interface (mm)	12.30 mm
Stackable	Yes
Temperature Range - Operating	-40°C to +120°C

Electrical	
Current - Maximum per Contact	12A

Material Info

Reference - Drawing Numbers	
Product Specification	PS-35817-001
Sales Drawing	SD-35817-001



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)


Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[35817Series](#)

Mates With
Appliance Timer|Temperature Switch|
Appliance Capacitor|Appliance Heater

Use With
[35068](#) Female Terminal

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



NOTES

1. MATERIAL

ENG NO.	MATERIAL	COLOR
35817-0280	NYLON	NATURAL (WHITE)
35817-0290	POLYESTER(PBT)	
35817-9290	PBT/PC	

2. APPLICABLE TERMINAL : 35068-9702/9802/9902

REVISED		ECN NO. KOR 2007-0006 DRWN: JB.JIN 06/06/09 CHK: W.Y.YANG APPR: SHCHOI		DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE	DESIGN UNITS	THIRD ANGLE	DIMENSIONS:		SHT	REV	
								4:1	☒ mm ☐ INCH		☐ mm ☐ INCH ☒ mm ONLY	REVISE ON CAD ONLY			
B	REV				MAJOR ▽ = 0 CRITICAL ▽ = 0		mm	INCH	DRAWN BY & DATE W.Y.YANG 98/07/29		TITLE: .187 MP-LOCK HOUSING-2P (CAPACITOR)				
							4 PLACES	±0.							±.
							3 PLACES	±0.	±.	CHECKED BY & DATE B.K.CHOI 98/07/29					
							2 PLACES	±0.30	±.						
							1 PLACE	±0.30	±.	APPROVED BY & DATE C.W.LEE 98/07/29					
ANGULAR: ± °		CAD FILENAME S35817AA.MI		MATERIAL NO. SEE TABLE	DRAWING NO. SD-35817-001	SHEET NO. 1 OF 1									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE B



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331