
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| LOC | DIST |
|---|---|
| CE | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | 10 | REVISED OVERALL LENGTH | 17DEC2011 | DF | JM |
| | 11 | REMOVED PRELIM TAG,ADD PROD-APPL SPEC REF | 27DEC2012 | DF | JM |
| | 12 | OBSOLETE 2000973-2 AND -3 | 09APR2013 | DF | JM |
| | A | ECO-13-010049 | 17JUN2013 | KG | DW |




ASSEMBLED VIEW
WITH REFERENCE
MT CABLE ASSEMBLIES INSTALLED




EXPLODED VIEW

1. AREA REQUIRED FOR CONNECTOR PLACEMENT.
2. 2-56 X 3/8 IN. SCREWS WITH A PRE-APPLIED NYLOK PATCH ARE INCLUDED FOR PC-BOARD MOUNTING (NOT SHOWN). IF A PC-BOARD THICKER THAN 5.8mm IS USED LONGER SCREWS ARE REQUIRED.
3. RECOMMENDED TORQUE: 0.23-0.34 N-m [2-3 in-lb].
4. DATUM A REFERENCE PER ANSI/VITA 46.0-2007, APPENDIX B.
5. SHELL, INSERT HOUSING & RETAINER PLATE:
   ALUMINUM ALLOY 6061 PER ASTM B209, OR ASTM B221.
   ALIGNMENT POST, CAPTIVE SCREWS & BHCS:
   STAINLESS STEEL, 300 SERIES.
6. SHELL, INSERT HOUSING & RETAINER PLATE:
   CLEAR CHROMATE CONVERSION COATING.
   ALIGNMENT POST, CAPTIVE SCREWS & BHCS: PASSIVATED.
7. DATE CODE: YEAR & WEEK (YYWW).
8. THE BACKPLANE CONNECTOR KIT, CONSISTING OF THE SHELL, INSERT HOUSING, ALIGNMENT POSTS, RETAINER PLATE WITH CAPTIVE SCREWS, AND 2-56 SCREWS, IS SHIPPED UNASSEMBLED.
9. SINGLE-ENDED FIBER-OPTIC (PIGTAIL) CABLE ASSEMBLIES ARE AVAILABLE SEPARATELY, 1938401-1.
10. UNASSEMBLED FIBER-OPTIC COMPONENT KITS ARE AVAILABLE SEPARATELY, 2102866-1.
11. TE CONNECTIVITY PRODUCT IDENTIFIER.

| | |
|---|---|
| RECEPTACLE (BACKPLANE) KIT | 2000973-1 |
| COMMENT | PART NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.2
2 PLC ±0.10
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL 5 -
FINISH 6 -

DWN R FLAIG 02JUN2009
CHK J MOSIER 02JUN2009
APVD J MOSIER 02JUN2009
PRODUCT SPEC 108-2467
APPLICATION SPEC 114-32050
WEIGHT -

TE Connectivity

NAME CONNECTOR KIT,RECEPTACLE,(BACKPLANE) FIBER OPTIC, MT, VITA 66.1-STYLE -

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C-2000973 | - |


Customer Drawing | SCALE 3:1 | SHEET 1 OF 2 | REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| LOC | DIST |
|---|---|
| CE | - |


REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | - | SEE SHEET 1 | - | - | - |




RECOMMENDED BACKPLANE FOOTPRINT

| CONNECTOR LOCATION ON BACKPLANE | |
|---|---|
| POSITION | DIM "X" |
| J2 | 53.20 |
| J3 | 96.02 |
| J4 | 124.82 |
| J5 | 153.62 |
| J6 | 182.42 |




ASSEMBLED VIEW,
WITH REFERENCE
MT CABLE ASSEMBLIES INSTALLED

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -

FINISH -

| | | |
|---|---|---|
| DWN | R FLAIG | 02JUN2009 |
| CHK | J MOSIER | 02JUN2009 |
| APVD | J MOSIER | 02JUN2009 |
| PRODUCT SPEC | - | |
| APPLICATION SPEC | - | |
| WEIGHT | - | |

TE Connectivity

NAME CONNECTOR KIT, RECEPTACLE, (BACKPLANE) FIBER OPTIC, MT, VITA 66.1-STYLE -

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C-2000973 | - |

Customer Drawing | SCALE 3:1 | SHEET 2 OF 2 | REV A

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** sales@st-electron.ru

**Адрес:** 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331