




MATES WITH 2834005 SERIES

WIRING DIAGRAM		
P1	WIRE COLOR	P2
P1-1	RED	-
P1-2	WHITE	-
P1-3	BLACK	-
P1-4	BROWN	-

NOTES:
1.MATE WITH 2834005 SERIES.
2.RATINGS:
VOLTAGE:300V AC/DC
CURRENT:6A MAX.
TEMPERATURE:80°C

P/N	CABLE	DIM A	L (mm)
9-2834004-1	RUBBER (THERMOPLASTIC ELASTOMER TYPE)	Ø8.5	150±5
9-2834004-2			250±10
9-2834004-3			500±15
9-2834004-4			1000±15

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±1.0
2 PLC	±0.5
3 PLC	±-
4 PLC	±-
ANGLES	±-
FINISH	±-

MATERIAL

-

DWN

SHI MING

10SEP2014

CHK

SHI MING

10SEP2014

APVD

XU XIANG

10SEP2014

PRODUCT SPEC

108-173041

APPLICATION SPEC

114-173041

WEIGHT

-

Customer Drawing

TE Connectivity

NAME

4P MALE CABLE ASSEMBLY

SIZE

A2

CAGE CODE

-

DRAWING NO

©2834004

RESTRICTED TO

-

SCALE

NTS

SHEET

1

OF

2



REV

BI

LOC		DIST		REVISIONS					
P	LTR	DESCRIPTION				DATE	DWN	APVD	
-	-	-	SEE SHEET 1				-	-	-

1. PUT PIECES OF PARTS INTO THE PLASTIC BAG, AND SEALED WITH RUBBER BAND AS 1 BUNCH.


3. SEAL THE CARTON.




2. PUT BUNCHES OF PARTS INTO CARTON.

4. PACKAGING QUANTITIES (REFER SHEET 1 FOR PN DEFINITION):

P / N	PARTS PER CARTON (PCS)
9-2834004-1	500
9-2834004-2	260
9-2834004-3	90
9-2834004-4	60



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	10SEP2014		 TE Connectivity				
				CHK	10SEP2014						
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	10SEP2014		NAME 4P MALE CABLE ASSEMBLY - -				
mm				XU XIANG							
		0 PLC ±-		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO					
		1 PLC ±1.0		108-173041							
		2 PLC ±0.5		APPLICATION SPEC							
		3 PLC ±-		114-173041							
		4 PLC ±-									
MATERIAL		ANGLES ±-		WEIGHT		A2 - C=2834004					
-		FINISH		-		-					
				Customer Drawing		SCALE		SHEET		REV	
						NTS		2 OF 2		B1	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331