








SPECIFICATIONS:

1. Material:

- (1). Body: PA66
- (2). Pin: Brass

2. Wire range: N/A

3. Electrical rating: 300V, 15A.

4. Wire strip length: N/A

5. Operating temperature: -40C to +105C.

6. Max torque: N/A

7. Insulation resistance: DC 500V, 500M.

8. Dielectric withstand: AC 2500V for 1 minute.

9. Breakdown voltage: 4000V.



10. A = (N x P)

11. B = (N - 1) x P

12. P (PITCH) = 5.0mm (.197").

13. N = Number of positions available 2 through 24.

ENTER DESCRIPTION EC NO: NEO2006-0310 DRAWN: LROTHAUS 2006/01/09 CHKD: CYORK 2006/01/09 APPR: JPAWLICK 2006/01/10 REV A	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY LROTHAUS	DATE 12/6/05	TITLE 5.0MM, EURO HEADER, RIGHT ANGLE, OPEN END				
			4 PLACES	± ---	±.0015	CHECKED BY CYORK	DATE 01/06/06					
			3 PLACES	± 0.038	±.005	APPROVED BY		DATE		MOLEX INCORPORATED		
			2 PLACES	± 0.13	±.01							
			1 PLACE	± 0.3	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-39522-003		SHEET NO. 1 OF 1		
			ANGULAR ± 2 °									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



SPECIFICATIONS:

1. Material:

- (1). Body: PA66
- (2). Pin: Brass

2. Wire range: N/A

3. Electrical rating: 300V, 15A.

4. Wire strip length: N/A

5. Operating temperature: -40C to +105C.

6. Max torque: N/A

7. Insulation resistance: DC 500V, 500M.

8. Dielectric withstand: AC 2500V for 1 minute.

9. Breakdown voltage: 4000V.

10. A = (N x P)

11. B = (N - 1) x P

12. P (PITCH) = 5.0mm (.197").

13. N = Number of positions available 2 through 24.

ENTER DESCRIPTION EC NO: NEO2006-0310 DRAWN: LROTHAUS 2006/01/09 CHKD: CYORK 2006/01/09 APPR: JPAWLICK 2006/01/10 REV A	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY LROTHAUS	DATE 12/6/05	TITLE 5.0MM, EURO HEADER, RIGHT ANGLE, OPEN END				
			4 PLACES	± ---	±.0015	CHECKED BY CYORK	DATE 01/06/06					
			3 PLACES	± 0.038	±.005	APPROVED BY		DATE		MOLEX INCORPORATED		
			2 PLACES	± 0.13	±.01							
			1 PLACE	± 0.3	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-39522-003		SHEET NO. 1 OF 1		
			ANGULAR ± 2 °									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
F									F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
E									E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
D									D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
C									C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
B									B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
A									A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
<table><tr><th colspan="2" rowspan="4"></th><th colspan="12">Material Numbers</th><th colspan="4" rowspan="4">Dimensional Information</th></tr><tr><th colspan="6">Black</th><th colspan="6">Green</th></tr><tr><th colspan="3">100% Tin</th><th colspan="3">30 u" Gold</th><th colspan="3">100% Tin</th><th colspan="3">30 u" Gold</th></tr><tr><th colspan="3">Printing Options</th><th colspan="3">Printing Options</th><th colspan="3">Printing Options</th><th colspan="3">Printing Options</th></tr><tr><th colspan="2">Description</th><th>Circuit size</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th colspan="2">Dim. A</th><th colspan="2">Dim B</th></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>2</td><td>395220002</td><td>395220102</td><td>395220202</td><td>395220502</td><td>395220602</td><td>395220702</td><td>395225002</td><td>395225102</td><td>395225202</td><td>395225502</td><td>395225602</td><td>395225702</td><td>10.00</td><td>0.394</td><td>5.00</td><td>0.197</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>3</td><td>395220003</td><td>395220103</td><td>395220203</td><td>395220503</td><td>395220603</td><td>395220703</td><td>395225003</td><td>395225103</td><td>395225203</td><td>395225503</td><td>395225603</td><td>395225703</td><td>15.00</td><td>0.591</td><td>10.00</td><td>0.394</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>4</td><td>395220004</td><td>395220104</td><td>395220204</td><td>395220504</td><td>395220604</td><td>395220704</td><td>395225004</td><td>395225104</td><td>395225204</td><td>395225504</td><td>395225604</td><td>395225704</td><td>20.00</td><td>0.787</td><td>15.00</td><td>0.591</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>5</td><td>395220005</td><td>395220105</td><td>395220205</td><td>395220505</td><td>395220605</td><td>395220705</td><td>395225005</td><td>395225105</td><td>395225205</td><td>395225505</td><td>395225605</td><td>395225705</td><td>25.00</td><td>0.984</td><td>20.00</td><td>0.787</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>6</td><td>395220006</td><td>395220106</td><td>395220206</td><td>395220506</td><td>395220606</td><td>395220706</td><td>395225006</td><td>395225106</td><td>395225206</td><td>395225506</td><td>395225606</td><td>395225706</td><td>30.00</td><td>1.181</td><td>25.00</td><td>0.984</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>7</td><td>395220007</td><td>395220107</td><td>395220207</td><td>395220507</td><td>395220607</td><td>395220707</td><td>395225007</td><td>395225107</td><td>395225207</td><td>395225507</td><td>395225607</td><td>395225707</td><td>35.00</td><td>1.378</td><td>30.00</td><td>1.181</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>8</td><td>395220008</td><td>395220108</td><td>395220208</td><td>395220508</td><td>395220608</td><td>395220708</td><td>395225008</td><td>395225108</td><td>395225208</td><td>395225508</td><td>395225608</td><td>395225708</td><td>40.00</td><td>1.575</td><td>35.00</td><td>1.378</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>9</td><td>395220009</td><td>395220109</td><td>395220209</td><td>395220509</td><td>395220609</td><td>395220709</td><td>395225009</td><td>395225109</td><td>395225209</td><td>395225509</td><td>395225609</td><td>395225709</td><td>45.00</td><td>1.772</td><td>40.00</td><td>1.575</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>10</td><td>395220010</td><td>395220110</td><td>395220210</td><td>395220510</td><td>395220610</td><td>395220710</td><td>395225010</td><td>395225110</td><td>395225210</td><td>395225510</td><td>395225610</td><td>395225710</td><td>50.00</td><td>1.969</td><td>45.00</td><td>1.772</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>11</td><td>395220011</td><td>395220111</td><td>395220211</td><td>395220511</td><td>395220611</td><td>395220711</td><td>395225011</td><td>395225111</td><td>395225211</td><td>395225511</td><td>395225611</td><td>395225711</td><td>55.00</td><td>2.165</td><td>50.00</td><td>1.969</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>12</td><td>395220012</td><td>395220112</td><td>395220212</td><td>395220512</td><td>395220612</td><td>395220712</td><td>395225012</td><td>395225112</td><td>395225212</td><td>395225512</td><td>395225612</td><td>395225712</td><td>60.00</td><td>2.362</td><td>55.00</td><td>2.165</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>13</td><td>395220013</td><td>395220113</td><td>395220213</td><td>395220513</td><td>395220613</td><td>395220713</td><td>395225013</td><td>395225113</td><td>395225213</td><td>395225513</td><td>395225613</td><td>395225713</td><td>65.00</td><td>2.559</td><td>60.00</td><td>2.362</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>14</td><td>395220014</td><td>395220114</td><td>395220214</td><td>395220514</td><td>395220614</td><td>395220714</td><td>395225014</td><td>395225114</td><td>395225214</td><td>395225514</td><td>395225614</td><td>395225714</td><td>70.00</td><td>2.756</td><td>65.00</td><td>2.559</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>15</td><td>395220015</td><td>395220115</td><td>395220215</td><td>395220515</td><td>395220615</td><td>395220715</td><td>395225015</td><td>395225115</td><td>395225215</td><td>395225515</td><td>395225615</td><td>395225715</td><td>75.00</td><td>2.953</td><td>70.00</td><td>2.756</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>16</td><td>395220016</td><td>395220116</td><td>395220216</td><td>395220516</td><td>395220616</td><td>395220716</td><td>395225016</td><td>395225116</td><td>395225216</td><td>395225516</td><td>395225616</td><td>395225716</td><td>80.00</td><td>3.150</td><td>75.00</td><td>2.953</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>17</td><td>395220017</td><td>395220117</td><td>395220217</td><td>395220517</td><td>395220617</td><td>395220717</td><td>395225017</td><td>395225117</td><td>395225217</td><td>395225517</td><td>395225617</td><td>395225717</td><td>85.00</td><td>3.346</td><td>80.00</td><td>3.150</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>18</td><td>395220018</td><td>395220118</td><td>395220218</td><td>395220518</td><td>395220618</td><td>395220718</td><td>395225018</td><td>395225118</td><td>395225218</td><td>395225518</td><td>395225618</td><td>395225718</td><td>90.00</td><td>3.543</td><td>85.00</td><td>3.346</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>19</td><td>395220019</td><td>395220119</td><td>395220219</td><td>395220519</td><td>395220619</td><td>395220719</td><td>395225019</td><td>395225119</td><td>395225219</td><td>395225519</td><td>395225619</td><td>395225719</td><td>95.00</td><td>3.740</td><td>90.00</td><td>3.543</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>20</td><td>395220020</td><td>395220120</td><td>395220220</td><td>395220520</td><td>395220620</td><td>395220720</td><td>395225020</td><td>395225120</td><td>395225220</td><td>395225520</td><td>395225620</td><td>395225720</td><td>100.00</td><td>3.937</td><td>95.00</td><td>3.740</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>21</td><td>395220021</td><td>395220121</td><td>395220221</td><td>395220521</td><td>395220621</td><td>395220721</td><td>395225021</td><td>395225121</td><td>395225221</td><td>395225521</td><td>395225621</td><td>395225721</td><td>105.00</td><td>4.134</td><td>100.00</td><td>3.937</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>22</td><td>395220022</td><td>395220122</td><td>395220222</td><td>395220522</td><td>395220622</td><td>395220722</td><td>395225022</td><td>395225122</td><td>395225222</td><td>395225522</td><td>395225622</td><td>395225722</td><td>110.00</td><td>4.331</td><td>105.00</td><td>4.134</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>23</td><td>395220023</td><td>395220123</td><td>395220223</td><td>395220523</td><td>395220623</td><td>395220723</td><td>395225023</td><td>395225123</td><td>395225223</td><td>395225523</td><td>395225623</td><td>395225723</td><td>115.00</td><td>4.528</td><td>110.00</td><td>4.331</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Open End</td><td>24</td><td>395220024</td><td>395220124</td><td>395220224</td><td>395220524</td><td>395220624</td><td>395220724</td><td>395225024</td><td>395225124</td><td>395225224</td><td>395225524</td><td>395225624</td><td>395225724</td><td>120.00</td><td>4.724</td><td>115.00</td><td>4.528</td></tr></table>												Material Numbers												Dimensional Information				Black						Green						100% Tin			30 u" Gold			100% Tin			30 u" Gold			Printing Options			Printing Options			Printing Options			Printing Options			Description		Circuit size	None	10A	11A	None	10A	11A	None	10A	11A	None	10A	11A	Dim. A		Dim B		5.0mm, Euro Header, Right Angle, Open End		2	395220002	395220102	395220202	395220502	395220602	395220702	395225002	395225102	395225202	395225502	395225602	395225702	10.00	0.394	5.00	0.197	5.0mm, Euro Header, Right Angle, Open End		3	395220003	395220103	395220203	395220503	395220603	395220703	395225003	395225103	395225203	395225503	395225603	395225703	15.00	0.591	10.00	0.394	5.0mm, Euro Header, Right Angle, Open End		4	395220004	395220104	395220204	395220504	395220604	395220704	395225004	395225104	395225204	395225504	395225604	395225704	20.00	0.787	15.00	0.591	5.0mm, Euro Header, Right Angle, Open End		5	395220005	395220105	395220205	395220505	395220605	395220705	395225005	395225105	395225205	395225505	395225605	395225705	25.00	0.984	20.00	0.787	5.0mm, Euro Header, Right Angle, Open End		6	395220006	395220106	395220206	395220506	395220606	395220706	395225006	395225106	395225206	395225506	395225606	395225706	30.00	1.181	25.00	0.984	5.0mm, Euro Header, Right Angle, Open End		7	395220007	395220107	395220207	395220507	395220607	395220707	395225007	395225107	395225207	395225507	395225607	395225707	35.00	1.378	30.00	1.181	5.0mm, Euro Header, Right Angle, Open End		8	395220008	395220108	395220208	395220508	395220608	395220708	395225008	395225108	395225208	395225508	395225608	395225708	40.00	1.575	35.00	1.378	5.0mm, Euro Header, Right Angle, Open End		9	395220009	395220109	395220209	395220509	395220609	395220709	395225009	395225109	395225209	395225509	395225609	395225709	45.00	1.772	40.00	1.575	5.0mm, Euro Header, Right Angle, Open End		10	395220010	395220110	395220210	395220510	395220610	395220710	395225010	395225110	395225210	395225510	395225610	395225710	50.00	1.969	45.00	1.772	5.0mm, Euro Header, Right Angle, Open End		11	395220011	395220111	395220211	395220511	395220611	395220711	395225011	395225111	395225211	395225511	395225611	395225711	55.00	2.165	50.00	1.969	5.0mm, Euro Header, Right Angle, Open End		12	395220012	395220112	395220212	395220512	395220612	395220712	395225012	395225112	395225212	395225512	395225612	395225712	60.00	2.362	55.00	2.165	5.0mm, Euro Header, Right Angle, Open End		13	395220013	395220113	395220213	395220513	395220613	395220713	395225013	395225113	395225213	395225513	395225613	395225713	65.00	2.559	60.00	2.362	5.0mm, Euro Header, Right Angle, Open End		14	395220014	395220114	395220214	395220514	395220614	395220714	395225014	395225114	395225214	395225514	395225614	395225714	70.00	2.756	65.00	2.559	5.0mm, Euro Header, Right Angle, Open End		15	395220015	395220115	395220215	395220515	395220615	395220715	395225015	395225115	395225215	395225515	395225615	395225715	75.00	2.953	70.00	2.756	5.0mm, Euro Header, Right Angle, Open End		16	395220016	395220116	395220216	395220516	395220616	395220716	395225016	395225116	395225216	395225516	395225616	395225716	80.00	3.150	75.00	2.953	5.0mm, Euro Header, Right Angle, Open End		17	395220017	395220117	395220217	395220517	395220617	395220717	395225017	395225117	395225217	395225517	395225617	395225717	85.00	3.346	80.00	3.150	5.0mm, Euro Header, Right Angle, Open End		18	395220018	395220118	395220218	395220518	395220618	395220718	395225018	395225118	395225218	395225518	395225618	395225718	90.00	3.543	85.00	3.346	5.0mm, Euro Header, Right Angle, Open End		19	395220019	395220119	395220219	395220519	395220619	395220719	395225019	395225119	395225219	395225519	395225619	395225719	95.00	3.740	90.00	3.543	5.0mm, Euro Header, Right Angle, Open End		20	395220020	395220120	395220220	395220520	395220620	395220720	395225020	395225120	395225220	395225520	395225620	395225720	100.00	3.937	95.00	3.740	5.0mm, Euro Header, Right Angle, Open End		21	395220021	395220121	395220221	395220521	395220621	395220721	395225021	395225121	395225221	395225521	395225621	395225721	105.00	4.134	100.00	3.937	5.0mm, Euro Header, Right Angle, Open End		22	395220022	395220122	395220222	395220522	395220622	395220722	395225022	395225122	395225222	395225522	395225622	395225722	110.00	4.331	105.00	4.134	5.0mm, Euro Header, Right Angle, Open End		23	395220023	395220123	395220223	395220523	395220623	395220723	395225023	395225123	395225223	395225523	395225623	395225723	115.00	4.528	110.00	4.331	5.0mm, Euro Header, Right Angle, Open End		24	395220024	395220124	395220224	395220524	395220624	395220724	395225024	395225124	395225224	395225524	395225624	395225724	120.00	4.724	115.00	4.528
		Material Numbers												Dimensional Information																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Black						Green																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		100% Tin			30 u" Gold			100% Tin				30 u" Gold																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Printing Options			Printing Options			Printing Options			Printing Options																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Description		Circuit size	None	10A	11A	None	10A	11A	None	10A	11A	None	10A	11A	Dim. A		Dim B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
5.0mm, Euro Header, Right Angle, Open End		2	395220002	395220102	395220202	395220502	395220602	395220702	395225002	395225102	395225202	395225502	395225602	395225702	10.00	0.394	5.00	0.197																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		3	395220003	395220103	395220203	395220503	395220603	395220703	395225003	395225103	395225203	395225503	395225603	395225703	15.00	0.591	10.00	0.394																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		4	395220004	395220104	395220204	395220504	395220604	395220704	395225004	395225104	395225204	395225504	395225604	395225704	20.00	0.787	15.00	0.591																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		5	395220005	395220105	395220205	395220505	395220605	395220705	395225005	395225105	395225205	395225505	395225605	395225705	25.00	0.984	20.00	0.787																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		6	395220006	395220106	395220206	395220506	395220606	395220706	395225006	395225106	395225206	395225506	395225606	395225706	30.00	1.181	25.00	0.984																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		7	395220007	395220107	395220207	395220507	395220607	395220707	395225007	395225107	395225207	395225507	395225607	395225707	35.00	1.378	30.00	1.181																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		8	395220008	395220108	395220208	395220508	395220608	395220708	395225008	395225108	395225208	395225508	395225608	395225708	40.00	1.575	35.00	1.378																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		9	395220009	395220109	395220209	395220509	395220609	395220709	395225009	395225109	395225209	395225509	395225609	395225709	45.00	1.772	40.00	1.575																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		10	395220010	395220110	395220210	395220510	395220610	395220710	395225010	395225110	395225210	395225510	395225610	395225710	50.00	1.969	45.00	1.772																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		11	395220011	395220111	395220211	395220511	395220611	395220711	395225011	395225111	395225211	395225511	395225611	395225711	55.00	2.165	50.00	1.969																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		12	395220012	395220112	395220212	395220512	395220612	395220712	395225012	395225112	395225212	395225512	395225612	395225712	60.00	2.362	55.00	2.165																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		13	395220013	395220113	395220213	395220513	395220613	395220713	395225013	395225113	395225213	395225513	395225613	395225713	65.00	2.559	60.00	2.362																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		14	395220014	395220114	395220214	395220514	395220614	395220714	395225014	395225114	395225214	395225514	395225614	395225714	70.00	2.756	65.00	2.559																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		15	395220015	395220115	395220215	395220515	395220615	395220715	395225015	395225115	395225215	395225515	395225615	395225715	75.00	2.953	70.00	2.756																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		16	395220016	395220116	395220216	395220516	395220616	395220716	395225016	395225116	395225216	395225516	395225616	395225716	80.00	3.150	75.00	2.953																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		17	395220017	395220117	395220217	395220517	395220617	395220717	395225017	395225117	395225217	395225517	395225617	395225717	85.00	3.346	80.00	3.150																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		18	395220018	395220118	395220218	395220518	395220618	395220718	395225018	395225118	395225218	395225518	395225618	395225718	90.00	3.543	85.00	3.346																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		19	395220019	395220119	395220219	395220519	395220619	395220719	395225019	395225119	395225219	395225519	395225619	395225719	95.00	3.740	90.00	3.543																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		20	395220020	395220120	395220220	395220520	395220620	395220720	395225020	395225120	395225220	395225520	395225620	395225720	100.00	3.937	95.00	3.740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		21	395220021	395220121	395220221	395220521	395220621	395220721	395225021	395225121	395225221	395225521	395225621	395225721	105.00	4.134	100.00	3.937																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		22	395220022	395220122	395220222	395220522	395220622	395220722	395225022	395225122	395225222	395225522	395225622	395225722	110.00	4.331	105.00	4.134																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		23	395220023	395220123	395220223	395220523	395220623	395220723	395225023	395225123	395225223	395225523	395225623	395225723	115.00	4.528	110.00	4.331																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5.0mm, Euro Header, Right Angle, Open End		24	395220024	395220124	395220224	395220524	395220624	395220724	395225024	395225124	395225224	395225524	395225624	395225724	120.00	4.724	115.00	4.528																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
<table><tr><td rowspan="4">SEE SHEET 1 EC NO: NE02006-0310 DRWN: LROTHAUS 2006/01/09 CHKD: C YORK 2006/01/09 APPR: JPAWILLI CK 2006/01/10 REV A</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE 4:1</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">4 PLACES ± --- mm INCH ±.0015</td><td colspan="2">DRAWN BY DATE LROTHAUS 12/6/05</td><td colspan="4" rowspan="3">TITLE 5.0MM, EURO HEADER, RIGHT ANGLE, OPEN END</td></tr><tr><td colspan="2">3 PLACES ± 0.038 ±.005</td><td colspan="2">CHECKED BY DATE C. YORK 01/06/06</td></tr><tr><td colspan="2">2 PLACES ± 0.13 ±.01</td><td colspan="2">APPROVED BY DATE</td></tr><tr><td colspan="2">1 PLACE ± 0.3 ± ---</td><td colspan="2">ANGULAR ± 2 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-39522-003</td><td colspan="2">2 OF 2</td><td colspan="2"></td></tr><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										SEE SHEET 1 EC NO: NE02006-0310 DRWN: LROTHAUS 2006/01/09 CHKD: C YORK 2006/01/09 APPR: JPAWILLI CK 2006/01/10 REV A	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES ± --- mm INCH ±.0015		DRAWN BY DATE LROTHAUS 12/6/05		TITLE 5.0MM, EURO HEADER, RIGHT ANGLE, OPEN END				3 PLACES ± 0.038 ±.005		CHECKED BY DATE C. YORK 01/06/06		2 PLACES ± 0.13 ±.01		APPROVED BY DATE		1 PLACE ± 0.3 ± ---		ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39522-003		2 OF 2				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
SEE SHEET 1 EC NO: NE02006-0310 DRWN: LROTHAUS 2006/01/09 CHKD: C YORK 2006/01/09 APPR: JPAWILLI CK 2006/01/10 REV A	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		4 PLACES ± --- mm INCH ±.0015		DRAWN BY DATE LROTHAUS 12/6/05		TITLE 5.0MM, EURO HEADER, RIGHT ANGLE, OPEN END																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		3 PLACES ± 0.038 ±.005		CHECKED BY DATE C. YORK 01/06/06																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		2 PLACES ± 0.13 ±.01		APPROVED BY DATE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1 PLACE ± 0.3 ± ---		ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39522-003		2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
ib_frame_B_P_ME_T Rev. D 2004/04/02	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

SEE SHEET 1
EC NO: NEC02006-0310
DRAWN: LROTHAUS 2006/01/09
CHKD: CYORK 2006/01/09
APPR: JPAMLIK 2006/01/10
A

QUALITY SYMBOLS
▽=0
▽=0

DESCRIPTION
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	±.0015
3 PLACES	± 0.038	±.005
2 PLACES	± 0.13	±.01
1 PLACE	± 0.3	± ---
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN
DRAWN BY DATE
LROTHAUS 12/6/05
CHECKED BY DATE
C. YORK 01/06/06
APPROVED BY DATE

SCALE
4:1

DESIGN UNITS
INCH

THIRD ANGLE PROJECTION

TITLE
5.0MM, EURO HEADER,
RIGHT ANGLE, OPEN END

MATERIAL NO.
SEE CHART

DOCUMENT NO.
SD-39522-003

SHEET NO.
2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331