

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- , -



COPYRIGHT

By

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD



B4

REVISED (ECR-13-009702)

14MAR13


S.H

V.P






A-A

PLUG OVERMOLD



MATING CONDITION



A'SSY P/N			
1-2129333-2	1-2129333-1	2129333-2	2129333-1
2	2	2	2
1	1	1	1
2	2	2	2
1			
	1		1
Q'TY			

0.0002mm GOLD PLATING ON CONTACT AREA, 0.002mm MATTE TIN PLATING ON SOLDER AREA, 0.002mm MIN. NICKEL UNDERPLATED ALL OVER

0.0002mm GOLD PLATING ON CONTACT AREA, 0.002mm MATTE TIN PLATING ON SOLDER AREA, 0.002mm MIN. NICKEL UNDERPLATED ALL OVER

0.0002mm GOLD PLATING ON CONTACT AREA, 0.002mm MATTE TIN PLATING ON SOLDER AREA, 0.002mm MIN. NICKEL UNDERPLATED ALL OVER

BLACK

YELLOW

FINISH/COLOR

COPPER ALLOY

POWER CONTACT

④

COPPER ALLOY

DETECT CONTACT

③

COPPER ALLOY

GROUND CONTACT

②

HIGH TEMPERATURE
THERMO-PLASTIC
(UL94V-0)

HOUSING

①

HOUSING

①

MATERIAL

PART NAME

NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 24FEB2012

S.HUANG

CHK 24FEB2012

V.PENG

APVD 24FEB2012

W.KODAMA

PRODUCT SPEC

108-99035

APPLICATION SPEC

501-99040

WEIGHT

CUSTOMER DRAWING



TE Connectivity

DC POWER JACK CONNECTOR
CABLE TYPE

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

2129333

SCALE

4:1

SHEET


1 of 2

REV

B4

DIMENSIONS:

mm




MATERIAL

SEE TABLE

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0-PLC ±
1-PLC ±
2-PLC ±0.25
3-PLC ±3
4-PLC ±
ANGLES ±
FINISH



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- , -



COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-



SEE SHEET 1

-

-

-

DC POWER JACK CONNECTOR
TE P/N: 1-2129333-1/-2



1. EU ROHS-RELATED RESTRICTED SUBSTANCE SPEC IN HOMOGENEOUS MATERIAL REFER TO TEC-138-702 REV.G:
LEAD < 1000PPM, CADMIUM < 100PPM, MERCURY < 1000PPM
CHROMIUM VI < 1000PPM, PBB <1000PPM, PBDE < 1000PPM
2. HALOGEN FREE SPEC:
CHLORINE (Cl): 900 ppm MAX.
BROMINE (Br): 900 ppm MAX.
CHLORINE (Cl) + BROMINE (Br): 1500 ppm MAX.
3. SHIPPING BOX DIMENSION: 445mmX445mmX270mm

132	25	3300
PCS/TRAY	TRAY/SHIPPING BOX	TOTAL Q'TY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN CHK APVD		TE Connectivity			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - ±0.25 3 PLC ± - ±3 4 PLC ± - ANGLES ± - FINISH				NAME DC POWER JACK CONNECTOR CABLE TYPE	
MATERIAL		PRODUCT SPEC APPLICATION SPEC WEIGHT		SIZE A3	CAGE CODE 00779	DRAWING NO C-2129333	RESTRICTED TO
CUSTOMER DRAWING				SCALE NA	SHEET 2 OF 2	REV B4	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331