





LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



PCB LAYOUT
VIEWED FROM CONNECTOR SIDE
SCALE 7:2

- ① MATERIALS:
INSULATORS: THERMOPLASTIC, GLASS REINFORCED, COLOR-GRAY, UL94V-0
FLAMMABILITY RATED.
SIGNAL PINS: COPPER ALLOY.
POWER CONTACTS: HIGH CONDUCTIVITY COPPER ALLOY.
- ② FINISHES:
CONTACTS MATING ZONE: GOLD PLATE, 0.76um MIN THK.
OVER NICKEL 1.27um MIN THK.
SOLDER TAILS: TIN PLATED, 1.27um MIN THK,
OVER NICKEL 1.27um MIN THK
- ③ OPTIONAL MOUNTIG SCREWS (Ø2.0MM x 5.0mm DP) FOR USE WITH SELF TAPPING.
- ④ ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY
INDENTIFIED PER THE FOLLOWING IDENTIFIER LABEL:
YEAR WEEK

PART NO. _____ DATE CODE (EG 0125)
 (XXXXXXXX-X) (XXXX)

5. GENERAL INFORMATION:

PART NUMBER	SIZE NO.	CONTACT QTY.	MATING PIN Ø
1888804-1	16	8	Ø 1.60
	22	26	Ø 0.76

-  MANUFACTURING TOLERANCE FOR:
 $\begin{matrix} +0.09 \\ \varnothing 1.60 - 0.06 \end{matrix}$ FINISHED HOLE WITH Sn PLATING:
 DRILLED HOLE = $\varnothing 1.75 \pm 0.025$
 COPPER PLATING = 0.025 MIN
 Sn PLATING = 0.0008 MIN
 $\begin{matrix} +0.09 \\ \varnothing 1.00 - 0.06 \end{matrix}$ FINISHED HOLE WITH Sn PLATING:
 DRILLED HOLE = $\varnothing 1.15 \pm 0.025$
 COPPER PLATING = 0.025 MIN
 Sn PLATING = 0.008 MIN

- △7 DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER.
- △8 FINISHES:
CONTACTS MATING ZONE: GOLD PLATE, 0.76um MIN THK
OVER NICKEL 1.27um MIN THK
SOLDER TAILS: TIN-LEAD PLATED, 1.27um MIN THK
OVER NICKEL 1.27um MIN THK.

9. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT.
TECHNICAL REFERENCE: GR-1217-COR, ISSUE 1, NOVEMBER.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. PETERS 13DEC2006 CHK M. PERCHERKE 13DEC2006 APVD S. FLICKINGER 13DEC2006		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±. 2 PLC ±0.50 3 PLC ±0.250 4 PLC ±. ANGLES ±. FINISH		NAME CONNECTOR ASSEMBLY, VERTICAL, BACKPLANE, COMPLIANT PRESS FIT, ADVANCED TCA	
MATERIAL		PRODUCT SPEC 108-2216 APPLICATION SPEC 114-13156		SIZE	RESTRICTED TO
-		WEIGHT -		CAGE CODE A200779	-
Customer Drawing				DRAWING NO C-1888804	
				SCALE 4:1	SHEET 2 OF 2
					REV C



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331