

SURFACE MOUNT 1A SCHOTTKY RECTIFIER

UPS5817
UPS5819

POWERMITE™ Package

FEATURES

- High Power Surface Mount Package
- Guard Ring Protection
- Low Forward Voltage
- Integral Heat Sink/Locking Tabs
- Compatible with Automatic Insertion Equipment
- Full Metallic Bottom Eliminates Flux Entrapment

DESCRIPTION

In Microsemi's new Powermite SMT Package, these high efficiency Schottky rectifiers offer the power handling capabilities previously found only in much larger packages. They are ideal for SMD applications that operate at high frequencies.

In addition to its size advantages, Powermite package features include a full metallic bottom that eliminates the possibility of solder flux entrapment during assembly, and a unique locking tab acts as an integral heat sink. Its innovative design makes this device ideal for use with automatic insertion equipment.



ABSOLUTE MAXIMUM RATINGS

Maximum Reverse Voltage UPS5817	20V
Maximum Reverse Voltage UPS5819	40V
Maximum Average Output Current $T_{TAB1} = 100^{\circ}\text{C}$	1.0A
Thermal Resistance, Junction to T_{TAB1}	30°C/W
Thermal Resistance, Junction to Bottom	10°C/W
Non-Repetitive Sinusoidal Surge Current (8.3ms)	50A
Operating and Storage Temperature	-55°C to $+150^{\circ}\text{C}$



Figure 1. Suggested Mounting Pad Dimensions

MECHANICAL SPECIFICATIONS










Microsemi Corp.
Watertown

ELECTRICAL CHARACTERISTICS ($T_A = 25^\circ\text{C}$ unless noted)

UPS5817
UPS5819

TEST	CONDITIONS	UPS5817	UPS5819
Maximum Forward Voltage (V_{FM})	$I_{FM} = 0.1\text{A}$	.36V	.39V
Maximum Forward Voltage (V_{FM})	$I_{FM} = 1.0\text{A}$	.45V	.55V
Maximum Forward Voltage (V_{FM})	$I_{FM} = 3.0\text{A}$	.65V	.85V
Maximum Reverse Current (I_{RM})	$V_R = \text{Max Rating}$	1mA	1mA
Typical Junction Capacitance	$V_R = 5.0\text{V}$	105pF	60pF







**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331