







- ¹ PLUG HOUSING AND SEAL COVER: NYLON 6/6, BLACK.
TPA: NYLON 6/6, COLOR - SEE TABLE.
MATTE WIRE SEAL: SILICONE, LIGHT BLUE.
PERIPHERAL SEAL: SILICONE, GREEN.
ALPHA SLIDE: NYLON 6/6, BLUE.
BETA SLIDE: NYLON 6/6, GREEN.
- ² TPA SHOWN IN PRE-LATCHED, AS SHIPPED, POSITION.
- ³ TPA SHOWN IN CLOSED POSITION.
- ⁴ SEE TABLE ON SHEET 2 FOR SEAL COVER PIN OUT CONFIGURATION.
5. PLUG ASSEMBLY MATES WITH TYCO ELECTRONICS INTERFACE DRAWING 1924771-INT, POLARIZATION E.
6. PLUG ASSEMBLY WILL ACCEPT THE FOLLOWING GET TERMINAL PART NUMBERS: 1393364-1 (GOLD 22AWG; 0.35mm²)
1393365-1 (GOLD 18-20AWG; 0.75mm²-0.5mm²)
1924878-1 (TIN/SILVER 22AWG; 0.35mm²)
1924879-1 (TIN/SILVER 18-20AWG; 0.75mm²-0.5mm²)
1924782-1 (TIN/SILVER 1.0mm²)
1924880-1 (TIN/SILVER 16AWG; 0.35mm²)
- ⁵ WIRE DRESS ASSEMBLY MUST BE INSTALLED ONTO PLUG ASSEMBLY WITH LEVER IN LOCKED POSITION.
- ⁶ APPLICATION SPEC'S: 408-10229, 408-10230.
9. NOTE DELETED.
10. FORCE TO SEAT TPA COMPONENT FROM PRE-SET TO LOCKED (FULLY LOADED W/ TERMINALS) TO BE 83N MAX.
11. FORCE TO MOVE TPA FROM FULLY LOCKED TO PRE-SET TO BE 115N MAX. FLAT BLADE SCREWDRIVER SUGGESTED FOR REMOVAL OF TPA.



ALL CLOSED	BROWN	E	9-1924943-9
SEE TABLE, SH 2	BROWN	E	1-1924943-8
SEE TABLE, SH 2	BROWN	E	1-1924943-7
SEE TABLE, SH 2	BROWN	E	1-1924943-6
SEE TABLE, SH 2	BROWN	E	1-1924943-5
SEE TABLE, SH 2	BROWN	E	1-1924943-4
SEE TABLE, SH 2	BROWN	E	1-1924943-3
SEE TABLE, SH 2	BROWN	E	1-1924943-2
SEE TABLE, SH 2	BROWN	E	1-1924943-1
SEE TABLE, SH 2	BROWN	E	1924943-9
SEE TABLE, SH 2	BROWN	E	1924943-8
SEE TABLE, SH 2	BROWN	E	1924943-7
SEE TABLE, SH 2	BROWN	E	1924943-6
SEE TABLE, SH 2	BROWN	E	1924943-5
SEE TABLE, SH 2	BROWN	E	1924943-4
SEE TABLE, SH 2	BROWN	E	1924943-3
SEE TABLE, SH 2	BROWN	E	1924943-2
ALL OPEN	BROWN	E	1924943-1
BLOCKED CIRCUITS	TPA COLOR	INDEX REF	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN D.J.HARDY 29NOV2007
CHK A.J.VASBINDER 03DEC2007
APVD A.J.VASBINDER 03DEC2007

DIMENSIONS:
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±0.25
3 PLC ±
4 PLC ±
ANGLES ±
FINISH -

MATERIAL

PRODUCT SPEC
TBD

APPLICATION SPEC
8

WEIGHT

CUSTOMER DRAWING

NAME
PLUG ASSEMBLY,
96 POSITION, INDEX E - RIGHT EXIT,
SEALED, GPEC 11

SIZE CAGE CODE DRAWING NO
A100779C=1924943

RESTRICTED TO
-

SCALE 2:1 SHEET 1 OF 2 REV C

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20							
© COPYRIGHT 20				BY -				ALL RIGHTS RESERVED.							
</															



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331