


DRAWING MADE IN AMERICAN PROJECTION

SHEET 1 OF 2

NUMBER
480727

1. MATES WITH CAP 480728
2. TO BE USED WITH MATE-N-LOK DUAL LANCE SOCKETS.
3. OPTIONAL CONSTRUCTION

HOUSING	MATERIAL	COLOR
1-480727-0	NYLON	NATURAL

DIMENSIONS IN INCHES. DO NOT SCALE PRINT.

Copyright © 1973 by AMP Incorporated. All rights reserved. AMP products covered by patents and/or patents pending.

©1973 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.

MATERIAL AND FINISH

SEE TABLE

AMP INCORPORATED
HARRISBURG, PENNA.

CLASS .084 SOCKET HOUSING

WIRE — RANGE — INSULATION
— H — — H —


TYPE PANEL MOUNT

TOLERANCE EXCEPT
AS NOTED
± .010SCALE
NTS

LOC. CM A NO. 480727

REV F

NAME 4 CIRCUIT MATE-N-LOK PLUG
DUAL LANCE HOUSING

NUMBER
480727.015 R MAX
ALL CORNERS

- NOTE: 1. Recommended panel thickness .025 - .065.
2. Both locking legs to be squeezed together and housing to be inserted straight-in, as opposed to a rocking manner of insertion.
3. The panel must be punched so that the housing enters the panel in the same direction as the punch.
4. Dimensions I and II to be equal within .005.
5. Panel must not have any material (paint, porcelain, etc.) applied in the mounting hole area that would decrease retention of the housing in the panel.
6. If Notes 3 and/or 5 are not complied with, the 1.100 dimension should be reduced to .080 to assure proper housing retention in the panel.

©1973 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.

MATERIAL AND FINISH

H

WIRE RANGE INSULATION

TOLERANCE EXCEPT AS NOTED
± .005 ± .005SCALE
NTSLOC
CMNO. SHEET 2 OF 2
480727REV
F

NAME RECOMMENDED MOUNTING INFORMATION
4 CIRCUIT MATE-N-LOK PANEL MOUNT FLNG

CUSTOMER COPY
REFERENCE ONLYAMP INCORPORATED
HARRISBURG, PENNA.

AMP

CLASS H

TYPE H

LTR REVISION RECORD

ETN

DATE

DR 1/1/73

DE

CHK 3/19/73

APP



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331