

Product availability: Non-Stock - Not normally stocked in distribution facility



### Main

|                           |                                      |
|---------------------------|--------------------------------------|
| Range of product          | Harmony XB5<br>Harmony XB4           |
| Product or component type | Block for test light                 |
| Product compatibility     | Integral LED                         |
| Light block type          | Double block for test light function |
| [Us] rated supply voltage | 48...230 V AC                        |
| Electrical connection     | Wires                                |

### Complementary

|                                   |   |
|-----------------------------------|---|
| Material                          | Plastic   |
| Electrical shock protection class | Class I Harmony XB4 IEC 60536<br>Class II Harmony XB5 IEC 60536 |
| Net weight                        | 0.02 lb(US) (0.01 kg)   |

### Environment

|                                       |   |
|---------------------------------------|---|
| Ambient air temperature for storage   | -40...158 °F (-40...70 °C)  |
| Ambient air temperature for operation | -13...158 °F (-25...70 °C)  |
| Standards                             | EN 60947-1<br>EN 60947-5-4<br>IEC 60947-5-4<br>IEC 60947-5-1<br>CSA C22.2 No 14<br>UL 508<br>EN 60947-5-5<br>IEC 60947-5-5<br>EN 60947-5-1<br>JIS C 4520<br>IEC 60947-1 |
| Product certifications                | DNV<br>RINA<br>GL<br>LROS (Lloyds register of shipping)<br>UL listed<br>BV<br>CSA   |
| Vibration resistance                  | 5 gn 2...500 Hz)IEC 60068-2-6   |
| Shock resistance                      | 30 gn 18 ms IEC 60068-2-27<br>50 gn 11 ms IEC 60068-2-27  |

### Ordering and shipping details

|                     |   |
|---------------------|---|
| Category            | 22469 - PUSHBUTTON,22MM ACCESSORIES-NEW |
| Discount Schedule   | CS2                                     |
| GTIN                | 03389118030114                          |
| Package weight(Lbs) | 0.02 kg (0.04 lb(US))                   |
| Returnability       | No                                      |
| Country of origin   | FR                                      |

## Offer Sustainability

|                            |  |
|----------------------------|--|
| Sustainable offer status   | Green Premium product  |
| California proposition 65  | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a> |
| REACH Regulation           | <a href="#">REACH Declaration</a>  |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>   |
| Toxic heavy metal free     | Yes  |
| Mercury free               | Yes  |
| RoHS exemption information | <a href="#">Yes</a>  |
| China RoHS Regulation      | <a href="#">China RoHS Declaration</a>   |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>  |
| Circularity Profile        | <a href="#">End Of Life Information</a>  |
| WEEE                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.   |


## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

---

Wiring Diagram

---





## Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

### Наши контакты:

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331