

## Shield connection terminal block - SKS 14-SNS35 - 3062799

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Shield connection terminal block, for applying the shield to busbars

### Product Features

- ✓ The SKS ... spring shield connection clamps are available for cable and conductor diameters of 3 to 20 mm
- ✓ According to the requirements of the directive and standards for electrical equipment in potentially explosive areas, as components, shield connections are not able to gain certification. As such, shield connection clamps of type SKS can be used in the Ex area even without appropriate approval and identification.
- ✓ Three different mounting types supported: on NS 35 DIN rails, on busbars or directly on conductive mounting plates
- ✓ The SKS ... spring shield connection clamps are available for cable and conductor diameters of 3 to 20 mm

### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 1      |
| Minimum order quantity               | 10 1     |
| Weight per Piece (excluding packing) | 24.0 GRM |
| Custom tariff number                 | 85369010 |
| Country of origin                    | Germany  |

### Technical data

#### General

|                       |        |
|-----------------------|--------|
| Number of levels      | 1      |
| Number of connections | 1      |
| Color                 | silver |

#### Dimensions

|                  |          |
|------------------|----------|
| Length           | 22 mm    |
| Width            | 19.5 mm  |
| Height           | 32.50 mm |
| Height NS 35/7,5 | 40 mm    |

#### Connection data

|                                    |                   |
|------------------------------------|-------------------|
| Conductor cross section solid min. | 4 mm <sup>2</sup> |
|------------------------------------|-------------------|

## Shield connection terminal block - SKS 14-SNS35 - 3062799

### Technical data

#### Connection data

|                                        |                      |
|----------------------------------------|----------------------|
| Conductor cross section solid max.     | 13.5 mm <sup>2</sup> |
| Conductor cross section stranded min.  | 4 mm <sup>2</sup>    |
| Conductor cross section stranded max.  | 13.5 mm <sup>2</sup> |
| Conductor cross section AWG/kcmil min. | 10                   |
| Conductor cross section AWG/kcmil max  | 6                    |
| Connection method                      | Spring-cage          |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27141131 |
| eCl@ss 4.1 | 27141131 |
| eCl@ss 5.0 | 27141131 |
| eCl@ss 5.1 | 27141131 |
| eCl@ss 6.0 | 27141150 |
| eCl@ss 7.0 | 27141150 |
| eCl@ss 8.0 | 27141150 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 4.0 | EC002020 |
| ETIM 5.0 | EC002020 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |

### Approvals

#### Approvals

---

Approvals

GOST

---

Ex Approvals

## Shield connection terminal block - SKS 14-SNS35 - 3062799

### Approvals

---

Approvals submitted

---

### Approval details

GOST 



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331