

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0310671070](#)
Status: **Active**
Overview: [hdac_64_single_row](#)
Description: 2.54mm (.100") H-DAC 64™, 3 Way Male Housing Assembly, Single-Row, Polarization A, with Xmas Tree Attachment


Documents:
[Drawing \(PDF\)](#) [Product Specification PS-31067-0001 \(PDF\)](#)
[Application Specification \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Crimp Housings
Series	31067
Comments	Polarization Option A, Black
Overview	hdac_64_single_row
Product Name	H-DAC 64™
Physical	
Circuits (maximum)	3
Circuits Detail	3
Color - Resin	Black
Gender	Male
Glow-Wire Compliant	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Modified Polystyrene, Polyester
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.100 In
Pitch - Mating Interface (mm)	2.54 mm
Pitch - Term. Interface (in)	0.100 In
Pitch - Term. Interface (mm)	2.54 mm
Polarized to Mating Part	Yes
Ports	1
Stackable	No
Temperature Range - Operating	-40°C to +100°C

Electrical	
Current - Maximum per Contact	11A, 9A

Material Info

Reference - Drawing Numbers	
Application Specification	AS-31067-100
Packaging Specification	PK-30907-737, PK-31301-076
Product Specification	PS-31067-0001
Sales Drawing	SD-31110-003



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Halogen-Free

China RoHS



Need more information on product environmental compliance?
Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)
Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[31067Series](#)



Mates With
[31101 H-DAC 64™ Vertical Header](#)

Use With
See Product Spec


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

3 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)


(Ø16.76) ASSEMBLY PASS
THROUGH HOLE



OPTION "A"



OPTION "B"





OPTION "C"


VIEWED FROM MATE SIDE

5 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)


(Ø20.25) PASS THROUGH
HOLE



OPTION "A"



OPTION "B"





OPTION "C"


VIEWED FROM MATE SIDE

4 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)


(Ø18.25) ASSEMBLY PASS
THROUGH HOLE



OPTION "A"



OPTION "B"





OPTION "C"


VIEWED FROM MATE SIDE

6 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)


(Ø22.75) PASS THROUGH
HOLE



OPTION "A"



OPTION "B"



OPTION "C"

VIEWED FROM MATE SIDE

NOTES:

1. MATERIAL: HOUSING: SPS GLASS FILLED, COLOR SEE CHART.
TPA: PBT.
2. PRODUCT SPECIFICATION: PS-31067-0001.
3. PACKAGING SPECIFICATION: DRAWING PK-31301-067.
4. MATES WITH: SEE SALES DRAWINGS SD-31109-003.

EC NO: UAU2009-1155
DRW: THERFUR2009/05/12
CHK: TANGELI2009/05/14
APPR: MKNACK 2009/05/14

REV DESCRIPTION

QUALITY SYMBOLS

0
0

0
0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .005	± .0004
3 PLACES	± .005	± .0004
2 PLACES	± .013	± .0005
1 PLACE	± .025	± .0010

ANGULAR ± 1/2 °

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

SCALE 2:1 DESIGN UNITS

DIMENSION STYLE

MM ONLY

DRAWN BY DATE

CHECKED BY DATE

APPROVED BY DATE

THIRD ANGLE PROJECTION

REVISE ON CAD ONLY

MALE ASSEMBLY

CHARTED SALES DRAWING

MATERIAL NO.

DOCUMENT NO.

SHEET NO.

1 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




MOLEX INCORPORATED

SEE CHART

SD-31110-003

C



		13		12		11		10		9		8		7		6		5		4		3		2		31110			
BILL OF MATERIALS														BILL OF MATERIALS															
J	ASSEMBLY PART NUMBER		DESCRIPTION		XMAS TREE ATTACHMENT FEATURE		PART NUMBER		DESCRIPTION		COLOR				ASSEMBLY PART NUMBER		DESCRIPTION		XMAS TREE ATTACHMENT FEATURE		PART NUMBER		DESCRIPTION		COLOR				J
I	31067-1040		3 WAY MALE ASSEMBLY POLARIZATION "A"		NO		31112-0030		MALE HOUSING		BLACK				31072-1040		5 WAY MALE ASSEMBLY POLARIZATION "A"		NO		31169-0050		MALE HOUSING		BLACK				H
							31114-0030		TPA		NATURAL (WHITE)										31170-0050		TPA		NATURAL (WHITE)				
	31067-1041		3 WAY MALE ASSEMBLY POLARIZATION "B"		NO		31112-0031		MALE HOUSING		GRAY				31072-1041		5 WAY MALE ASSEMBLY POLARIZATION "B"		NO		31169-0051		MALE HOUSING		GRAY				
							31114-0030		TPA		NATURAL (WHITE)										31170-0050		TPA		NATURAL (WHITE)				
G	31067-1042		3 WAY MALE ASSEMBLY POLARIZATION "C"		NO		31112-0032		MALE HOUSING		BROWN				31072-1042		5 WAY MALE ASSEMBLY POLARIZATION "C"		NO		31169-0052		MALE HOUSING		BROWN				F
							31114-0030		TPA		NATURAL (WHITE)										31170-0050		TPA		NATURAL (WHITE)				
	31067-1070		3 WAY MALE ASSEMBLY POLARIZATION "A"		YES		31112-1030		MALE HOUSING		BLACK				31072-1070		5 WAY MALE ASSEMBLY POLARIZATION "A"		YES		31169-1050		MALE HOUSING		BLACK				
							31114-0030		TPA		NATURAL (WHITE)										31170-0050		TPA		NATURAL (WHITE)				
E	31067-1071		3 WAY MALE ASSEMBLY POLARIZATION "B"		YES		31112-1031		MALE HOUSING		GRAY				31072-1071		5 WAY MALE ASSEMBLY POLARIZATION "B"		YES		31169-1051		MALE HOUSING		GRAY				D
							31114-0030		TPA		NATURAL (WHITE)										31170-0050		TPA		NATURAL (WHITE)				
	31067-1072		3 WAY MALE ASSEMBLY POLARIZATION "C"		YES		31112-1032		MALE HOUSING		BROWN				31072-1072		5 WAY MALE ASSEMBLY POLARIZATION "C"		YES		31169-1052		MALE HOUSING		BROWN				
							31114-0030		TPA		NATURAL (WHITE)										31170-0050		TPA		NATURAL (WHITE)				
D	31068-1040		4 WAY MALE ASSEMBLY POLARIZATION "A"		NO		31166-0040		MALE HOUSING		BLACK				31073-1040		6 WAY MALE ASSEMBLY POLARIZATION "A"		NO		31172-0060		MALE HOUSING		BLACK				C
							31167-0040		TPA		NATURAL (WHITE)										31173-0060		TPA		NATURAL (WHITE)				
	31068-1041		4 WAY MALE ASSEMBLY POLARIZATION "B"		NO		31166-0031		MALE HOUSING		GRAY				31073-1041		6 WAY MALE ASSEMBLY POLARIZATION "B"		NO		31172-0061		MALE HOUSING		GRAY				
							31167-0040		TPA		NATURAL (WHITE)										31173-0060		TPA		NATURAL (WHITE)				
C	31068-1042		4 WAY MALE ASSEMBLY POLARIZATION "C"		NO		31166-0032		MALE HOUSING		BROWN				31073-1042		6 WAY MALE ASSEMBLY POLARIZATION "C"		NO		31172-0062		MALE HOUSING		BROWN				B
							31167-0040		TPA		NATURAL (WHITE)										31173-0060		TPA		NATURAL (WHITE)				
	31068-1070		4 WAY MALE ASSEMBLY POLARIZATION "A"		YES		31166-1040		MALE HOUSING		BLACK				31073-1070		6 WAY MALE ASSEMBLY POLARIZATION "A"		YES		31172-1060		MALE HOUSING		BLACK				
							31167-0040		TPA		NATURAL (WHITE)										31173-0060		TPA		NATURAL (WHITE)				
B	31068-1071		4 WAY MALE ASSEMBLY POLARIZATION "B"		YES		31166-1041		MALE HOUSING		GRAY				31073-1071		6 WAY MALE ASSEMBLY POLARIZATION "B"		YES		31172-1061		MALE HOUSING		GRAY				A
							31167-0040		TPA		NATURAL (WHITE)										31173-0060		TPA		NATURAL (WHITE)				
	31068-1072		4 WAY MALE ASSEMBLY POLARIZATION "C"		YES		31166-1042		MALE HOUSING		BROWN				31073-1072		6 WAY MALE ASSEMBLY POLARIZATION "C"		YES		31172-1062		MALE HOUSING		BROWN				
							31167-0040		TPA		NATURAL (WHITE)										31173-0060		TPA		NATURAL (WHITE)				
EC NO: UAU2009-1155 DRWN: THERFUR2009/05/12 CHK: TANGELL2009/05/14 APPR: MKNACK 2009/05/14 REV DESCRIPTION E1 QUALITY SYMBOLS ▽ - 0 ▽ - 0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- ANGULAR ± 1/2 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS SCALE 2:1 DESIGN UNITS METRIC DIMENSION STYLE MM ONLY DRAWN BY DATE DEMEO 01/04/04 CHECKED BY DATE APPROVED BY DATE MATERIAL NO. SEE CHART DOCUMENT NO. SD-31110-003 SHEET NO. 3 OF 3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION C																													
fb_frame_C rev. A 11/01/98		12		11		10		9		8		7		6		5		4		3		2		1					



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331