

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.


LOC
H

DIST
-




REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	H2	ADDED NOTE INDICATING POLARISATION SLOT	29OCT2012	SP	RP


REFERENCE MATING INTERFACE PATTERN:
1,27 STAGGERED PITCH x 1,5 ROW-DISTANCE.





POLARISATION SLOT




RECOMMENDED PC-BOARD
PAD-LAYOUT TOP VIEW




SECTION A-A




SCALE 3:1



SOLDER DETAIL
SCALE 10:1




EXAMPLE SOLDER JOINT



SEE DETAIL X

USER DIRECTION OF FEED

ACCORDING EIA-481/DIN IEC 286



POLARIZATION-SLOT
ON THIS SIDE.

DETAIL X
SCALE 1:1

NOTES:

- 1 TAPE FOR VACUUM P&P ONLY FOR DASHNUMBERS 7- /8- /9-
- 2 FOR PACKAGING SEE SHEET 2 AND 3
- 3 WITHOUT VACUUM TAPE.
- 4 CORING-OUTS FOR MANUFACTURING PURPOSE ONLY.
SHAPE MAY VARY, BUT IS NOT FUNCTIONAL FOR THE APPLICATION.
- 5 SHOWN IS A 10 POSITION CONNECTOR.

3	PICK & PLACE TAPE	KAPTON	AMBER TRANSPARENT
2	FEMALE HOUSING	G.F.POLYAMIDE	RED
1	FEMALE CONTACT	PHOSPHOR BRONZE	TIN OVER NICKEL
Item no.	Description	Material	Finish

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±-
4 PLC	±-
ANGLES	±-
MATERIAL	FINISH

DWN M.Gosselink	11DEC01
CHK -	-
APVD -	-
PRODUCT SPEC 108-19052	-
APPLICATION SPEC -	-
WEIGHT -	-



TE Connectivity

CONNECTOR,
FEMALE-ON-BOARD TOP-ENTRY,
SMD, WITH LATCHES, Micro-MaTch

CUSTOMER DRAWING

SCALE 5:1

SHEET 1 OF 3

REV H2

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN

APVD


SEE SHEET 1



7-338069-4

4 POSITIONS


338069-4



7-338069-6

6 POSITIONS


338069-6




7-338069-8

8 POSITIONS


338069-8




24mm
wide tape



24mm
wide tape




24mm
wide tape




8-338069-0

10 POSITIONS

1-338069-0




44mm wide tape




8-338069-2

12 POSITIONS

1-338069-2




44mm wide tape




8-338069-4

14 POSITIONS

1-338069-4




44mm wide tape




8-338069-6

16 POSITIONS

1-338069-6




44mm wide tape



8-338069-8

18 POSITIONS

1-338069-8



44mm wide tape

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
M. Gosselink

CHK
-

APVD
-

PRODUCT SPEC

108-19052

APPLICATION SPEC


-

WEIGHT
-

CUSTOMER DRAWING

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.
1 PLC ±.
2 PLC ±.
3 PLC ±.
4 PLC ±.
ANGLES ±.

MATERIAL

-

FINISH

-



TE Connectivity

NAME

CONNECTOR,
FEMALE-ON-BOARD TOP-ENTRY,
SMD, WITH LATCHES, Micro-MaTch

SIZE

A3

CAGE CODE

00779

DRAWING NO

C-338069

RESTRICTED TO


-

SCALE
5:1


SHEET
2 OF 3

REV
H2



LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-		-	SEE SHEET 1	-	-




9-338069-0
20 POSITIONS
2-338069-0



9-338069-4
24 POSITIONS
2-338069-4



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.Gosselin	11DEC01		 TE Connectivity	
		CHK -	-			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
		0 PLC ±-		CONNECTOR,		
		1 PLC ±-		FEMALE-ON-BOARD TOP-ENTRY,		
		2 PLC ±-		SMD, WITH LATCHES, Micro-MaTch		
		3 PLC ±-				
		4 PLC ±-				
		ANGLES ±-				
MATERIAL -		FINISH -		RESTRICTED TO		
		PRODUCT SPEC		SIZE		
		108-19052		CAGE CODE		
		APPLICATION SPEC		DRAWING NO		
		-		00779		
		WEIGHT -		C-338069		
		CUSTOMER DRAWING		SCALE 5:1		
				SHEET 3 OF 3		
				REV H2		



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331