

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0350230003](#)
Status: **Active**
Description: 2.00mm (.079") Pitch Board-In Crimp Housing, 3 Circuits

Documents:

3D Model	Product Specification PS-35044-001 (PDF)
Drawing (PDF)	RoHS Certificate of Compliance (PDF)
Product Specification PS-35023-001 (PDF)	

Agency Certification

CSA	LR19980
UL	E29179

General

Product Family	Crimp Housings
Series	35023
Product Name	Board-In


Physical

Circuits (maximum)	3
Color - Resin	Natural
Flammability	94V-0
Gender	Female
Glow-Wire Compliant	No
Material - Resin	Nylon
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.079 In
Pitch - Mating Interface (mm)	2.00 mm
Stackable	No
Temperature Range - Operating	-40°C to +105°C

Material Info

Reference - Drawing Numbers

Product Specification	PS-35023-001, PS-35044-001
Sales Drawing	SD-35023-*0**, SD-35023-001



EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series
[35023Series](#)

Use With
[35044](#) , [35021](#)

DO NOT SCALE DRAWING
DIMENSION IN METRIC







B

C

PROJECT NO.
35023-0**

SIMILAR ITEM
35023-0**

DWG. NO.
SD 35023-0**



P.C. BOARD LAY OUT
(THK. : 1.6T)

NOTE

1. MATERIAL : NYLON 66 UL94V-0

2. APPLIED TERMINAL : 35021-I201/I301

3. PRODUCT SPECIFICATION : PS-35023






LEGEND

35023 - * 0 ** CKT.(02,03,04....)

COLOR : 0 --- NATURAL
1 --- BLACK


32.4	30.0	35023-*016	16	18.4	16.0	-*009	9
30.4	28.0	-*015	15	16.4	14.0	-*008	8
28.4	26.0	-*014	14	14.4	12.0	-*007	7
26.4	24.0	-*013	13	12.4	10.0	-*006	6
24.4	22.0	-*012	12	10.4	8.0	-*005	5
22.4	20.0	-*011	11	8.4	6.0	-*004	4
20.4	18.0	-*010	10	6.4	4.0	-*003	3
				4.4	2.0	35023-*002	2
B	A	ENG NO.	CKT NO.	B	A	ENG NO.	CKT NO.

REVISED EC NO. KOR1999-0007 DRWN: K.S.KIM(990111) CHK: J.K.OH APPR: C.W.LEE	DESCRIPTION MAJOR CRITICAL C	QUALITY SYMBOLS		GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 7-1	DESIGN UNITS ☒ mm ☐ INCH	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY		SHT	REV	
				mm	INCH	DRAWN BY & DATE H.S.SHIN(931026)			TITLE: 2.0mm PITCH B-IN CONN. HOUSING(S/T)		MOLEX INCORPORATED KOREA	SHEET NO. 10F1	
				4 PLACES	±0.	±.	CHECKED BY & DATE J.K.OH						
				3 PLACES	±0.	±.	APPROVED BY & DATE C.W.LEE						
		2 PLACES	±0.	±.	CAD FILENAME SD35023.DGN		MATERIAL NO. 35023-*0**	DRAWING NO. SD 35023-*0**			SIZE B		
		1 PLACE	±0.3	±.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						



RIGHT ANGLE TYPE

STRAIGHT TYPE



P.C. BOARD LAY OUT
(THK.: 1.6+)

NOTE

1. MATERIAL : NYLON 66 UL94V-0
2. APPLIED TERMINAL : 35021-1201/1301,35044
3. PRODUCT SPECIFICATION : PS-35023

LEGEND (ZYTEL FE13001)

35023 - *0**
 CKT.(02,03,04....)
 COLOR : 0 --- NATURAL
 I --- BLACK

① LEGEND (TECHNYL A50H1,HF Version)

35023 - **6*
 COLOR : 0 --- NATURAL
 I --- BLACK
 CKT.(02,03,04....)

32.4	30.0	35023- ****	16	18.4	16.0	- ****	9
30.4	28.0	- ****	15	16.4	14.0	- ****	8
28.4	26.0	- ****	14	14.4	12.0	- ****	7
26.4	24.0	- ****	13	12.4	10.0	- ****	6
24.4	22.0	- ****	12	10.4	8.0	- ****	5
22.4	20.0	- ****	11	8.4	6.0	- ****	4
20.4	18.0	- ****	10	6.4	4.0	- ****	3
B	A	ENG NO.	CKT NO.	B	A	ENG NO.	CKT NO.

REVISED EC NO: KOR2010-0015 DRWN: JHPARK01 CHKD: WY. YANG APPR: YUNSIKKIM 2009/07/28 2009/07/30 2009/07/30	DESCRIPTION	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY HS.SHIN	DATE 1993/10/26	TITLE 2.0 PITCH B-IN CONN. HOUSING(S/T)	MOLEX INCORPORATED	SHEET NO. 1 OF 01
			4 PLACES	± ---	± ---	CHECKED BY JK.OH	DATE 1993/10/26			
			3 PLACES	± ---	± ---	APPROVED BY CW.LEE	DATE 1993/10/26			
			2 PLACES	± 0.2	± ---	MATERIAL NO.				
			1 PLACE	± 0.3	± ---	SEE TABLE		DOCUMENT NO. SD-35023-001		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
REV										



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331