


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
2. PRIMARY DIMENSIONS ARE IN MILLIMETERS.
3. INCREMENTALLY ADJUSTABLE REAR EQUIPMENT MOUNTING RAILS (EIA) ARE FACTORY SET AT 742mm FROM FIXED FRONT RAILS. REAR RAILS ADJUST FROM 46mm TO 932mm IN INCREMENTS OF 32mm.
4. CAN BE USED WITH ANY 19" EIA STANDARD COMPONENT IN ADDITION TO ALL PANDUIT HORIZONTAL CABLE MANAGEMENT AND PATCH PANEL PRODUCTS.
5. EIA UNIVERSAL STANDARD HOLE PROGRESSION ON EQUIPMENT RAILS 15.88mm, 15.88mm, 12.70mm, 15.88mm, 15.88mm, 12.7mm...ETC.
6. PARTS SUPPLIED:
 - BASE CABINET
 - FRONT PERFORATED DOOR (SEE CHART ON SHEET 2)
 - REAR PERFORATED DOOR (SEE CHART ON SHEET 2)
 - SIDE PANEL (SEE CHART ON SHEET 2)
 - EQUIPMENT RAILS FRONT & REAR (SEE CHART ON SHEET 2)
 - CASTERS (SEE CHART ON SHEET 2)
 - INSTRUCTION SHEET
7. RACK UNIT SPACING NUMERALS ARE CLEARLY PRINTED ON EQUIPMENT MOUNTING RAILS.
8. FULLY BONDED STRUCTURE WHEN ASSEMBLED PER INSTRUCTIONS.
9. STATIC LOAD TESTED TO 567 Kg (1250 LBS).
10. ROLLING LOAD TESTED TO 227 Kg (500 LBS).
11. SINGLE POINT GROUND LOCATIONS AT BOTTOM OF CABINET.
12. ALL CABINET RAILS ARE INSTALLED NUMBERS UP.

						TITLE		ENTERPRISE SERVER CONFIGURED CABINET 600mm WIDE x 1070mm DEEP FAMILY		
								CUSTOMER DRAWING		
						ITEM REVISION NAME		13V368ZC/00.PRT		
						DATASET FILE NAME		13V368ZC_DC/00A.PRT		
						UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:		INCHES X.X X.XX X.XXX +/- 0.03 +/- 0.018 +/- 0.007 METRIC - MILLIMETER X. X.X X.XX +/- 0.8 +/- 0.46 +/- 0.18 ANGLE +/- 1°		
						THIRD ANGLE PROJECTION		MATERIAL/COLOR: N/A		
						DRAWING NUMBER:		13V368ZC-DC		
						DRAWN BY	DATE	CHK	SCALE	SIZE
						TKW	5-17-13	PBD	NONE	A
OOA	5-17-13	TKW	PBD		RELEASED TO PRODUCTION	13V368ZC-DC				
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN				

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

		QUANTITY								
PART NO.	DESCRIPTION	SINGLE HINGE FRONT DOOR	SINGLE HINGE REAR DOOR	SIDE PANEL	FRONT POST WITH INTEGRATED CAGE NUT E-RAIL	REAR CAGE NUT E-RAIL	SWIVEL CASTERS	CABINET WEIGHT UNPACKAGED	CABINET WEIGHT SHIPPING NO PALLET	CABINET WEIGHT SHIPPING WITH PALLET
E6212B1	12 RU ENTERPRISE CABINET 600mm WIDE X 1070mm DEEP	01	01	02	02	02	04	34.9 Kg 77 LBS	N/A	52.6 Kg 116 LBS
E6212B1FP	12 RU ENTERPRISE CABINET 600mm WIDE X 1070mm DEEP - FLAT PACKED	01	01	02	02	02	04	34.9 Kg 77 LBS	43.1 Kg 95 LBS	58.1 Kg 128 LBS
E6212B1FP5	12 RU ENTERPRISE CABINET 600mm WIDE X 1070mm DEEP - FLAT PACKED (5) PER PALLET	01	01	02	02	02	04	174.5 Kg (5 X 34.9 Kg) 385 LBS (5 X 77 LBS)	N/A	230.5 Kg (5 X 43.1 Kg)+ (1 X 15 Kg) PALLET 508 LBS (5 X 95 LBS)+ (1 X 33 LBS) PALLET
E6412B2	24 RU ENTERPRISE CABINET 600mm WIDE X 1070mm DEEP	01	01	02	02	02	04	45.8 Kg 101 LBS	N/A	63.5 Kg 140 LBS
E6412B2FP	24 RU ENTERPRISE CABINET 600mm WIDE X 1070mm DEEP - FLAT PACKED	01	01	02	02	02	04	45.8 Kg 101 LBS	N/A	79.4 Kg 175 LBS
E6412B2FP5	24 RU ENTERPRISE CABINET 600mm WIDE X 1070mm DEEP - FLAT PACKED (5) PER PALLET	01	01	02	02	02	04	229 Kg (5 X 45.8 Kg) 505 LBS (5 X 101 LBS)	N/A	324 Kg (5 X 61.2 Kg)+ (1 X 18 Kg) PALLET 715 LBS (5 X 135 LBS)+ (1 X 40 LBS) PALLET

							TITLE ENTERPRISE SERVER CONFIGURED CABINET 600mm WIDE × 1070mm DEEP FAMILY					
							CUSTOMER DRAWING					
							ITEM REVISION NAME 13V368ZC/00.PRT			PANDUIT™		
							DATASET FILE NAME 13V368ZC_DC/00A.PRT					
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:					
							INCHES X.X +/- 0.03 X.XX +/- 0.018 X.XXX +/- 0.007			METRIC - MILLIMETER X. +/- 0.8 X.X +/- 0.46 X.XX +/- 0.18		
										ANGLE +/- 1°		
										MATERIAL/COLOR: N/A		
00A	5-17-13	TKW	PBD		SEE SHEET 1 OF 5 FOR REVISIONS	13V368ZC-DC	THIRD ANGLE PROJECTION			DRAWING NUMBER: 13V368ZC-DC		
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY TKW	DATE 5-17-13	CHK PBD	SCALE NONE	SHT 2 OF 5	SIZE A





2

1

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.




B

B

A



A

							TITLE ENTERPRISE SERVER CONFIGURED CABINET 600mm WIDE x 1070mm DEEP FAMILY						
							CUSTOMER DRAWING						
							ITEM REVISION NAME 13V368ZC/00.PRT				PANDUITTM		
							DATASET FILE NAME 13V368ZC_DC/00A.PRT						
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:				MATERIAL/COLOR:		
							INCHES X.X +/- 0.03 X.XX +/- 0.018 X.XXX +/- 0.007		METRIC - MILLIMETER X. +/- 0.8 X.X +/- 0.46 X.XX +/- 0.18		ANGLE +/- 1° N/A		
00A	5-17-13	TKW	PBD		SEE SHEET 1 OF 5 FOR REVISIONS	13V368ZC-DC			THIRD ANGLE PROJECTION		DRAWING NUMBER: 13V368ZC-DC		
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY TKW	DATE 5-17-13	CHK PBD	SCALE NONE	SHT 3 OF 5	SIZE A	

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



FRONT DOOR, REAR DOOR,
AND SIDE PANELS NOT SHOWN


TOP VIEW

							TITLE					
							ENTERPRISE SERVER CONFIGURED CABINET 600mm WIDE x 1070mm DEEP FAMILY					
							CUSTOMER DRAWING					
							ITEM REVISION NAME 13V368ZC/00.PRT		PANDUITTM			
							DATASET FILE NAME 13V368ZC_DC/00A.PRT					
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:			MATERIAL/COLOR:		
							INCHES X.X +/- 0.03 X.XX +/- 0.018 X.XXX +/- 0.007		METRIC - MILLIMETER X. +/- 0.8 X.X +/- 0.46 X.XX +/- 0.18	ANGLE +/- 1°		
										N/A		
00A	5-17-13	TKW	PBD		SEE SHEET 1 OF 5 FOR REVISIONS	13V368ZC-DC			THIRD ANGLE PROJECTION	DRAWING NUMBER: 13V368ZC-DC		
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY TKW	DATE 5-17-13	CHK PBD	SCALE NONE	SHT 4 OF 5	SIZE A

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



LEVELING LEGS SPACING
SOME PARTS REMOVED FOR CLARITY

REAR OF CABINET
BOTTOM VIEW

TITLE

ENTERPRISE SERVER CONFIGURED CABINET 600mm
WIDE x 1070mm DEEP FAMILY

CUSTOMER DRAWING

ITEM REVISION NAME

13V368ZC/00.PRT

DATASET FILE NAME

13V368ZC_DC/00A.PRT

UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:


INCHES	METRIC - MILLIMETER	ANGLE
X.X +/- 0.03	X. +/- 0.8	+/- 1°
X.XX +/- 0.018	X.X +/- 0.46	
X.XXX +/- 0.007	X.XX +/- 0.18	

MATERIAL/COLOR:

N/A

DRAWING NUMBER:

13V368ZC-DC



THIRD ANGLE
PROJECTION

DRAWN BY

DATE

CHK

SCALE

TKW

5-17-13

PBD

NONE

SHT 5 OF 5

SIZE

A

OOA	5-17-13	TKW	PBD		SEE SHEET 1 OF 5 FOR REVISIONS	13V368ZC-DC
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN

2

1



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331