



	1	2	3	4	5	6	7	8																																																												
F	ALTW DCC. DEPT. CONFIDENTIAL 2015.06.24 ISSUED Pin1 Pin4 15.8 6.6 ALTW 22.8 1.8 ⌀1.8 Ⓞ L±5%(mm) SSL12-J4LJ0-000000 WIRE SSL12-J4LJ0-020AXX 01: L=100±20mm 02: L=200±20mm 04: L=400±25mm Wire Length Range(L): 100~9900mm 20: 20AWG Notes: * Ⓞ Important Dimension To Check. * Waterphooof Rate: IP68(mating) IM Depth Of Water In 24 Hours. * Housing: Thermoplastic, UL94V-0, Natural White. * Terminal: Copper Alloy,Gold Plated on contact area. * Seals: Silicone, Gray. * Wire: UL1430 20AWG. * Current Rating : 5A maximum. * Voltage Rating: 250V DC/AC maximum. * Operating Temperature: -40~+105°C.				REV.	ECN NO.	DATE	SIGN	DESCRIPTION																																																											
A					Initial Release	2015-03-16	Fisher	Initial Release																																																												
B					LEN1560330	2015-06-15	Fisher	Change the package																																																												
E																																																																				
D																																																																				
C	ALTW CONFIDENTIAL 2015-06-15 R&D DEPT.																																																																			
B	<table><tr><td>4</td><td>Yellow 黄</td></tr><tr><td>3</td><td>Orange 橙</td></tr><tr><td>2</td><td>Red 红</td></tr><tr><td>1</td><td>Brown 棕</td></tr><tr><td>Conn.</td><td>Wire</td></tr><tr><td colspan="2">Pin-out</td></tr></table>	4	Yellow 黄	3	Orange 橙	2	Red 红	1	Brown 棕	Conn.	Wire	Pin-out																																																								
4	Yellow 黄																																																																			
3	Orange 橙																																																																			
2	Red 红																																																																			
1	Brown 棕																																																																			
Conn.	Wire																																																																			
Pin-out																																																																				
A	<table><tr><td>UNIT:mm</td><td></td><td colspan="3">TITLE</td><td colspan="3">ITEM NO</td><td>DRAWN BY</td><td>DATE</td></tr><tr><td colspan="2">TOLERANCE</td><td colspan="3">SSL1.2 4P WIRE ASS'Y JACK TO OPEN</td><td colspan="3">DWG NO</td><td>Checked BY</td><td>DATE</td></tr><tr><td colspan="2">±0.5mm</td><td>SCALE</td><td>SIZE</td><td>SHEET</td><td colspan="3">CUSTOMER</td><td>APPROVED BY</td><td>DATE</td></tr><tr><td colspan="2"></td><td>1:1</td><td>A4</td><td>1 OF 2</td><td colspan="3">ALTW</td><td>Kevin_Hu</td><td>2015-06-15</td></tr><tr><td colspan="2"></td><td>REV.</td><td>WC-REV.</td><td colspan="2">Ⓞ:Inspection item</td><td colspan="3"></td><td></td></tr><tr><td colspan="2"></td><td>B</td><td>A.5</td><td colspan="2"></td><td colspan="3"></td><td></td></tr></table>	UNIT:mm		TITLE			ITEM NO			DRAWN BY	DATE	TOLERANCE		SSL1.2 4P WIRE ASS'Y JACK TO OPEN			DWG NO			Checked BY	DATE	±0.5mm		SCALE	SIZE	SHEET	CUSTOMER			APPROVED BY	DATE			1:1	A4	1 OF 2	ALTW			Kevin_Hu	2015-06-15			REV.	WC-REV.	Ⓞ:Inspection item								B	A.5							Amphenol LTW 安費諾亮泰企業股份有限公司						
UNIT:mm		TITLE			ITEM NO			DRAWN BY	DATE																																																											
TOLERANCE		SSL1.2 4P WIRE ASS'Y JACK TO OPEN			DWG NO			Checked BY	DATE																																																											
±0.5mm		SCALE	SIZE	SHEET	CUSTOMER			APPROVED BY	DATE																																																											
		1:1	A4	1 OF 2	ALTW			Kevin_Hu	2015-06-15																																																											
		REV.	WC-REV.	Ⓞ:Inspection item																																																																
		B	A.5																																																																	
	1	2	3	4	5	6	7	8																																																												

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.


PACKAGE



10pcs connector put on bubble bag, and with a cable ties.




100 Pcs Cable into a PE Bag



Label print content

80.0	
Amphenol LTW Innovation in Waterproof Solution	
工單號碼	: XXXXX
品號 (P/N)	: SSL12-J4LJ0-020AXX
數量 (Q'TY)	: XXXX
日期 (DATE)	: YY/WK
檢驗 (QA)	: _____
Patent No.	: _____
http://www.amphenol.tw	



500pcs per Carton

UNIT:mm		TITLE SSL1.2 4P WIRE ASS'Y PLUG TO OPEN	
TOLERANCE ±0.5mm		SCALE 1:1	SIZE A4
		REV. B	WC-REV. A.5
		SHEET 2	OF 2
		QC: Inspection item	

Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO	DRAWN BY Fisher_Wang	DATE 2015-06-15
DWG NO SSL12-J4LJ0-020AXX	CHECKED BY Victor_Hung	DATE 2015-06-15
CUSTOMER ALTW	APPROVED BY Kevin_Hu	DATE 2015-06-15



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331