

dsPIC33EP512MU814 144-pin TQFP to 100-pin Motor Control Plug-In Module (PIM) Information Sheet

OVERVIEW

The dsPIC33EP512MU814 Motor Control PIM is designed to demonstrate the capabilities of the dsPIC33EP512MU814 device using development boards such as the dsPICDEM™ MCLV, MCHV, and MCSM Development Boards (DM330021, DM330023, and DM330022), which support 100-pin PIM interfaces.

The dsPIC33EP512MU814 is a high performance 16-bit Digital Signal Controller. This device is equipped with Peripheral Pin Select (PPS), which

allows many of the digital peripherals to be remapped to use any number of pins on the device. Because the dsPIC33EP512MU814 device is in a 144-pin package, only some of the pins are connected to the 100-pin PIM sockets; the remaining pins are routed to test points (i.e., RA9, RA10, etc.), providing users with full access to all available pins. Refer to the device pinouts (see [Figure 1](#)) and the PIM schematics ([Figure 2](#)) for additional information.

[Table 1](#) shows the mapping between the 100-pin PIM interface board functions and the device pins.

TABLE 1: 144-PIN TO 100-PIN PIM

Device Pin #	dsPIC33EP512MU814 Functional Description	PIM Pin #
1	RP127/RG15	TP
2	VDD	—
3	AN29/PWM3H/RP85/RE5	3
4	AN30/PWM4L/RPI86/RE6	4
5	AN31/PWM4H/RP87/RE7	5
6	PWM7L/PMA8/RJ8	TP
7	PWM7H/PMA9/RJ9	TP
8	PMA10/RJ10	TP
9	PMA11/RJ11	TP
10	AN16/PWM5L/RPI49/RC1	78
11	AN17/PWM5H/RPI50/RC2	77
12	AN18/PWM6L/RPI51/RC3	18
13	AN19/PWM6H/RPI52/RC4	19
14	PMA12/RJ12	TP
15	PMA13/RJ13	TP
16	C1IND/SCK2/RP118/RG6	TP
17	C1INC/SDI2/RPI119/RG7	TP
18	C2IND/SDO2/RP120/RG8	TP
19	MCLR	13
20	C2INC/RPI121/RG9	TP
21	RJ14	TP
22	RJ15	TP
23	Vss	—
24	VDD	—
25	TMS/RPI16/RA0	TP
26	AN20/RPI88/RE8	TP
27	AN21/RPI89/RE9	TP
28	RK0	TP

Device Pin #	dsPIC33EP512MU814 Functional Description	PIM Pin #
29	RK1	TP
30	AN5/C1INA/VBUSON/VBUSST/RPI37/RB5	20
31	AN4/C1INB/USBOEN/RPI36/RB4	21
32	AN3/C2INA/VPIO/RPI35/RB3	22
33	AN2/C2INB/VMIO/RPI34/RB2	23
34	PGEC3/AN1/RPI33/RB1	24
35	PGED3/AN0/RPI32/RB0	25
36	Vss	—
37	PGEC1/AN6/RPI38/RB6	26
38	PGED1/AN7/RCV/RPI39/RB7	27
39	VREF-/RA9	TP
40	VREF+/RA10	TP
41	AVDD	—
42	AVss	—
43	PMD0/RH0	TP
44	PMD1/RH1	TP
45	PMD2/RH2	TP
46	PMD3/RH3	TP
47	AN8/RPI40/RB8	32
48	AN9/RPI41/RB9	33
49	AN10/CVREF/RPI42/RB10	TP
50	AN11/RPI43/RB11	35
51	Vss	—
52	VDD	—
53	PMRD/RK15	TP
54	PMWR/RK14	TP
55	PMBE/RK13	TP
56	TCK/RPI17/RA1	TP

Legend: TP = Test Point — = This pin is tied to the power supply rail

dsPIC33EP512MU814


TABLE 1: 144-PIN TO 100-PIN PIM (CONTINUED)

Device Pin #	dsPIC33EP512MU814 Functional Description	PIM Pin #	Device Pin #	dsPIC33EP512MU814 Functional Description	PIM Pin #
57	RP109/RF13	TP	101	RH12	TP
58	RP108/RF12	TP	102	RH13	TP
59	AN12/RPI44/RB12	41	103	RH14	TP
60	AN13/RPI45/RB13	42	104	RH15	TP
61	AN14/RPI46/RB14	43	105	INT0/DMH/RP64/RD0	72
62	AN15/RPI47/RB15	TP	106	PGED2/SOSCI/C3IND/RPI61/RC13	TP
63	Vss	—	107	PGEC2/SOSCO/C3INC/T1CK/RPI62/RC14	TP
64	VDD	—	108	Vss	—
65	PMD4/RH4	TP	109	VCPCON/RP65/RD1	TP
66	PMD5/RH5	TP	110	DPH/RP66/RD2	TP
67	PMD6/RH6	TP	111	RP67/RD3	TP
68	PMD7/RH7	TP	112	VDD	—
69	RPI78/RD14	47	113	RPI76/RD12	TP
70	RP79/RD15	48	114	RPI77/RD13	76
71	SDA2/RP100/RF4	49	115	PMA0/RJ0	TP
72	SCL2/RP101/RF5	50	116	PMA1/RJ1	TP
73	Vss	—	117	PMA2/RJ2	TP
74	USBID/RP99/RF3	TP	118	PMA3/RJ3	TP
75	RP98/RF2	51	119	RP68/RD4	79
76	RP104/RF8	52	120	RP69/RD5	80
77	VBUS	54	121	C3INB/RP70/RD6	TP
78	VUSB	55	122	C3INA/VCMPST3/RP71/RD7	TP
79	D-/RG3	56	123	VCAP	85
80	D+/RG2	57	124	VDD	—
81	RH8	TP	125	Vss	—
82	RH9	TP	126	VCMPST1/RP96/RF0	TP
83	RH10	TP	127	VCMPST2/RP97/RF1	TP
84	RH11	TP	128	RP113/RG1	83
85	ASCL2/RPI18/RA2	TP	129	RP112/RG0	84
86	ASDA2/RPI19/RA3	TP	130	AN22/RPI22/RA6	87
87	TDI/RPI20/RA4	TP	131	AN23/RPI23/RA7	88
88	TDO/RPI21/RA5	TP	132	PMA4/RJ4	TP
89	VDD	—	133	PMA5/RJ5	TP
90	OSC1/RPI60/RC12	63	134	PMA6/RJ6	TP
91	OSC2/CLKO/RC15	64	135	PMA7/RJ7	TP
92	Vss	—	136	AN24/PWM1L/RP80/RE0	93
93	PMCS2/RK12	TP	137	AN25/PWM1H/RPI81/RE1	94
94	PMCS1/RK11	TP	138	RP126/RG14	TP
95	RPI30/RA14	TP	139	RPI124/RG12	TP
96	RPI31/RA15	68	140	RP125/RG13	TP
97	RTCC/DMLN/RPI72/RD8	TP	141	Vss	—
98	ASDA1/DPLN/RPI73/RD9	TP	142	AN26/PWM2L/RP82/RE2	98
99	ASCL1/RPI74/RD10	69	143	AN27/PWM2H/RPI83/RE3	99
100	RPI75/RD11	70	144	AN28/PWM3L/RP84/RE4	100

Legend: TP = Test Point — = This pin is tied to the power supply rail


dsPIC33EP512MU814

FIGURE 1: 144-PIN DEVICE SCHEMATIC




dsPIC33EP512MU814

FIGURE 2: 100-PIN PIM SOCKET SCHEMATIC



dsPIC33EP512MU814 BYPASS/DECOUPLING CAPACITORS



Note the following details of the code protection feature on Microchip devices:

- Microchip products meet the specification contained in their particular Microchip Data Sheet.
- Microchip believes that its family of products is one of the most secure families of its kind on the market today, when used in the intended manner and under normal conditions.
- There are dishonest and possibly illegal methods used to breach the code protection feature. All of these methods, to our knowledge, require using the Microchip products in a manner outside the operating specifications contained in Microchip's Data Sheets. Most likely, the person doing so is engaged in theft of intellectual property.
- Microchip is willing to work with the customer who is concerned about the integrity of their code.
- Neither Microchip nor any other semiconductor manufacturer can guarantee the security of their code. Code protection does not mean that we are guaranteeing the product as “unbreakable.”

Code protection is constantly evolving. We at Microchip are committed to continuously improving the code protection features of our products. Attempts to break Microchip's code protection feature may be a violation of the Digital Millennium Copyright Act. If such acts allow unauthorized access to your software or other copyrighted work, you may have a right to sue for relief under that Act.

Information contained in this publication regarding device applications and the like is provided only for your convenience and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications. MICROCHIP MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION, INCLUDING BUT NOT LIMITED TO ITS CONDITION, QUALITY, PERFORMANCE, MERCHANTABILITY OR FITNESS FOR PURPOSE. Microchip disclaims all liability arising from this information and its use. Use of Microchip devices in life support and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless Microchip from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microchip intellectual property rights.

Trademarks

The Microchip name and logo, the Microchip logo, dsPIC, KEELOQ, KEELOQ logo, MPLAB, PIC, PICmicro, PICSTART, PIC³² logo, rPIC and UNI/O are registered trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.


FilterLab, Hampshire, HI-TECH C, Linear Active Thermistor, MXDEV, MXLAB, SEEVAL and The Embedded Control Solutions Company are registered trademarks of Microchip Technology Incorporated in the U.S.A.

Analog-for-the-Digital Age, Application Maestro, CodeGuard, dsPICDEM, dsPICDEM.net, dsPICworks, dsSPEAK, ECAN, ECONOMONITOR, FanSense, HI-TIDE, In-Circuit Serial Programming, ICSP, Mindi, MiWi, MPASM, MPLAB Certified logo, MPLIB, MPLINK, mTouch, Omniscient Code Generation, PICC, PICC-18, PICDEM, PICDEM.net, PICkit, PICTail, REAL ICE, rLAB, Select Mode, Total Endurance, TSHARC, UniWinDriver, WiperLock and ZENA are trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

SQTP is a service mark of Microchip Technology Incorporated in the U.S.A.

All other trademarks mentioned herein are property of their respective companies.

© 2011, Microchip Technology Incorporated, Printed in the U.S.A., All Rights Reserved.

 Printed on recycled paper.

ISBN: 978-1-61341-184-1

Microchip received ISO/TS-16949:2002 certification for its worldwide headquarters, design and wafer fabrication facilities in Chandler and Tempe, Arizona; Gresham, Oregon and design centers in California and India. The Company's quality system processes and procedures are for its PIC[®] MCUs and dsPIC[®] DSCs, KEELOQ[®] code hopping devices, Serial EEPROMs, microperipherals, nonvolatile memory and analog products. In addition, Microchip's quality system for the design and manufacture of development systems is ISO 9001:2000 certified.

**QUALITY MANAGEMENT SYSTEM
CERTIFIED BY DNV
== ISO/TS 16949:2002 ==**



MICROCHIP

Worldwide Sales and Service

AMERICAS

Corporate Office
2355 West Chandler Blvd.
Chandler, AZ 85224-6199
Tel: 480-792-7200
Fax: 480-792-7277
Technical Support:
<http://www.microchip.com/support>
Web Address:
www.microchip.com

Atlanta
Duluth, GA
Tel: 678-957-9614
Fax: 678-957-1455

Boston
Westborough, MA
Tel: 774-760-0087
Fax: 774-760-0088

Chicago
Itasca, IL
Tel: 630-285-0071
Fax: 630-285-0075

Cleveland
Independence, OH
Tel: 216-447-0464
Fax: 216-447-0643

Dallas
Addison, TX
Tel: 972-818-7423
Fax: 972-818-2924

Detroit
Farmington Hills, MI
Tel: 248-538-2250
Fax: 248-538-2260

Indianapolis
Noblesville, IN
Tel: 317-773-8323
Fax: 317-773-5453

Los Angeles
Mission Viejo, CA
Tel: 949-462-9523
Fax: 949-462-9608

Santa Clara
Santa Clara, CA
Tel: 408-961-6444
Fax: 408-961-6445

Toronto
Mississauga, Ontario,
Canada
Tel: 905-673-0699
Fax: 905-673-6509

ASIA/PACIFIC

Asia Pacific Office
Suites 3707-14, 37th Floor
Tower 6, The Gateway
Harbour City, Kowloon
Hong Kong
Tel: 852-2401-1200
Fax: 852-2401-3431

Australia - Sydney
Tel: 61-2-9868-6733
Fax: 61-2-9868-6755

China - Beijing
Tel: 86-10-8569-7000
Fax: 86-10-8528-2104

China - Chengdu
Tel: 86-28-8665-5511
Fax: 86-28-8665-7889

China - Chongqing
Tel: 86-23-8980-9588
Fax: 86-23-8980-9500

China - Hangzhou
Tel: 86-571-2819-3180
Fax: 86-571-2819-3189

China - Hong Kong SAR
Tel: 852-2401-1200
Fax: 852-2401-3431

China - Nanjing
Tel: 86-25-8473-2460
Fax: 86-25-8473-2470

China - Qingdao
Tel: 86-532-8502-7355
Fax: 86-532-8502-7205

China - Shanghai
Tel: 86-21-5407-5533
Fax: 86-21-5407-5066

China - Shenyang
Tel: 86-24-2334-2829
Fax: 86-24-2334-2393

China - Shenzhen
Tel: 86-755-8203-2660
Fax: 86-755-8203-1760

China - Wuhan
Tel: 86-27-5980-5300
Fax: 86-27-5980-5118

China - Xian
Tel: 86-29-8833-7252
Fax: 86-29-8833-7256

China - Xiamen
Tel: 86-592-2388138
Fax: 86-592-2388130

China - Zhuhai
Tel: 86-756-3210040
Fax: 86-756-3210049

ASIA/PACIFIC

India - Bangalore
Tel: 91-80-3090-4444
Fax: 91-80-3090-4123

India - New Delhi
Tel: 91-11-4160-8631
Fax: 91-11-4160-8632

India - Pune
Tel: 91-20-2566-1512
Fax: 91-20-2566-1513

Japan - Yokohama
Tel: 81-45-471- 6166
Fax: 81-45-471-6122

Korea - Daegu
Tel: 82-53-744-4301
Fax: 82-53-744-4302

Korea - Seoul
Tel: 82-2-554-7200
Fax: 82-2-558-5932 or
82-2-558-5934

Malaysia - Kuala Lumpur
Tel: 60-3-6201-9857
Fax: 60-3-6201-9859

Malaysia - Penang
Tel: 60-4-227-8870
Fax: 60-4-227-4068

Philippines - Manila
Tel: 63-2-634-9065
Fax: 63-2-634-9069

Singapore
Tel: 65-6334-8870
Fax: 65-6334-8850

Taiwan - Hsin Chu
Tel: 886-3-6578-300
Fax: 886-3-6578-370

Taiwan - Kaohsiung
Tel: 886-7-213-7830
Fax: 886-7-330-9305

Taiwan - Taipei
Tel: 886-2-2500-6610
Fax: 886-2-2508-0102

Thailand - Bangkok
Tel: 66-2-694-1351
Fax: 66-2-694-1350

EUROPE

Austria - Wels
Tel: 43-7242-2244-39
Fax: 43-7242-2244-393

Denmark - Copenhagen
Tel: 45-4450-2828
Fax: 45-4485-2829

France - Paris
Tel: 33-1-69-53-63-20
Fax: 33-1-69-30-90-79

Germany - Munich
Tel: 49-89-627-144-0
Fax: 49-89-627-144-44

Italy - Milan
Tel: 39-0331-742611
Fax: 39-0331-466781

Netherlands - Drunen
Tel: 31-416-690399
Fax: 31-416-690340

Spain - Madrid
Tel: 34-91-708-08-90
Fax: 34-91-708-08-91

UK - Wokingham
Tel: 44-118-921-5869
Fax: 44-118-921-5820

05/02/11



Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331