

CHEMTRONICS

Technical Data Sheet

TDS # 3277

Eco-Rite™ Multi-Purpose Cleaner

The eco-friendly, multi-purpose aqueous cleaner

PRODUCT DESCRIPTION

Environmentally preferable Eco-Rite™ Multi-Purpose Cleaner is a low environmental impact multi-purpose cleaner, specifically formulated for a variety of cleaning applications. This formulation is non-flammable and biodegradable, offering safe and efficient cleaning of a variety of surfaces. Available in a convenient, ready-to use trigger spray or a concentrate ready for dilution, Eco-Rite™ Multi-Purpose Cleaner is ideal for cleaning hard surfaces such as bench tops, counters, tool boxes, compressors, floors, hoists, lifts, engines, etc. The water-based cleaning solution quickly penetrates, emulsifies and lifts the toughest grime, without the environmental impact of high VOC's, caustic compounds, and butyl-based cleaners.

- Multi-purpose spray and wipe cleaning performance
- Removes oils, dirt, waxes and handling soils
- Non-flammable
- Biodegradable
- No Phosphates, EDTA, or NTA
- Non-caustics, non-acidic, no chlorine bleach, no abrasives
- No Carcinogens, Ozone Depleting Compounds
- No Petroleum Distillates
- No Alkylphenolethoxylates
- Butyl-free

TYPICAL APPLICATIONS

Eco-Rite™ Multi-Purpose Cleaner can be used for all repair, maintenance, and manufacturing cleaning applications including:

- Removes oils, handling soils and lubricants
- Ideal for metal parts cleaning and tools
- All repair and maintenance cleaning
- Used to clean grease and other soils from a variety of surfaces such as:
 - Stainless Steel, Chrome
 - Plastics
 - Ceramics and enamel

TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

Boiling Point	212° F (Initial)
Evaporation Rate (butyl acetate=1)	<1
Flash Point (TCC)	None
Specific Gravity	1.01 / 1.02 (RTU / concentrate)
Appearance	Clear, colorless liquid
Odor	Mild, Clean
Solubility in Water	100%
pH	9.68
Shelflife	2 years
CARB & OTC VOC Content	0.0% VOC
SCAQMD VOC Content	87 g/L trigger sprayer RTU

*Volatile Organic Compound (VOC) information is calculated on a weight basis using the VOC definition of California Air Resources Board (CARB) Consumer Product Regulations, South Coast Air Quality Management District (SCAQMD) Rule 102 and the Federal definition published in 40 CFR 51.100(s).

COMPATIBILITY

Eco-Rite™ Multi-Purpose Cleaner is compatible with most metals and plastics. As with any solvent, compatibility with substrate should be determined on a non-critical area prior to use.

<u>Material</u>	<u>Compatibility</u>
ABS	Excellent
Buna-N	Excellent
Butyl	Excellent
EPDM	Excellent
Graphite	Excellent
HDPE	Excellent
PVDF	Excellent
LDPE	Excellent
Lexan™	Excellent
Neoprene	Excellent
Noryl®	Excellent
Nylon™ 66	Excellent
Polycarbonate	Excellent
Polypropylene	Excellent
Polystyrene	Excellent
PVC	Excellent
Silicone Rubber	Excellent
Teflon™	Excellent

USAGE INSTRUCTIONS

Read MSDS carefully prior to use.

Spray Eco-Rite™ Multi-Purpose Cleaner on the surface to be cleaned. Wipe away soils with a Controlwipes™. Wipe, or rinse with clean water.

Can be used in hot or cold immersion, ultrasonic or aqueous cleaning systems. For immersion systems, soak as necessary. Parts can also be cleaned with a pressure sprayer by spraying parts from top to bottom, allowing the liquid to flush away dirt and dissolved grease.

Dilution ratios for concentrate:	<u>Water : Conc</u>
Heavy grease, oxidized oils and grime	2:1
Fiberglass, Plastics	4:1
General cleaning	8:1
Dip tanks	8:1
Parts washers	16:1
Ultrasonic cleaners	16:1
Pressure cleaning systems	60:1

AVAILABILITY

ES3277 32 oz trigger sprayer

ES3277E 0.95 L trigger sprayer

ES177 1 gallon concentrate

ES177E 3.7 L concentrate, EU Label

TECHNICAL & APPLICATION ASSISTANCE

Chemtronics provides a technical hotline to answer your technical and application related questions. The toll free number is **1-800-TECH-401**, or e-mail us at AskChemtronics@chemtronics.com.

SAFETY & ENVIRONMENTAL DATA

SAFETY & ENVIRONMENTAL DATA			
CFC	0.0%	VOC - CARB & OTC	0.0%
nPB	0.0%	VOC - SCAQMD	86 g/L trigger sprayer
HCFCs	0.0%	HFC	0.0%

CFC, HCFC, CL. SOLV., VOC, and HFC numbers shown are the content by weight. Ozone depletion potential (ODP) is determined in accordance with the Montreal Protocol and U.S. Clean Air Act of 1990. The ODP of this product is 0.0. It is the sum of the ODP of the substances that may contribute to the depletion of stratospheric ozone, based upon the weight of each substance in the product's formulation.

NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

Chemtronics® is a registered trademark of Chemtronics. All rights reserved. Eco-Rite™, and Controlwipes™ are trademarks of Chemtronics. All rights reserved.

All other trademarks herein are trademarks or registered trademarks of their respective owners.

CHEMTRONICS

8125 COBB CENTER DRIVE

KENNESAW, GA 30152

1-770-424-4888

REV D (08/13)

<u>DISTRIBUTED BY:</u>



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331