






RECEPTACLE



ALTERNATE
CONFIGURATION



RECEPTACLE HOUSING

		DIMENSIONS SHOWN METRIC INCH		▽ = 0 ▽ = 0		REVISE ONLY ON CAD SYSTEM	
		UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .005		TITLE		.093/(2.36) HOUSING, PLUG AND RECEPTACLE, 4 CKT. ± .198/(5.03) CTRS.	
		INCH METRIC		MOLEX INCORPORATED		SHEET NO. 2	
T	SEE SHT. I	3 PLACE ± .010 --- ± .025		LITTLE, ILL. 60532 U.S.A.		DATE 3/10/88	
S	SEE SHT. I	2 PLACE ± .014 --- ± .035		PART NO.		DRWG. NO.	
R	SEE SHT. I	1 PLACE --- ± .035		SE CHART		SD-1490--	
P	SEE SHT. I	DRAFT WHEN APPLICABLE MUST REMAIN WITHIN DIMENSIONS		FILE NAME		THIS DRAWING CANNOT BE USED FOR ANY PURPOSE WITHOUT PERMISSION	
L.T.R. REVISIONS		DRAWING BY: CEP APP'D. BY: RAS		SD4930X2		REV. C SIZE	
L.T.R. REVISIONS		CHECKED BY: RW DATE: 2-1					

PLUG		RECEPTACLE	
PART NO.	ENG. NO.	PART NO.	ENG. NO.
03-09-2041	I490-P	03-09-1041	I490-R
03-09-2042	I490-PI	03-09-1042	I490-RI
03-09-7041	I490-PBK	03-09-6041	I490-RBK
03-09-7042	I490-PIBK	03-09-6042	I490-RIBK
PRELIMINARY	I490-P2	03-09-1043	I490-R2
03-09-3042	I490-PIBU	03-09-6043	I490-RBU
		03-09-6045	I490-RGN


LEGEND:

I490-***-*



P = PLUG
R = RECEPTACLE

BLANK = WITH STANDARD EARS
1 = WITHOUT EARS
2 = WITH PREBENT EARS, PER DETAIL 4


COLOR: BLANK=NATURAL COLOR
AM=AMBER BK=BLACK BU=BLUE
BN=BROWN GY=GRAY GN=GREEN
OR=ORANGE RD=RED YW=YELLOW
BLANK = MATERIAL CODE A



DETAIL 3
.093/(2.36) STANDARD MOUNTING EAR
(SCALE 4:1)



HOUSING	DIM. "A"	DIM. "B"	DIM. "C"
PLUG	1.131/(28.73)	.375/(9.52)	.36/(9.1)
RECEPTACLE	1.038/(26.36)	.312/(7.92)	.37/(9.4)



DETAIL 4
.093/(2.36) PREBENT MOUNTING EAR
(SCALE 4:1)

NOTES:

1. MATERIAL CODES:
A = NYLON 6/6, 94V-2
2. THIS PART COMPLIES WITH MOLEX PRODUCT SPEC. 02-09.
3. FOR DIMENSION SEE SHEET 1 AND 2.
4. CIRCUIT I.D. NUMBERS ON HOUSING APPEAR ON PARTS FROM TOOLS BUILT AFTER 8/7/91.

13121110987654321

14904321

DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm .001$ TO		REVISE ONLY ON CAD SYSTEM	
INCH 3 PLACE $\pm .010$ 2 PLACE $\pm .014$ 1 PLACE $\pm .025$		METRIC --- --- --- ± 0.25	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		PART NO. SEE CHART	
DRWG. BY: CEP APP'D. BY: RAS		DRWG. NO. SD-I490-*	
LTR. REVISIONS		LTR. REVISIONS	

13121110987654321

14904321

13121110987654321

14904321



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331