



## 4mm Base Lampholders



### H9941


<b>Lamp Base</b>	G-4, GU4 GZ4 (MR-11) Ceramic
<b>Holder</b>	
<b>Maximum Ratings</b>	50 Volts 10 Amps 230° C
<b>Wire</b>	18 AWG Stranded Teflon Insulation 140mm Wire Length
<b>H9941-515</b>	510mm Wire Length
<b>H9941-M3</b>	M-3 Threaded Mounting Inserts
<b>H9941-M3-395</b>	M-3 Threaded Mounting Inserts 395mm Wire Length



### HX814


\*\* REPLACES HX983 \*\*

<b>Lamp Base</b>	Universal G-4, GY4, GZ4, GX5.3, G6.35, GY6.35, GZ6.35
<b>Holder</b>	Ceramic
<b>Maximum Ratings</b>	24 Volts 10 Amps 230° C
<b>Wire</b>	18 AWG Stranded Silicone Insulation 135mm Wire Length
<b>H9901-180</b>	180mm Wire Length
<b>H9901-215</b>	215mm Wire Length
<b>H9901-390</b>	390mm Wire Length



### H9901 - Replaces H992


<b>Lamp Base</b>	G-4 GZ4, GU4 Ceramic
<b>Holder</b>	
<b>Maximum Ratings</b>	24 Volts 10 Amps 230° C
<b>Wire</b>	18 AWG Stranded Silicone Insulation 135mm Wire Length
<b>H9901-180</b>	180mm Wire Length
<b>H9901-215</b>	215mm Wire Length
<b>H9901-390</b>	390mm Wire Length



### H992 Discontinued

<b>Lamp Base</b>	G-4
<b>Holder</b>	Heat Resistant Phenolic Plastic
<b>Maximum Ratings</b>	24 Volts 10 Amps 180° C
<b>Wire</b>	18 AWG Stranded Silicone Insulation 135mm Wire Length

## 4mm Base Lampholders




### H973

**Lamp Base Holder** G-4  
Ceramic

**Maximum Ratings** 24 Volts  
4 Amps  
180°C

**Wire** 18 AWG Stranded  
Silicone Insulation  
140mm Wire Length




### H997

**Lamp Base Holder** G-4  
Ceramic

**Maximum Ratings** 24 Volts  
4 Amps  
180°C

**Wire** 18 AWG Stranded  
Silicone Insulation  
145mm Wire Length




### H971-M3

**Lamp Base Holder** G-4, GU4  
GZ4 (MR-11)  
Ceramic

**Maximum Ratings** 250 Volts  
6 Amps  
230°C

**Wire** 18 AWG Stranded  
Teflon Insulation  
140mm Wire Length




### H977-395A


**Lamp Base Holder** G4, GZ4, GU4  
Ceramic

**Maximum Ratings** 50 Volts  
10 Amps  
180°C

**Wire** 18 AWG Stranded  
Silicone Insulation  
395mm Wire Length with  
round clip terminations



G-4 lamp  
base dimensions



GZ4 (MR11)  
lamp base dimensions

Telephone: 781-935-4442  
Fax: 781-938-5867

sales@gilway.com  
www.gilway.com



## Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

### Наши контакты:

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331