MIDGET-STYLE FUSEBLOCKS



Description

Thew new Littelfuse Class CC and CD blocks offer generous space savings and enhanced value. Indication, DIN Rail mounting and universal mounting holes are all available.

Features/Benefits

- DIN Rail mountable optional
- Rejection feature that prevents the insertion of fuses with lower interrupting rating or voltage ratings
- Clip design reduces resistance and heat
- Non DIN Rail fuseblocks have interlocking feature allowing ganging to produce a fuseblock with any number of poles

Specifications

Voltage Rating:	600 VAC/600 VDC
Ampere Ratings:	30 A
Dielectric strength:	1200 V minimum
Clip/terminals:	Tin-plated copper alloy
Box lug:	Copper
Screw and captive pressure plate:	Zinc-plated steel
Base:	Thermoplastic UL94 V-0 flammability rating
Approvals:	UL Recognized (File No. E14721) CSA Certified (File No. LR7316)
Environmental:	RoHS Compliant Lead (Pb) Free

Recommended Fuses

BLF, BLN, BLS, FLA, FL, FLQ, FLU, KLK, KLKD, KLQ

Web Resources

Sample requests, downloadable CAD drawings and other technical information:
http://www.littelfuse.com/fuseblocks

Ordering Information

Midget 30 A Fuseblocks

AMP RATING	POLES	CATALOG/SYSTEM #		CONNECTOR TYPE (ADD SUFFIX SHOWN)	MAX. WIRE SIZE
		NON-DIN*	DINR		
30	1	L60030M1C	L60030M1CDINR	Box Lug	#6 CU
	2	L60030M2C	L60030M2CDINR		
	3	L60030M3C	L60030M3CDINR		
30	1	L60030M1PQ	L60030M1PQDINR	Pressure Plate/ Q. C. Terminal	#10 CU
	2	L60030M2PQ	L60030M2PQDINR		
	3	L60030M3PQ	L60030M3PQDINR		
30	1	L60030M1SQ	L60030M1SQDINR	Screw/ Q. C. Terminal	#10 CU
	2	L60030M2SQ	L60030M2SQDINR		
	3	L60030M3SQ	L60030M3SQDINR		


* Gangable
Note: Quick Connect Terminals are rated at 20 A.

©August 2011 Littelfuse POWR-GARD Products


MIDGET-STYLE FUSEBLOCKS

Dimensions in mm (inches)
DIN Rail Mountable


30 A
1-pole



30 A
2-pole




30 A
3-pole




Dimensions in inches (mm)
Non-DIN Rail Mountable


30 A
1-pole



30 A
2-pole



30 A
3-pole



©August 2011 Littelfuse POWR-GARD Products

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331