

# Telpower® DC Power Protection Systems


## Spare Fuseholders

TPSFH




### Common Prefix TPSFH-


CW




M


 inches  
mm


70



LC



LB



### Spare Fuseholders

- Durable construction using black thermoplastic with UL 94V-0 flammability rating.
- Common mounting (.16 dia. hole) using #6 screws or bolts on 5-inch centers.
- Dovetailed interlocking between fuseholders simplifies installation and reduces needed hardware.
- Common footprint allows for any combination of fuseholders to be mounted together.
- Built-in retaining clips secure fuses.
- TPSFH-CW fuseholder holds four TPC fuses, or two TPW fuses, or two TPC fuses and one TPW fuse.

#### Catalog Numbers

#### Capacity


|           |             |                                     |
|-----------|-------------|-------------------------------------|
| TPSFH-CW  | 4-position  | For use with TPC and / or TPW fuses |
| TPSFH-M   | 4-position  | For use with TPM fuses              |
| TPSFH-70  | 12-position | For use with Series 70 fuses        |
| TPSFH-LC  | 1-position  | For use with TPL-C series fuses     |
| TPSFH-LB  | 1-position  | For use with TPL-B series fuses     |
| TPSFH-N60 | 1-position  | For use with TPN (35-60A) fuses     |
| TPSFH-N30 | 4-position  | For use with TPN (1-30A) fuses      |
| TPSFH-AS  | 6-position  | For use with TPA & TPS fuses        |
| TPSFH-T   | 10-position | For use with GMT fuses              |

# Telpower® DC Power Protection Systems

## Spare Fuseholders

TPSFH

N60


 inches  
mm



### 5TPH

TPA and TPA-B Fuse Spare Fuseholder


Size: 2.98" wide x 1.03" high x .63" deep

- 5-position spare fuseholder for midsize fuses ( $1\frac{3}{32}$ " diameter).
- Constructed of grey thermoplastic.
- Adhesive tape on back for easy mounting on cabinet doors.


N30



AS



T



The only controlled copy of this Data Sheet is the electronic read-only version located on the Bussmann Network Drive. All other copies of this Data Sheet are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331