

StorFly[®] 18

1.8" SATA 6G SSD
CE, XE, and PE Classes



Industrial Embedded Technology for our Interconnected world

**StorFly 18 - Ideal for industrial
automation, networking, server,
blade and medical applications**

**Designed, built, and supported
in the U.S. —fortified by locations
worldwide**

Overview

StorFly[®] 18 SATA CE, XE and PE SSDs deliver an optimal solid-state storage solution for embedded and industrial systems that may require a high-reliability replacement to hard-to-find 1.8" HDDs. StorFly 18 SSDs are also smaller, thinner, "eject-able" alternatives to 2.5".

SATA SSDs that provide the benefit of enhanced serviceability without the need for a hot-swap carrier. At a 5mm thickness, StorFly 18 SSDs are ideal for 1U server and blade applications where airflow and cooling are high priorities.

Applications

StorFly 18 SSDs are ideal for industrial automation, networking, server, blade and medical applications that require high performance in a form factor only 5mm high. They are ideal as replacements for hard-to-find 1.8" HDDs and can be used in lieu of 2.5" for easy hot swapping and service.




StorFly 18 SSDs are also used in many military and ruggedized portable computers.

Features

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- vtView software accessible
- Global static and dynamic wear leveling

Specifications

| | |
|------------------------|--|
| Interface | SATA 6G (SATA III), 3G and 1.5G |
| Voltage / Power | 3.3v / 1.7W |
| UBER | <1 sector error in 1015 bits read |
| MTBF | > 2M hours |
| Environmental | MIL-STD-810F |
| Compliance | ATA/ATAPI-8 (ACS-2), FCC, CE, UL, RoHS, WEEE |
| Dimensions (mm) | 54.00 x 78.25 x 5.0 |

| Class |  |  |  |
|------------------------------|---|---|---|
| Media | MLC (Good) | iMLC (Better) | SLC (Best) |
| Capacity | 30GB-960GB | 16GB-480GB | 8GB-256GB |
| *Endurance | 1X Baseline | 7X Baseline | 30X Baseline |
| Operating Temperature | 0° to 70°C | -40° to 85°C | -40° to 85°C |
| Warranty | 3 Years | 5 Years | 5 Years |

* Endurance Baseline = one entire drive write per day for the entire warranty period.

Ordering Information

VSF18x(C/I)yyyG-zzz

where:

| | |
|-------|--|
| VSF | Virtium StorFly |
| B18x | Form factor and product class |
| (C/I) | Commercial / Industrial operating temp |
| yyyG | Capacity (1GB = 1,000,000,000 bytes) |
| zzz | Virtium proprietary |

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2018. All rights reserved. Virtium®, Storfly®, TuffDrive®, vtView®, vtGuard® are registered trademarks and vtSecure™ is a trademark of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.



30052 Tomas | Rancho Santa Margarita, CA 92688
 Phone: 949-888-2444 | Fax: 949-888-2445
www.virtium.com

PB001-1114-03



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331