

# StorFly® 18

1.8" SATA 6G SSD  
CE, XE, and PE Classes



## Industrial Embedded Technology for our Interconnected world

**StorFly 18 - Ideal for industrial  
automation, networking, server,  
blade and medical applications**

**Designed, built, and supported  
in the U.S. —fortified by locations  
worldwide**

## Overview

StorFly® 18 SATA CE, XE and PE SSDs deliver an optimal solid-state storage solution for embedded and industrial systems that may require a high-reliability replacement to hard-to-find 1.8" HDDs. StorFly 18 SSDs are also smaller, thinner, "eject-able" alternatives to 2.5".

SATA SSDs that provide the benefit of enhanced serviceability without the need for a hot-swap carrier. At a 5mm thickness, StorFly 18 SSDs are ideal for 1U server and blade applications where airflow and cooling are high priorities.

## Applications

StorFly 18 SSDs are ideal for industrial automation, networking, server, blade and medical applications that require high performance in a form factor only 5mm high. They are ideal as replacements for hard-to-find 1.8" HDDs and can be used in lieu of 2.5" for easy hot swapping and service.




StorFly 18 SSDs are also used in many military and ruggedized portable computers.

## Features

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- vtView software accessible
- Global static and dynamic wear leveling

## Specifications

<b>Interface</b>	SATA 6G (SATA III), 3G and 1.5G
<b>Voltage / Power</b>	3.3v / 1.7W
<b>UBER</b>	<1 sector error in 1015 bits read
<b>MTBF</b>	> 2M hours
<b>Environmental</b>	MIL-STD-810F
<b>Compliance</b>	ATA/ATAPI-8 (ACS-2), FCC, CE, UL, RoHS, WEEE
<b>Dimensions (mm)</b>	54.00 x 78.25 x 5.0

Class			
<b>Media</b>	<b>MLC (Good)</b>	<b>iMLC (Better)</b>	<b>SLC (Best)</b>
<b>Capacity</b>	30GB-960GB	16GB-480GB	8GB-256GB
<b>*Endurance</b>	1X Baseline	7X Baseline	30X Baseline
<b>Operating Temperature</b>	0° to 70°C	-40° to 85°C	-40° to 85°C
<b>Warranty</b>	3 Years	5 Years	5 Years

\* Endurance Baseline = one entire drive write per day for the entire warranty period.

## Ordering Information

VSF18x(C/I)yyyG-zzz

where:

VSF	Virtium StorFly
B18x	Form factor and product class
(C/I)	Commercial / Industrial operating temp
yyyG	Capacity (1GB = 1,000,000,000 bytes)
zzz	Virtium proprietary

---

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2018. All rights reserved. Virtium®, Storfly®, TuffDrive®, vtView®, vtGuard® are registered trademarks and vtSecure™ is a trademark of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.



30052 Tomas | Rancho Santa Margarita, CA 92688  
 Phone: 949-888-2444 | Fax: 949-888-2445  
[www.virtium.com](http://www.virtium.com)

PB001-1114-03



## Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

### Наши контакты:

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331